



www.hilltopgranite.com



CORPORATE OFFICE, HILLTOP STONES PVT LTD, INDIA

📍 No 736, 7th Cross Road, Koramangala 3rd Block
Bengaluru, Karnataka - 560034, India
bangalore@hilltopgranite.com
+91 80 2222 7778



HILLTOP STONE & INTERIORS, HOUSTON

📍 8760 Clay Rd Suite B
Houston TX - 77080 USA
houston@hilltopgranite.com
+1 832 867 9053



HILLTOP STONE & INTERIORS, AUSTIN

📍 2120 Grand Ave Pkwy #150
Austin TX - 78728, USA
austin@hilltopgranite.com
+1 512 220 2140



HILLTOP GRANITE, FACTORY

📍 220/2B, Thyagarasanapalli Village
NH 7 Hosur - Krishnagiri Road, Shoolagiri P O & Taluk
Krishnagiri District, Tamil Nadu - 635117, India
factory@hilltopgranite.com
+91 89519 43583



HILLTOP GRANITE, DALLAS

📍 12401 N Stemmons Fwy #140
Farmers Branch TX - 75234, USA
dallas@hilltopgranite.com
+1 972 243 3156 / 3157



COLORS OF RAINBOW, FACTORY

📍 Sy.no.209/5B & 6B, 321/1 Gollapalli
Shoolagiri P O & Taluk, Krishnagiri
Tamil Nadu - 635117, India
info@colorsofrainbow.in, paras@hilltopgranite.com
+91 89519 43587



FloorEv 

NEW SPC
COLLECTION





Hilltop Group, a distinguished producer and exporter rooted in the Bangalore province of India, has maintained a prominent position for over a decade. Specializing in Granite, Marble, and Engineered Quartz Slabs, our global presence stands testament to our commitment and excellence in these materials. As pioneers in India's Granite, Marble, and Engineered Quartz Slab manufacturing and export industry, we have established a remarkable legacy.

Building upon our success in Granite, Marble, and Engineered Quartz Slabs, we are thrilled to introduce our latest venture - SPC floors by Colors of Rainbow, a subsidiary of "Hilltop Stones Pvt Ltd."

Our dedicated team, equipped with high expertise, prioritizes quality, ensuring adherence to international quality standards.

The Hilltop Group's cutting-edge products, including Floorevo SPC, epitomize our dedication to craftsmanship, leveraging German Technology to deliver excellence to homes worldwide.

SPC is known for its durability, water resistance, and low maintenance, making it ideal for both residential and commercial spaces. With an array of new designs and patterns, Floorevo brings style, strength, and ease of installation, representing the next evolution in flooring.

Colors of Rainbow is excited to introduce Floorevo (Flooring Evolution), our new SPC (Stone Plastic Composite) flooring line. Floorevo combines innovative design with cutting-edge German locking technology, offering an advanced solution for modern flooring needs.

Why FLOOREVO?

- FLOOREVO SPC offers attractive Pricing & Quality Standards with uniformity.
- UNILIN Locking System for enhanced functionality.
- HOMAG Line German Technology signifies technical excellence.
- With nearly 3 decades of experience in the related business, we possess substantial technical know-how.
- An established Supply Chain across 20+ Countries, including the USA & CANNADA
- Collaborations with Topmost skilled agencies globally for Quality & Designing.
- Global Representatives available for swift and efficient services, emphasizing our customer-centric approach.

PATENT LOCKING

UV SURFACE TREATMENT

- Super Stain & Scratch Resistant
- 100% Waterproof
- Free from Bugs & Termites

TRANSPARENT WEAR LAYER

- Enhances the Color and Emboss
- Resistant to Abrasion

FILM LAYER

- Elegant Designs
- Natural Looks & Feeling

RIGID CORE

- Sturdy Construction
- Dimensional Stability
- "UNICLIC" Locking System
- Quick & Easy Installation

IXPE BACKING

- 1mm IXPE Backing with Good Grip
- Sound Insulation
- Provides Underfoot Comfort

Overall Thickness Varies from (in mm)
3.5 | 4.0 | 5.0 | 6.0 | 6.5

INNOVATIVE FLOORING SOLUTIONS

THE FLOORING OF THE FUTURE



GIRIAS
S.P.C.
FloorEv

MAPLE
1002-26





GIRIAS
S P C
FloorEv

WALNUT
1050-23





GIRIAS
S P C
FloorEv


EXPRESSO
1089-1





GIRIAS
S P C
FloorEv

GRAPHITE ASH
3631-5





GIRIAS
SPC
FloorEv

SLATE
4134





GIRIAS
SPC
FloorEv

DEEP BROWN
5018-6A





EBONY WALNUT
6179-4





GIRIAS
SPC
FloorEv

OAK BRAUN
ANZ0005-5





GIRIAS
S P C
FloorEv

DESERT OAK
2003-5





**SANDY
CHESTNUT**
5540





INSTALLATION INSTRUCTIONS

- **Set Spacers:** Use 3/5" spacers to create expansion space between planks and walls; for rooms over 50', use 1/2" spacers.
- **Install 1st Plank:** Place the first plank against 3/5" wall spacers, starting at the room corner with the tongue side facing the wall.
- **Lock End Joints:** Insert the tongue of the next plank into the groove of the first at an angle, then drop in place to lock.
- **Establish Staggering:** Ensure an 8" stagger for random lengths or offset fixed-length planks by half for a brick pattern.
- **1st Plank, 2nd Row:** Cut the first plank to 1/3 length and insert the long tongue edge into the groove of the first row.
- **2nd Plank, 2nd Row:** Lock the short tongue into the previous plank, then insert both pieces into the first row's long edge groove.
- **Continue 2nd Row:** Lock the long edge by angling the tongue into the groove and gently tap with a tapping block for a tight fit.
- **Locking Plank:** Tap the short end with a mallet and tapping block to lock planks, using a pull bar for a tight long edge fit.
- **Install Remaining Rows:** Insert and lock new planks following the same process, ensuring a snug fit until the installation is complete.
- **Finish the Job:** Remove spacers, cover expansion space with trim, and use flexible caulking around bathtubs and showers.

CARE & MAINTAINANCE



Green Product



Stain Protect



Scratch Guard



Fire Resistant



Water Proof



Weather Proof



Recyclable



Noise Free



Termite Proof



Made to be installed on any existing floor



Less Dead Weight



Germs Protection



Dust Free Installation



Glue Free Installation



Mix & Match Pattern



Quick Installation



10 Years Warranty

To maintain SPC flooring, regularly sweep or vacuum to remove dust and debris. Clean spills immediately with a damp cloth to prevent moisture damage, and use a pH-neutral cleaner for routine cleaning. Avoid harsh chemicals, abrasives, or steam mops, as they can damage the surface. Place mats at entryways to reduce dirt and grit, and use felt pads under furniture to prevent scratches. Heavy furniture should be lifted, not dragged. Although SPC is water-resistant, prolonged exposure to moisture should be avoided. Regular care will help preserve the flooring's appearance and durability for years to come.

Terms and Condition:

The information contained in this catalogue is presented for information purposes only, and intended to provide understanding and knowledge about the product. The information should not be considered complete and should not be used in the place of communication and consultation with other sources.