Connecting In Case of Crisis MCP to ChatGPT and Codex


Workspace administrator setup, per-user activation and Codex configuration

RockDove Solutions · v2.0 · 2026-10-27 · Public

1. Purpose

This guide connects the In Case of Crisis MCP connector to ChatGPT and Codex so employees can ask what their organization's emergency plan says and get the approved protocol back as written, with its citation. ChatGPT now delivers custom MCP servers as **plugins**. A workspace administrator adds the connector once (Part 1, about 10 minutes); each employee then installs it and signs in once (Part 2, about a minute). Part 3 covers Codex for technical staff.

In a life-threatening emergency, call 9-1-1 first. The connector returns your organization's approved guidance. It does not contact emergency services, send notifications or file incident reports; use the In Case of Crisis app for those actions.



2. What the connector does

The In Case of Crisis MCP connector is read-only. It gives ChatGPT two lookups against your organization's approved plan in In Case of Crisis: (1) browse or search the protocol catalog, and (2) open one protocol and return its text, escalation contacts and citation. Each employee signs in with their own In Case of Crisis account, so ChatGPT only sees the protocols published for that person's organization. ChatGPT never sees the employee's In Case of Crisis password.

3. Before you start


- ☐ Your organization has an active In Case of Crisis subscription, and RockDove Solutions has enabled the MCP connector for it. Your Customer Success Manager (CSM) can confirm both.
- ☐ Your ChatGPT plan supports custom MCP servers. Business, Enterprise and Edu workspaces support the full workflow in this guide. Individual Pro accounts can connect custom MCP servers with read access, which covers everything this connector does. Free and Plus do not support custom MCP servers.
- ☐ Part 1 needs a workspace Admin or Owner. On Business, only Admins and Owners can create and publish plugins for

© 2026 RockDove Solutions, Inc. All rights reserved

custom MCP servers. On Enterprise and Edu, Admins can grant creation to other roles, but only Admins and Owners can publish to the workspace.

- ☐ You have the connector address:

```
https://mcpgateway.incaseofcrisis.com/mcp
```



4. Part 1: Workspace administrator setup (one time)

Developer Mode is no longer a prerequisite. ChatGPT shows a risk acknowledgement for each custom server instead.

1. **Confirm** the permission. In the Admin console, open **Workspace settings › Permissions & roles** and check that **Create plugins with MCPs** is on for your role. It is off by default on Enterprise.
2. **Open Plugins** in the ChatGPT sidebar (or go to chatgpt.com/plugins), select **+**, then **Add custom MCP server**.
3. **Enter** the name `In Case of Crisis MCP` and this description: *Returns this organization's approved crisis, emergency and incident-response protocols.* ChatGPT uses the description to decide when to call the connector, so keep it specific.
4. **Paste** the connector address under **Connection** and choose **OAuth** for authentication.
5. **Select** the **I understand and want to continue** checkbox, then **Create as a plugin**. Review the discovered tools. You should see two read-only tools, one that lists crisis protocols and one that returns a single protocol.
6. **Test** it before publishing. Open a new chat, type **@**, choose **In Case of Crisis MCP**, sign in, and run the prompts under Verification.
7. **Publish** to the workspace. In the Admin console, open **Plugins**, select **In Case of Crisis MCP**, and publish it. A connector created with the earlier **Workspace settings › Apps › Create** flow publishes from **Plugins › Manage Legacy Apps › Drafts**. On Enterprise and Edu, use **Configure Access** to choose which groups receive it.
8. **Set** the installation policy on the plugin's detail page. **Available** lets eligible members install it; **Installed** installs it for them automatically. RockDove Solutions recommends **Installed** for anyone who may need protocols during an incident, so the connector is ready before it is needed.

Optional: action permissions. Both In Case of Crisis tools are read actions. Setting the plugin's **Permissions** to **Allow read actions** stops ChatGPT asking for approval on every lookup. The trade-off is one fewer confirmation step for employees; the connector has no write actions to approve.

© 2026 RockDove Solutions, Inc. All rights reserved

5. Part 2: Activation for everyone else (about one minute)

1. **Open Plugins** in the ChatGPT sidebar. If your admin chose **Available**, select **In Case of Crisis MCP**, then **Install plugin**. If it is already installed, skip to step 2.
2. **Start** a new chat, type **@**, and choose **In Case of Crisis MCP**. You can also select it from **Plugins** in the message box.
3. **Sign in** once. Enter the email address you use for In Case of Crisis, or select **Login with Microsoft** if that is how you normally sign in, and approve access.

ChatGPT applies a selected plugin to that message. @mention **In Case of Crisis MCP** again when a follow-up question needs fresh information from the plan.

6. Part 3: Codex (technical staff)

The ChatGPT desktop app, the Codex CLI and the Codex IDE extension share one configuration file, `~/.codex/config.toml`. Add the connector once and sign in:

```
codex mcp add in-case-of-crisis --url https://mcpgateway.incaseofcrisis.com/mcp
codex mcp login in-case-of-crisis
```

The resulting entry in `config.toml` looks like this:

```
[mcp_servers.in-case-of-crisis]
url = "https://mcpgateway.incaseofcrisis.com/mcp"
```

In the desktop app, open **Settings › MCP servers** and select **Authenticate** if the connector asks for sign-in. Type `/mcp` in the composer to confirm it is connected. If your workspace has already published the plugin from Part 1, it is also available in a Codex task under **Sources › Use plugins**. No client secret or API key is involved; do not add one to `config.toml`.

7. Verification

Start a new chat, @mention **In Case of Crisis MCP**, and ask one of these:

- *Using In Case of Crisis MCP, show me our approved crisis protocols.*
- *What does our plan say to do during a flash flood?*
- *Someone smells gas in the break room. What does our plan say?*

The first time, ChatGPT may ask permission to use the tool; select **Allow**. A working answer leads with your plan, keeps the steps in the plan's order and ends with a citation.

© 2026 RockDove Solutions, Inc. All rights reserved

WHAT A GOOD ANSWER LOOKS LIKE

A flash flood warning was just issued for our area. What do we do?

Your emergency plan says:

1. **Move** to the highest floor of the building. Do not go to a basement or an underground parking garage. Do not go to an attic or fully enclosed top space unless there is roof access.
2. **Relocate** critical records, servers, and equipment above expected flood level and charge mobile phones and devices.
3. **Do not walk, swim or drive** through flood water. Six inches of moving water can knock an adult down and twelve inches can move a car. Turn around, don't drown.
4. If your vehicle is caught in rising water, **get out** and move to higher ground if you can do so safely. Stay off bridges over fast-moving water.
5. **Wait** for the all-clear from your Manager or emergency services before leaving.

Flooding/Flash Flood: If a Flash Flood Warning Is Issued (ICC Premium Protocols 9.15.2026)

CHECK Steps in the plan's own order, nothing added, and a citation back to the protocol.

8. Rollout notes

- **No mobile support.** Custom MCP servers do not work in the ChatGPT mobile apps. Anyone who may need protocols away from a desk should use the In Case of Crisis app itself.
- **Connect before you need it.** Each person signs in once. Have employees complete Part 2 during onboarding, not during an incident.
- **Name the connector in your question.** Selecting or @mentioning **In Case of Crisis MCP** is the reliable way to get an answer from your plan.
- **Deep research** can use the connector for read lookups. Expect the protocol list as text rather than an interactive card.
- **Tool list updates.** ChatGPT keeps a snapshot of the connector's tools once it is approved. If RockDove Solutions announces a new tool, an admin refreshes it from the plugin's workspace settings.

9. Troubleshooting

Symptom	Action
No **Add custom MCP server** option	Your role lacks **Create plugins with MCPs**, or your plan does not support custom servers.
Tool scan fails or times out	Check the connector address, including the `/mcp` path.
Employees cannot find the plugin	Check it is published and set to **Available** or **Installed** for their group.
Organization login not shown	Choose **Login with Microsoft** if your organization uses Microsoft Entra for In Case of Crisis.
ChatGPT answers without your plan	@mention **In Case of Crisis MCP** in that message and ask again.
A protocol you expect is missing	Contact your CSM; it may not be published to your organization yet.

© 2026 RockDove Solutions, Inc. All rights reserved

Symptom	Action
Signed in but access stops	Contact support. Do not delete and recreate the connector.

Support

Email support@incaseofcrisis.com and mention “In Case of Crisis MCP connector setup — ChatGPT” (or Codex). Your CSM can confirm whether the connector is enabled for your organization.

Version history

Version	Date	Changes
2.0	October 27, 2026	Rewritten for ChatGPT plugins. Developer Mode no longer required; new **Create plugins with MCPs** permission; Admin console publishing and installation policy; added Codex setup, connector overview, verification prompts and troubleshooting.
1.3	September 24, 2026	Workspace app setup through Developer Mode.

© 2026 RockDove Solutions, Inc. All rights reserved