Selectable PDF Text Layer

PDFMARKER This document exists to prove that the lazy PDF viewer renders real, selectable text. The text underneath this sentence is not an image; PDF.js parses the content stream and lays out transparent glyph boxes over the rendered page. Paragraph 1 keeps the page dense enough that the reader has to scroll.

Every page of this file carries several paragraphs so that a drag selection crosses more than one line and produces a meaningful passage for the reading actions. The right-click menu should offer the reading actions only when a selection exists. Paragraph 2 keeps the page dense enough that the reader has to scroll.

Selection and copy behaviour comes from the official PDF.js TextLayerBuilder, which also normalises the clipboard text and manages the shared selection listeners between pages. Paragraph 3 keeps the page dense enough that the reader has to scroll.

This document exists to prove that the lazy PDF viewer renders real, selectable text. The text underneath this sentence is not an image; PDF.js parses the content stream and lays out transparent glyph boxes over the rendered page. Paragraph 4 keeps the page dense enough that the reader has to scroll.

中文段落也应当可以被选中的：这是用于验证 PDF.js 文本层的中文字符串。

Second Page Heading

PDFMARKER This document exists to prove that the lazy PDF viewer renders real, selectable text. The text underneath this sentence is not an image; PDF.js parses the content stream and lays out transparent glyph boxes over the rendered page. Paragraph 1 keeps the page dense enough that the reader has to scroll.

Every page of this file carries several paragraphs so that a drag selection crosses more than one line and produces a meaningful passage for the reading actions. The right-click menu should offer the reading actions only when a selection exists. Paragraph 2 keeps the page dense enough that the reader has to scroll.

Selection and copy behaviour comes from the official PDF.js TextLayerBuilder, which also normalises the clipboard text and manages the shared selection listeners between pages. Paragraph 3 keeps the page dense enough that the reader has to scroll.

This document exists to prove that the lazy PDF viewer renders real, selectable text. The text underneath this sentence is not an image; PDF.js parses the content stream and lays out transparent glyph boxes over the rendered page. Paragraph 4 keeps the page dense enough that the reader has to scroll.

Third Page Heading

PDFMARKER This document exists to prove that the lazy PDF viewer renders real, selectable text. The text underneath this sentence is not an image; PDF.js parses the content stream and lays out transparent glyph boxes over the rendered page. Paragraph 1 keeps the page dense enough that the reader has to scroll.

Every page of this file carries several paragraphs so that a drag selection crosses more than one line and produces a meaningful passage for the reading actions. The right-click menu should offer the reading actions only when a selection exists. Paragraph 2 keeps the page dense enough that the reader has to scroll.

Selection and copy behaviour comes from the official PDF.js TextLayerBuilder, which also normalises the clipboard text and manages the shared selection listeners between pages. Paragraph 3 keeps the page dense enough that the reader has to scroll.

This document exists to prove that the lazy PDF viewer renders real, selectable text. The text underneath this sentence is not an image; PDF.js parses the content stream and lays out transparent glyph boxes over the rendered page. Paragraph 4 keeps the page dense enough that the reader has to scroll.