

BUIDL CTC 2026 FALL · RWA TRACK

Proofmark

Verified once. Enforced by every asset. Revoked everywhere.

A KYC mark issued on Ethereum, proven to Creditcoin through Attestcoin, and enforced by a tokenised note's own transfer check. Live on Creditcoin CC3 Testnet and Ethereum Sepolia.

CROSS-CHAIN PATH

Live

5 contracts · 2 testnets · gate reverts on chain

SANCTIONS SCREENING

26,566

OFAC · UN · EU entries, parsed from source

CLEARTEXT PII ON CHAIN

0 bytes

two commitments; metadata is pseudonymous

THE PROBLEM

Every tokenised asset has a holder problem.

Securities rules, AML law and licence conditions say the same thing: **know who holds the asset, at issuance and every day after.** On chain, that question has three bad answers today.

PER-APP KYC

Rebuild everything

Vendor contract, PII flow, evidence retention and rescreening repeat for every asset and every chain.

REUSABLE BOOLEAN

“KYC passed”

Hides what was checked, by whom, under which regime, how long ago, and whether it is still true.

CROSS-CHAIN COPY

Trust the relay

A signing key becomes the compliance truth. The trust problem does not go away; it moves.

SAME CREDENTIAL, ASKED BY	WHAT THE ASSET ACTUALLY NEEDS TO KNOW	ANSWER TODAY
KR production RWA note	Document authenticity · bank account · sanctions · production regime · KR jurisdiction · trusted issuer · under 30 days old	not expressible
KR pilot note	Same checks, sandbox regime accepted, seven-day freshness	not expressible
Any note, next month	Was this holder revoked since? By whom? Can the asset find out without an admin key?	no

What is missing is a **policy layer the asset owns**: what was checked, by whom, under which regime, how recently, and whether it is still standing.

Verify. Prove. Enforce.

Proofmark separates **what an issuer checked** from **whether that is enough for this asset**, and makes the second question a view function on Creditcoin.

1 · VERIFY

Credential in

Wallet signature, ID document, bank account, sanctions. Only checks that ran set a bit. Korean rails are integrated in code; the public sandbox labels its demo adapters on the page, in the evidence and on chain.

method bits

regime

assurance

2 · PROVE

Attestcoin

The issuer emits on Ethereum. Creditcoin's BlockProver verifies that exact source transaction inside our ASC. No Proofmark oracle, no relayer signature, nothing to trust in the middle.

source proof

ordered

replay-safe

3 · ENFORCE

Frozen policy

Each asset binds to a frozen policy: methods, assurance, age, regime, jurisdiction, issuer, roster freshness. `isVerified(wallet, policy)` answers; the note's transfer hook enforces it on both sides.

isVerified

RWA gate

revocation

Positioning: the compliance gateway for Creditcoin. One layer above credential providers, one call below every asset.

It runs today, end to end, on public testnets.



ON-CHAIN EVIDENCE	CHAIN	TRANSACTION
Two marks issued in one issueBatch	Sepolia	0x29049802...8d69f1
Worker execute() materialised both	Creditcoin CC3	0x50c30b31...567d8
Verified A → verified B, 40 KPCN	Creditcoin CC3	0xefe550ff...aa0d
Epoch 1 root published, accepted 8m 00s later	Sepolia → CC3	0x2adefae2...16df → 0xb011cd6e...532f

Every verdict in the video is reproducible read-only: `bash docs/demo-video/commands.sh`. Full hashes in the README.

THE INSIGHT, AS A RETURN VALUE

One mark. Two policies. Two answers.

Policy #1 · KR production

isVerified = false

methods 0x10024 · assurance ≥ 2 · max age 30 d

regime **1 production** · jurisdiction 410 · pinned issuer · frozen

Policy #2 · KR sandbox pilot

isVerified = true


methods 0x10024 · assurance ≥ 2 · max age 7 d

regime **2 sandbox** · jurisdiction 410 · pinned issuer · frozen

The same wallet, the same mark, read by two frozen policies on CC3. The mark honestly carries **regime = sandbox**, so production says no and the pilot says yes. A note binds to one policy for life. Nobody, including us, can loosen an asset's rules after the fact.

Portability is a view function, not a promise.

Ethereum provenance. Creditcoin policy. Nothing in between.



Remove Attestcoin and the middle box becomes a Proofmark-operated relayer. **The product would lose its trust model.** That is why it is built here.

We attacked the state machine, and the protocol's base contract.

FAILURE MODE	CONTROL IN CODE	REGRESSION TEST
Same address, wrong chain	ASC pins source chain key and contract; configured once, never changed	WrongChain
Stale proof resurrection	Per-subject cursor on source block and transaction index; older proofs are skipped, visibly	StaleResurrection
Sanctions denial downgraded	Monotonic denial: every one of 24 delivery orders leaves the subject denied	DenialOrder
Policy rug on a live asset	Permanent freeze; the note constructor rejects a mutable policy	FrozenPolicy
Forged roster gap	Roster v2: domain-separated hashes, committed leaf count, full proof shape	RosterV2
API replay, worker crash	Wallet / flow / consent binding, on-chain issueOnce, signed envelope persisted before send	IssueOnceReplay

SOLIDITY

108 / 108

Foundry: state, policy, gate, proof, ordering

TYPESCRIPT

465 / 465

vendors, AML, roster, vault, worker

UPSTREAM FINDINGS

2 high-severity

in Attestcoin's ASCBase: the handler cannot see source chain or order. Fixed in our fork with mutation tests; offered upstream

Our own September review found two v1 defects (denial ordering, roster non-membership). Both are fixed and regression-tested in tree; the v2 redeploy is milestone one. External audit follows with the CertiK credits and tranche 3.

A credential is a lifecycle, not a mint.

SANCTIONS ENGINE

26,566 entries

78,365 names · OFAC SDN, UN Consolidated, EU FSF · parsed from source XML
· stale sources fail closed · FATF June 2026 tables source-verified

LISTED RECALL

200 / 200

CLEAN NAMES

610 / 610

EVASIONS CAUGHT

7 / 7

KOREAN REGULATORY RAILS, INTEGRATED IN CODE	STATUS
ID document authenticity: Government24 resident card, driver licence, OCR via CODEF	integrated
Bank account: holder name + ₩1 transfer via KFTC Open Banking	integrated
Consent bound to wallet signature and flow; one flow finalises once	live
AES-256-GCM evidence vault, rescreen → revoke batch, manual review, erasure records	implemented
Production bank rail, PEP and adverse media (licensed sources)	contract stage

Nothing is silently mocked. The public sandbox labels its demo ID and bank adapters on the page, in the evidence, and in the mark's regime field, which is why production policy #1 rejects it. Connect a rail, and the same flow issues a production mark.

Creditcoin becomes the compliance decision layer for credentials issued anywhere.

For assets

Every RWA, lending and stablecoin launch on Creditcoin repeats the same holder-eligibility work. One frozen policy and one read replace it. Reads stay free and permissionless.

For issuers

One Creditcoin integration exposes an existing credential to every application and policy on the chain. Issuers keep their customer; Proofmark carries the fact.

For the protocol

A product that stops working without Attestcoin: proven source events replace the operator signature that otherwise owns cross-chain compliance.

No top-down TAM. The first market is two integrations: one Creditcoin asset that consumes a policy and one issuer that supplies a credential. Everything after that is repetition.

Keep reads free. Sell institutional operations.

PAID SURFACE	CHARGING UNIT	BUYER
Issuer platform + SLA	annual contract	regulated issuer · RWA platform · lender
Issuance + continuous rescreening	per check · active wallet / month	issuer or application
Evidence vault + audit export	annual tier + storage	obligated institution
Provider / jurisdiction adapter	build + subscription	credential provider or ecosystem
Policy integration + governance	project + support	Creditcoin application

FIRST BUYER

RWA / lender

consumes a frozen wallet policy

FIRST SUPPLIER

Credential issuer

supplies an independent credential

PROOF OF MARKET

2 design partners

a priced pilot and a renewal, not a user count

The revenue attaches to the work regulated institutions already pay for: issuance, rescreening, evidence and SLAs. The chain read is the distribution, not the product.

We integrate credential leaders; we compete on Creditcoin policy.

ALTERNATIVE	STRENGTH	PROOFMARK WEDGE	OUR GAP
Sumsub + Chainlink CCID	Enterprise KYC and reusable credentials across major EVM chains	Creditcoin - native Attestcoin provenance, frozen per - asset policy, revocation that travels	distribution · vendors
zkMe zkKYC	ZK credentials, selective disclosure, multi-jurisdiction products	Proven source events, lifecycle state, roster non-membership, asset gate	ZK privacy · adoption
Direct vendor integration	Authoritative checks and contracted operations	One normalised credential path for many Creditcoin apps; policy changes without re-integration	we still need the rail
App allowlist	Simple for one launch	Portable, auditable issuer / regime / freshness semantics; no admin key on the hot path	more moving parts

The moat we are building: provider adapters + policy semantics + lifecycle evidence + Creditcoin integrations, compounding with each asset that binds to a policy.

What is not a moat: a bitmap, or a team - controlled issuer by itself. We say so, and we price accordingly.

Sources: sumsub.com/newsroom (Chainlink cross-chain identity) · zk.me/credentials/zkkyk · checked 2026-09-02

We ran the regulated stack before we put it on chain.

NAME	ROLE	RELEVANT BACKGROUND
Ash Han	CEO	Founded and ran GDAC, a Korean digital -asset exchange, through VASP registration, ISMS certification and FinCEN MSB. Interchain ecosystem background.
Youree Lee, Ph.D	Chief Compliance Officer	Wrote the AML/KYC policy and handled supervisory examinations at GDAC's operator. Prior banking roles.
Yongku Lee	CTO	Exchange core, wallet, custody and security systems at production scale.
Incheol Yang	Product / protocol	Exchange core and non -face -to -face KYC integration; Solidity across DEX protocols. Proofmark implementation lead.

REGULATOR - FACING

Examined, not theorised

The policy, the filings and the examinations were done by these people, in Korea's non -face -to -face KYC regime

OPERATOR - GRADE

Exchange core to custody

The systems that hold customer funds and evidence, built and run in production

PROTOCOL - DEEP

Found bugs upstream

Two high -severity findings in Attestcoin's base contract, during a two -week build

Proofmark is that operating knowledge encoded as contracts. The operating history belongs to the prior company and the individuals; Validator Inc. does not claim those licences.

USD 100k · 12 weeks · milestone-gated.

\$25k · Productise

v2 contracts redeployed with role separation and managed vault / KMS; adapter specification; first design - partner discovery

\$35k · Integrate

One external credential adapter on testnet; distributed API controls; a Creditcoin application in partner staging

\$40k · Pilot

External security review and fixes; two design partners or one paid pilot; measured issue → revoke → gate SLA

What the money buys: the four things a testnet cannot prove. An independent credential, a real buyer, managed operations, external review.

Success in week 12: independent credential → Attestcoin → frozen Creditcoin policy → a partner's asset refusing and admitting holders on its own.

attest-kyc.stabled.ai · github.com/inchyangv/attest-kyc-ctc · science@stabled.ai

CEIP published range: \$25k-\$500k · creditcoin.org/Fund