

Test plan

Restaurant Reservation

SCAM (Group 24)

presented by

Atipat	Buranavatanachoke	6733284221	playwright
Chayathorn	Siripongpun	6733039921	jest
Chanudom	Tassanawitoonkrit	6733043321	jest
Maethaphan	Phaisalrattananukul	6733211421	jest
Penpitcha	Piyawaranont	6733185821	playwright
Sirikarn	Fugsrimuang	6733255021	playwright
Sujin	Rodprame	6733277921	test plan
Walaiphan	Trithipsakul	6733236121	test plan
Wannasut	Praratthanawat	6733230321	test plan

**2110423 Software Engineering
2nd Semester, 2024**

**Department of Computer Engineering Faculty of Engineering,
Chulalongkorn University**

Epic 4.....	3
User Story 4-1: Create queue.....	3
Input Equivalence Class.....	3
Test Cases.....	3
TC4-1-1.....	3
TC4-1-2.....	4
TC4-1-3.....	5
TC4-1-4.....	6
User Story 4-2: Cancel customer's queue.....	7
Test Cases.....	7
TC4-2-1.....	7
User Story 4-3: Call next customer.....	8
Test Cases.....	8
TC4-3-1.....	8
User Story 4-4: Mark customer Queue as complete on arrival.....	11
Test Cases.....	11
TC4-4-1.....	11
User Story 4-5: Notify user when they are next in queue.....	12
Test Cases.....	12
TC4-5-1.....	13
User Story 4-6: Notify user when they are near in queue.....	13
Test Cases.....	13
TC4-6-1.....	14
TC4-6-2.....	15
User Story 4-7: Remove queue.....	16
Test Cases.....	16
TC4-7-1.....	16
Epic 5.....	17
User Story 5-1: View menu.....	17
Test Cases.....	17
TC5-1-1.....	17
TC5-1-2.....	18
TC5-1-3.....	18
User Story 5-2: Create a new menu.....	19
Input Equivalence Class.....	19
Test Cases.....	20
TC5-2-1.....	20
TC5-2-2.....	22
TC5-2-3.....	24
TC5-2-4.....	25
TC5-2-5.....	27
TC5-2-6.....	28
TC5-2-7.....	29
TC5-2-8.....	30
User Story 5-3: Update menu.....	32
Input Equivalence Class.....	32
TC5-3-1.....	33
TC5-3-2.....	34
TC5-3-3.....	35
TC5-3-4.....	37
TC5-3-5.....	38
TC5-3-6.....	39
User Story 5-4: Delete menu.....	42
Test Cases.....	42
TC5-4-1.....	42
Test Coverage Matrix.....	44

Testing plan

Epic 4

User Story 4-1: Create queue

Input Equivalence Class

Equivalence Class ID	Input	Validation
1	“seat count” is not empty	Valid
2	“seat count” is empty	Invalid
3	“seat count” exceeds the number of seats set by the restaurant	Invalid
4	“seat count” is not empty, but the user has already joined the queue at this restaurant	Invalid

Test Cases

Precondition


- The user id “67f8cfa54f9feca57539a7bd” has logged in as a user


Test Case ID	TC4-1-1
--------------	---------

Inputs	<empty>
Expected Output	<p style="text-align: center;">Get Queue</p> <p style="text-align: center;"><i>How many people?</i></p> <div style="border: 1px solid red; width: 100px; height: 20px; margin: 10px auto;"></div> <p style="text-align: center;">Get in Line</p> <p style="color: red; font-size: small; margin-top: 10px;">Please enter the number of people.</p>
Actual Output	<p style="text-align: center;">Get Queue</p> <p style="text-align: center;"><i>How many people?</i></p> <div style="border: 1px solid red; width: 100px; height: 20px; margin: 10px auto;"></div> <p style="text-align: center;">Get in Line</p> <p style="color: red; font-size: small; margin-top: 10px;">Please enter the number of people.</p>
Classes Covered	2

Test Case ID	TC4-1-2
Inputs	10

Expected Output	<p>Get Queue</p> <p>How many people?</p> <p><input type="text" value="10"/></p> <p>Get in Line</p> <p>This restaurant does not allow reserving more than 6 seats</p>
Actual Output	<p>Get Queue</p> <p>How many people?</p> <p><input type="text" value="10"/></p> <p>Get in Line</p> <p>This restaurant does not allow reserving more than 6 seats</p>
Classes Covered	3

Test Case ID	TC4-1-3
Inputs	4
Expected Output	 <p>The screenshot shows the application's main interface. At the top, there's a navigation bar with a user icon, a profile link, and a logout link. A message "You are now in line!" with a checkmark is displayed. Below the navigation is a banner with the text "Get Queue". Underneath the banner, it says "Current queue: 0" and "How many people?". A text input field contains the value "4", and a "Get In Line" button is below it. To the right, there's another section titled "Reserve Table" with fields for "How many people?", "Select Date & Time" (with dropdowns for month, day, year, and time), and a "Reserve" button.</p>

Actual Output	
Classes Covered	1


Test Case ID	TC4-1-4
Inputs	4
Expected Output	<p style="text-align: center;">Get Queue</p> <p>How many people?</p> <div style="border: 1px solid red; padding: 2px; width: fit-content;">4</div> <p style="text-align: center;">Get in Line</p> <p style="color: red; font-style: italic;">You already have a queue in this restaurant</p>
Actual Output	<p style="text-align: center;">Get Queue</p> <p>How many people?</p> <div style="border: 1px solid red; padding: 2px; width: fit-content;">4</div> <p style="text-align: center;">Get in Line</p> <p style="color: red; font-style: italic;">You already have a queue in this restaurant</p>
Classes Covered	4

User Story 4-2: Cancel customer's queue

Test Cases

Precondition

- The user id “67fd58b92306dfd76d6504bc” has logged in as an employee

Test Case ID	TC4-2-1
Inputs	Press the cancel button (X)
Expected Output	<p>Queue</p> <p>Remaining : 1</p> <p>calling..</p> <p>waiting..</p> <p>rinuser2 tel: 0145286378 Seats Count: 2 Queue ID: 6803bd486c06bb6831fba818</p> 

Actual Output	<p style="text-align: center;">Queue</p> <p>Remaining : 1</p> <p>calling..</p> <p>waiting..</p> <div style="border: 1px solid #ccc; padding: 10px; margin-top: 10px;"> <p>rinuser2 tel: 0145286378 Seats Count: 2 Queue ID: 6803bd486c06bb6831fba818</p> <div style="display: flex; justify-content: space-between; width: fit-content; margin-left: auto; margin-right: auto;"> </div> </div> <p style="text-align: center;">Queue</p> <p>Remaining : 0</p> <p>calling..</p> <p>waiting..</p>
---------------	--

User Story 4-3: Call next customer

Test Cases

Precondition

- The user id “67fd58b92306dfd76d6504bc” has logged in as an employee

Test Case ID	TC4-3-1
Inputs	Press the bell button

Expected Output

Queue

Remaining : 2

calling..

waiting..

Rinuser
tel: 1234567890
Seats Count: 4
Queue ID: 67f8cfa54f9feca57539a7bd

kwanguser1
tel: 0123456789
Seats Count: 2
Queue ID: 680d22266632c30272bf8433

Queue

Remaining : 2

calling..

waiting..

Rinuser
tel: 1234567890
Seats Count: 4
Queue ID: 67f8cfa54f9feca57539a7bd

kwanguser1
tel: 0123456789
Seats Count: 2
Queue ID: 680d22266632c30272bf8433

Actual Output

Queue

Remaining : 2

calling..

waiting..

Rinuser
tel: 1234567890
Seats Count: 4
Queue ID: 67f8cfa54f9feca57539a7bd

kwanguser1
tel: 0123456789
Seats Count: 2
Queue ID: 680d22266632c30272bf8433

User Story 4-4: Mark customer Queue as complete on arrival

Test Cases

Precondition

- The user id “67fd58b92306dfd76d6504bc” has logged in as an employee

Test Case ID	TC4-4-1
Inputs	Press the check button
Expected Output	



<p>Actual Output</p>	<p>Queue</p> <p>Remaining : 2</p> <p>calling..</p> <div style="border: 1px solid #ccc; padding: 5px; margin-bottom: 10px;"> Rinuser tel: 1234567890 Seats Count: 4 Queue ID: 67f8cfa54f9feca57539a7bd </div> <p>waiting..</p> <div style="border: 1px solid #ccc; padding: 5px; margin-bottom: 10px;"> kwanguser1 tel: 0123456789 Seats Count: 2 Queue ID: 680d22266632c30272bf8433 </div> <p>Queue</p> <p>Remaining : 1</p> <p>calling..</p> <p>waiting..</p> <div style="border: 1px solid #ccc; padding: 5px; margin-bottom: 10px;"> kwanguser1 tel: 0123456789 Seats Count: 2 Queue ID: 680d22266632c30272bf8433 </div>
-----------------------------	---

User Story 4-5: Notify user when they are next in queue

Test Cases

Precondition

- The user id “67f8cfa54f9feca57539a7bd” has logged in as a user


Test Case ID	TC4-5-1
Inputs	Restaurant employee change user's queue status to 'calling'
Expected Output	 <p>The expected output is a screenshot of the SCAM! mobile application. The screen features a large, stylized title "SCAM!" in orange and teal. Above the title, the text "Welcome to" is displayed in a smaller, italicized font. Below the title is a prominent orange rectangular button with the text "Browse Restaurants". At the bottom of the screen, there is a red notification bubble containing a white bell icon and the text "Your queue is called!".</p>
Actual Output	 <p>The actual output is identical to the expected output, showing the SCAM! app interface with the welcome screen, browse button, and notification bubble.</p>


User Story 4-6: Notify user when they are near in queue


Test Cases


Precondition

- The user id “67f8cfa54f9feca57539a7bd” has logged in as a user
- The user id has create queue which has 3 queues in front in queue line

Test Case ID	TC4-6-1
Inputs	A queue in the same restaurant that created before user's queue has been canceled or its status has been changed to 'complete'
Expected Output	 The image shows the SCAM! mobile application's main screen. At the top, it says "Welcome to SCAM!". Below that is a large, stylized word "SCAM!" where each letter is a different color: S is orange, C is teal, A is orange, M is teal. Underneath the word is a blue rectangular button with the text "Browse Restaurants". At the bottom of the screen, there is a yellow bar with a bell icon and the text "Waiting for 2 queue..".

Actual Output	 <p>The screenshot shows the SCAM! mobile application's home screen. At the top, it says "Welcome to SCAM!". Below that is a large orange button labeled "Browse Restaurants". At the bottom, there is a yellow bar with a bell icon and the text "Waiting for 2 queue..".</p>
---------------	--

Test Case ID	TC4-6-2
Inputs	A queue in the same restaurant that created before user's queue has not been canceled or its status has not been changed to 'complete'
Expected Output	 <p>The screenshot shows the SCAM! mobile application's home screen. At the top, it says "Welcome to SCAM!". Below that is a large orange button labeled "Browse Restaurants". At the bottom, there is a yellow bar with a bell icon and the text "Waiting for 2 queue..".</p>

Actual Output	
---------------	--

User Story 4-7: Remove queue

Test Cases

Precondition

- The user id “67f8cfa54f9feca57539a7bd” has logged in as a user

Test Case ID	TC4-7-1
Inputs	Press “Cancel” button
Expected Output	

Actual Output	
---------------	--

Epic 5


User Story 5-1: View menu



Test Cases

Precondition



- The user id “67f8cfa54f9feca57539a7bd” has logged in as a user

Test Case ID	TC5-1-1
Inputs	Press “dish” tab
Expected Output	

Actual Output	
---------------	--

Test Case ID	TC5-1-2
Inputs	Press “drink” tab
Expected Output	
Actual Output	

Test Case ID	TC5-1-3
--------------	---------

Inputs	Press “set” tab
Expected Output	
Actual Output	

User Story 5-2: Create a new menu

Input Equivalence Class

Equivalence Class ID	Input	Validation
1	“Menu name” is not an empty string	Valid
2	“Menu name” is an empty string	Invalid
3	“Description” is not an empty string and has less than 300 chars	Valid
4	“Description” is an empty string	Invalid
5	“Type” is “dish”	Valid



6	“Type” is “drink”	Valid
7	“Type” is “set”	Valid
8	“Price” is not empty	Valid
9	“Price” is empty	Invalid
10	“Image URL” is not an empty string	Valid
11	“Image URL” is an empty string	Invalid
12	“Tag” contains only valid enum strings	Valid
13	“Tag” is null	Valid


Test Cases

Precondition





- The user id “67fd58b92306dfd76d6504bc” has logged in as an employee
- The employee create menu

Test Case ID	TC5-2-1	
Inputs	Menu name	Sirloin Steak
	Image URL	https://www.allrecipes.com/thmb/OJ28fIFte6Pyg93ML8IM-APbu1Y=/1500x0/filters:no_upscale():max_bytes(150000):strip_icc()/AR-14


		554-sirloin-steak-with-garlic-butter-her-o-4x3-d12fa79836754fcf850388e4677bbf55.jpg
	Price (฿)	700
	Type	dish
	Description	This grilled sirloin steak includes a super garlicky melted butter that's made with freshly
	Tag	null
<p>Expected Output</p> 		
		



Actual Output	
Classes Covered	1, 3, 5, 8, 10, 13

Test Case ID	TC5-2-2	
Inputs	Menu name	Lemon soda
	Image URL	https://img.freepik.com/free-photo/slices-fruits-near-glass-drink-with-ice-herebs-table_23-2148107706.jpg?semt=ais_hybrid&w=740
	Price (฿)	90
	Type	drink


	Description	Refreshing soda with a burst of fresh lemon.
	Tag	null
Expected Output		 <p>The screenshot shows the 'Add Menu' page. The 'Menu Name' field contains 'Lemon soda'. The 'Image URL' field contains a URL to a photo of a glass with fruit slices. The 'Price (\$)' field is set to '90'. The 'Type' dropdown is set to 'Drink'. The 'Description' field contains 'Refreshing soda with a burst of fresh lemon.'. The 'Tag' dropdown is set to 'Select a tag' and has an 'Add' button next to it. A 'Submit' button is at the bottom.</p>
 <p>The screenshot shows the menu list page. It displays two items: 'Coke' and 'Lemon soda'. The 'Lemon soda' item has a thumbnail image, a price of '\$90', and a description of 'Refreshing soda with a burst of fresh lemon.'. There are 'Edit' and 'Delete' buttons for each item.</p>		
Actual Output		 <p>The screenshot shows the 'Add Menu' page. The 'Menu Name' field contains 'Lemon soda'. The 'Image URL' field contains a URL to a photo of a glass with fruit slices. The 'Price (\$)' field is set to '90'. The 'Type' dropdown is set to 'Drink'. The 'Description' field contains 'Refreshing soda with a burst of fresh lemon.'. The 'Tag' dropdown is set to 'Select a tag' and has an 'Add' button next to it. A 'Submit' button is at the bottom.</p>
 <p>The screenshot shows the menu list page. It displays two items: 'Coke' and 'Lemon soda'. The 'Lemon soda' item has a thumbnail image, a price of '\$90', and a description of 'Refreshing soda with a burst of fresh lemon.'. There are 'Edit' and 'Delete' buttons for each item.</p>		


Classes Covered	6
-----------------	---

Test Case ID	TC5-2-3	
Inputs	Menu name	Breakfast set
	Image URL	https://weroundshop.com/cdn/shop/products/DSCF4320_01.jpg?v=1645135146&width=1664
	Price (฿)	120
	Type	set
	Description	Fresh eggs, crispy toast, fruit, and coffee or tea — a perfect start.
	Tag	null
Expected Output		



	
Actual Output	
Classes Covered	7

Test Case ID	TC5-2-4	
	Menu name	<empty string>
Inputs	Image URL	https://www.allrecipes.com/thmb/OJ28fIFte6Pyg93ML8I



		M-APbu1Y=/1500x0/filters:no_upscale():max_bytes(15000):strip_icc()/AR-14554-sirloin-steak-with-garlic-butter-her-o-4x3-d12fa79836754fcf850388e4677bbf55.jpg
	Price (฿)	700
	Type	dish
	Description	This grilled sirloin steak includes a super garlicky melted butter that's made with freshly
	Tag	null
Expected Output	 <p>The screenshot shows a web-based application for adding a new menu item. At the top, there is a navigation bar with a user icon, 'Add Menu' button, 'Profile' link, and 'Logout' link. Below the navigation is a yellow header bar with the text 'Add Menu'. The main form consists of several input fields:</p> <ul style="list-style-type: none"> Menu Name: A text input field with the placeholder 'Menu Name' and a red error message 'Please fill out this field.' Image URL: A text input field containing the URL: https://www.allrecipes.com/thmb/07s8fTte6Pyy93MLSiM-APbu1Y-/1500x0/filters:no_upscale():max_bytes(15000):strip_icc()/AR-14554-sirloin-steak-with-garlic-butter-her-o-4x3-d12fa79836754fcf850388e4677bbf55.jpg Price (฿): A text input field with the value '700'. Type: A dropdown menu set to 'Dish'. Description (500 characters): A text area containing the text: 'This grilled sirloin steak includes a super garlicky melted butter that's made with freshly'. Tag: A dropdown menu with the placeholder 'Select a tag' and an 'Add' button. <p>At the bottom right of the form is a large orange 'Submit' button.</p>	

Actual Output	 <p>The screenshot shows a web application interface for adding a new menu item. At the top right are 'Profile' and 'Logout' buttons. Below them is a yellow header bar with a profile icon and the text 'Add Menu'. The main form has several input fields:</p> <ul style="list-style-type: none"> Menu Name: A text input field with placeholder 'Menu Name' and a red validation message 'Please fill out this field.' Image URL: A text input field containing the URL: https://www.allrecipes.com/thmb/OJ28fIFte6Pyg93ML8IM-APbu1Y-/1500x0/filters:no_upscale():max_bytes(15000):strip_icc()/AR-14554-sirloin-steak-with-garlic-butter-herb-4x3-d12fa79836754fcf850388e4677bbf55.jpg Price (฿): A text input field with value '700'. Type: A dropdown menu set to 'Dish'. Description: A text area with placeholder '(500 characters)' containing the text: 'This grilled sirloin steak includes a super garlicky melted butter that's made with freshly'. Tag: A dropdown menu with placeholder 'Select a tag' and an 'Add' button. <p>A large orange 'Submit' button is at the bottom right.</p>
Classes Covered	2



Test Case ID	TC5-2-5	
Inputs	Menu name	Sirloin Steak
	Image URL	https://www.allrecipes.com/thmb/OJ28fIFte6Pyg93ML8IM-APbu1Y-/1500x0/filters:no_upscale():max_bytes(15000):strip_icc()/AR-14554-sirloin-steak-with-garlic-butter-herb-4x3-d12fa79836754fcf850388e4677bbf55.jpg
	Price (฿)	700
	Type	dish
	Description	<empty string>
	Tag	null

Expected Output	 <p>The screenshot shows the 'Add Menu' form. The 'Menu Name' field contains 'Sirloin Steak'. The 'Image URL' field contains a long URL. The 'Price (฿)' field contains '700'. The 'Type' dropdown is set to 'Dish'. The 'Description' field is empty, highlighted with a red border, and has a validation message 'Please fill out this field.' The 'Tag' dropdown is set to 'Select a tag' and has an 'Add' button next to it. A large orange 'Submit' button is at the bottom.</p>
Actual Output	 <p>The screenshot shows the 'Add Menu' form. The 'Menu Name' field contains 'Sirloin Steak'. The 'Image URL' field contains a long URL. The 'Price (฿)' field contains '700'. The 'Type' dropdown is set to 'Dish'. The 'Description' field is empty, highlighted with a red border, and has a validation message 'Please fill out this field.' The 'Tag' dropdown is set to 'Select a tag' and has an 'Add' button next to it. A large orange 'Submit' button is at the bottom.</p>
Classes Covered	4

Test Case ID	TC5-2-6	
Inputs	Menu name	Sirloin Steak
	Image URL	https://www.allrecipes.com/thmb/OJ28fIFte6Pyg93ML8IM-APbu1Y=/1500x0/filters:no_upscale():max_bytes(150000):strip_icc()/AR-14554-sirloin-steak-with-garlic-butter-herbs-4x3-d12fa79836754fcf850388e4677bbf55.jpg
	Price (฿)	<empty>

	Type	dish
	Description	This grilled sirloin steak includes a super garlicky melted butter that's made with freshly
	Tag	null
Expected Output		
Actual Output		
Classes Covered	9	

Test Case ID	TC5-2-7	
Inputs	Menu name	Sirloin Steak
	Image URL	<empty string>
	Price (฿)	700
	Type	dish

	Description	This grilled sirloin steak includes a super garlicky melted butter that's made with freshly
	Tag	null
Expected Output		
Actual Output		
Classes Covered	11	

Test Case ID	TC5-2-8	
	Menu name	Sirloin Steak
Inputs	Image URL	https://www.allrecipes.com/thmb/OJ28fIFte6Pyg93ML8IM-APbu1Y=/1500x0/filters:no_upscale():max_bytes(15000

		0):strip_icc()/AR-14 554-sirloin-steak-wi th-garlic-butter-her o-4x3-d12fa798367 54fcf850388e4677b bf55.jpg
	Price (฿)	700
	Type	dish
	Description	This grilled sirloin steak includes a super garlicky melted butter that's made with freshly
	Tag	Halal - Meets Halal dietary requirements.
<p>Expected Output</p>		

Actual Output	<p>Add Menu</p> <p>Menu Name Sirloin Steak</p> <p>Image URL https://www.allrecipes.com/thmb/0728f1f1ec6pp95ML8M-APwv1V-fgpozo/filter=none_upscale(%23ex_bp%ef%5000)</p> <p>Price (\$) 700</p> <p>Type Dish</p> <p>Description (500 characters) This grilled sirloin steak includes a super garlicky melted butter that's made with freshly</p> <p>Tag Halal - Meets Halal dietary requirements.</p> <p>Submit</p> <p>Menu</p> <p>dish drink set</p> <table border="1"> <tbody> <tr> <td> Spaghetti and meatballs 200g Delicious! Spicy Halal Edit Delete</td> <td> Sirloin Steak 200g This grilled sirloin steak includes a super garlicky melted butter that's made with freshly Halal Edit Delete</td> </tr> </tbody> </table>	Spaghetti and meatballs 200g Delicious! Spicy Halal Edit Delete	Sirloin Steak 200g This grilled sirloin steak includes a super garlicky melted butter that's made with freshly Halal Edit Delete
Spaghetti and meatballs 200g Delicious! Spicy Halal Edit Delete	Sirloin Steak 200g This grilled sirloin steak includes a super garlicky melted butter that's made with freshly Halal Edit Delete		
Classes Covered	12		

User Story 5-3: Update menu

Input Equivalence Class

Equivalence Class ID	Input	Validation
1	“Menu name” is not an empty string	Valid
2	“Menu name” is an empty string	Invalid
3	“Description” is not an empty string and has less than 300 chars	Valid

4	“Description” has more than 300 chars	Invalid
5	“Description” is an empty string	Invalid
6	“Price” is a number	Valid
7	“Price” is not empty	Valid
8	“Price” is empty	Invalid
9	“Tag” is null	Valid
10	“Tag” contains only valid enum strings	Valid

Test Cases

Precondition

- The user id “67fd58b92306dfd76d6504bc” has logged in as an employee
- The employee update menu

Test Case ID	TC5-3-1	
Inputs	Menu name	Spaghetti
	Price (฿)	200
	Description	Delicious!
	Tag	null

Expected Output	 <p>Spaghetti 200 B Delicious!</p> <p>Edit Delete</p>
Actual Output	 <p>Spaghetti 200 B Delicious!</p> <p>Edit Delete</p>
Classes Covered	1, 3, 6, 7, 9

Test Case ID	TC5-3-2	
Inputs	Menu name	Spaghetti
	Price (฿)	200
	Description	Delicious!
	Tag	Spicy, Halal

Expected Output	 <p>Spaghetti 200 B Delicious!</p> <p>Spicy Halal</p> <p>Edit Delete</p>
Actual Output	 <p>Spaghetti 200 B Delicious!</p> <p>Spicy Halal</p> <p>Edit Delete</p>
Classes Covered	10

Test Case ID	TC5-3-3	
	Menu name	<empty string>
Inputs	Price (฿)	200

	Description	Delicious!
	Tag	null
Expected Output		 <hr/> <u>200</u> <hr/> <u>Delicious!</u> <hr/> <input type="button" value="Halal"/> <input type="button" value="Add"/> <p style="color: red;">Please fill: name</p> <input type="button" value="Save"/> <input type="button" value="Cancel"/>
Actual Output		 <hr/> <u>200</u> <hr/> <u>Delicious!</u> <hr/> <input type="button" value="Halal"/> <input type="button" value="Add"/> <p style="color: red;">Please fill: name</p> <input type="button" value="Save"/> <input type="button" value="Cancel"/>
Classes Covered	2	

Test Case ID	TC5-3-4	
Inputs	Menu name	Spaghetti
	Price (฿)	<empty>
	Description	Delicious!
	Tag	null
Expected Output	 <p><u>Spaghetti</u></p> <hr/> <p><u>Delicious!</u></p> <div style="display: flex; justify-content: space-between;"> <input style="width: 150px; height: 30px; border: 1px solid #ccc; padding: 5px; margin-right: 10px;" type="text" value="Halal"/> Add </div> <p style="color: red; margin-top: 10px;">Please fill: price</p> <div style="display: flex; justify-content: space-around; width: 150px; margin-top: 10px;"> Save Cancel </div>	
Actual Output	 <p><u>Spaghetti</u></p> <hr/> <p><u>Delicious!</u></p> <div style="display: flex; justify-content: space-between;"> <input style="width: 150px; height: 30px; border: 1px solid #ccc; padding: 5px; margin-right: 10px;" type="text" value="Halal"/> Add </div> <p style="color: red; margin-top: 10px;">Please fill: price</p> <div style="display: flex; justify-content: space-around; width: 150px; margin-top: 10px;"> Save Cancel </div>	
Classes Covered	8	

Test Case ID	TC5-3-5	
Inputs	Menu name	Spaghetti
	Price (฿)	200
	Description	<empty>
	Tag	null
Expected Output	 <p>Spaghetti 200</p> <p>Halal Add</p> <p>Please fill: description</p> <p>Save Cancel</p>	

Actual Output	 <p>Spaghetti</p> <p>200</p> <hr/> <p>Halal ▾</p> <p>Add</p> <p><i>Please fill: description</i></p> <p>Save Cancel</p>
Classes Covered	5

Test Case ID	TC5-3-6	
Inputs	Menu name	Spaghetti
	Price (฿)	200
	Description	Spaghetti is a classic Italian pasta made from durum wheat semolina, known for its long, thin cylindrical shape and versatile pairing with a wide variety of sauces. Whether served with a hearty meat-based

		Bolognese, a rich and creamy Alfredo, or a vibrant tomato basil sauce, spaghetti offers a satisfying and comforting experience with every bite. Its ability to soak up flavor makes it a beloved staple in cuisines around the world, often topped with grated Parmesan, fresh herbs, or a drizzle of olive oil. Perfect for casual family dinners or gourmet feasts, spaghetti brings people together with its timeless taste and comforting familiarity.
	Tag	null



Expected Output	 <p>Spaghetti</p> <p>200</p> <p><u>Spaghetti is a classic Italia</u></p> <p>Halal ▾ Add</p> <p>Description must be less than or equal to 300 characters.</p> <p>Save Cancel</p>
Actual Output	 <p>Spaghetti</p> <p>200</p> <p><u>Spaghetti is a classic Italia</u></p> <p>Halal ▾ Add</p> <p>Description must be less than or equal to 300 characters.</p> <p>Save Cancel</p>
Classes Covered	4


User Story 5-4: Delete menu

Test Cases

Precondition

- The user id “67fd58b92306dfd76d6504bc” has logged in as an employee
- The employee delete menu

Test Case ID	TC5-4-1
Inputs	Press “delete”
Expected Output	 <p>The screenshot shows a restaurant menu interface. At the top, there's a navigation bar with a profile icon, a search bar, and links for 'Profile' and 'Logout'. Below the navigation is a 'Menu' section with tabs for 'dish', 'drink', and 'set'. Under the 'dish' tab, there are two cards: 'Spaghetti' and 'Sirloin Steak'. Each card displays a small image of the dish, the name, a rating (5 stars), a descriptive tagline ('Delicious!'), and a 'Spicy Noodle' note. Below each card are 'Edit' and 'Delete' buttons. A 'Reviews Ratings' section follows.</p>
Actual Output	 <p>The screenshot shows the same restaurant menu interface as before, but with a success message 'Menu deleted successfully' appearing at the top. The 'Delete' button for the 'Sirloin Steak' dish is highlighted with a red border. The rest of the interface remains the same, showing the 'Spaghetti' dish and its details.</p>



Test Coverage Matrix

User Story	Test cases ID	Status
4-1	TC4-1-1, TC4-1-2, TC4-1-3, TC4-1-4	P, P, P, P
4-2	TC4-2-1	P
4-3	TC4-3-1	P
4-4	TC4-4-1	P
4-5	TC4-5-1	P
4-6	TC4-6-1, TC4-6-2	P, P
4-7	TC4-7-1	P
5-1	TC5-1-1, TC5-1-2, TC5-1-3	P, P, P
5-2	TC5-2-1, TC5-2-2, TC5-2-3, TC5-2-4, TC5-2-5, TC5-2-6, TC5-2-7, TC5-2-8	P, P, P, P, P, P, P, P
5-3	TC5-3-1, TC5-3-2, TC5-3-3, TC5-3-4, TC5-3-5, TC5-3-6	P, P, P, P, P, P
5-4	TC5-4-1	P