

# Generic Subdomains

# Table of Contents

Alias Subdomain.....	1
Classification Subdomain.....	2
Communication Channel Subdomain .....	3
Communications Subdomain .....	4
Country Subdomain.....	5
Document Fragment Subdomain .....	6
Document Subdomain .....	7
Note Subdomain.....	8
Settings Subdomain.....	9
Relationship to Apache Isis Core .....	9
Tags Subdomain .....	10

# Alias Subdomain

- **1.14.0** - released against Isis 1.14.0
- **1.13.0** - released against Isis 1.13.0; removed the **Aliasable** interface (to completely decouple the "aliased" domain object from this module); removed dependency on poly module, instead using the (broadly equivalent) new **SubtypeProvider** SPI; combined **Alias** and **AliasLink** into a single entity; added in the ability to override the title, icon and CSS of **Alias** objects; using **.layout.xml** for layouts.
- **1.12.0** - released against Isis 1.12.0
- **1.11.1** - released against Isis 1.11.1.

# Classification Subdomain

- 1.13.1 - released against Isis 1.13.1, closes [#1](#).
- 1.13.0 - released against Isis 1.13.0

# Communication Channel Subdomain

- **1.14.0** - released against Isis 1.14.0
- **1.13.0** - released against Isis 1.13.0; removed the `CommunicationChannelOwner` interface and changed implementation to remove dependency on the Isis addons' `poly` module; also uses `.layout.xml` for layouts
- **1.12.0** - released against Isis 1.12.0
- **1.11.0** - released against Isis 1.11.0
- **1.10.0** - released against Isis 1.10.0

# Communications Subdomain

- `1.14.7` - fixes [#17](#) (`Document_sendByEmail` mixin throws exception instead of disabling if no template)
- `1.14.6` - fixes [#16](#) (communication subject name)
- [1.14.5](#) - fixes [#15](#) (renames `Communication#queuedAt` to `createdAt`, always populated so no longer nullable)



This release is not backwardly compatible with previous release, and requires a schema DB migration.

- [1.14.4](#) - fixes [#14](#) (`findByCommunicationChannelAndPendingOrQueuedBetweenOrSentBetween` query)
- [1.14.3](#) - fixes [#8](#) (extend `cc2,cc3,bcc2`); [#9](#) (use `document` module SPI); [#10](#) (find/recent docs for channel); [#11](#) (mixin names); [#12](#) (primary doc); [#13](#) (find/recent docs for channel owner); references `document` module v1.14.6
- [1.14.2](#) - fixes [#7](#) (`DocumentCommunicationSupport`); references `document` module v1.14.3



This release is not backwardly compatible with previous release.

- [1.14.1](#) - fixes [#1](#), [#2](#), [#3](#), [#4](#), [#5](#), [#6](#); references `document` module v1.14.2
- [1.14.0](#) - released against Isis 1.14.0
- [1.13.0](#) - released against Isis 1.13.2, extracted from Estatio codebase

# Country Subdomain

- 1.14.0 - released against Isis 1.14.0
- 1.13.1 - fixes [#1](#), [#2](#), [#3](#)
- 1.13.0 - released against Isis 1.13.0

# Document Fragment Subdomain

- **1.14.0** - released against Isis 1.14.0
- **1.13.3** - fixes [#5](#) - changeTemplateText action
- **1.13.2** - fixes [#2](#), [#3](#), [#4](#). Note that there is a minor breakage in backward compatibility (`ApplicationTenancyService` no longer defines the `atPaths()` method).
- **1.13.1** - fixes [#1](#) (update to use [fixturesupport](#) 1.13.1)
- **1.13.0** - released against Isis 1.13.2



# Document Subdomain

- 1.14.9 - , #26 (JAXB support)
- 1.14.8 - , #25 (DocumentService), #26 (find docs with no paperclips)
- 1.14.7 - #24 (remove SQL Server-specific mapping for clobChars)
- 1.14.6 - #21 (remove attachments), #22 (PaperclipForDocument.attachedToId column), #23 (\_supports mixin)



This release is not backwardly compatible with previous release (change to SupportingDocumentEvaluator) and also requires a database migration (the PaperclipForDocument table's communicationId column has been renamed to be called attachedToId).

- 1.14.5 - fixes #20 (SupportingDocumentEvaluator).
- 1.14.4 - fixes #19 (AttachmentAdvisor).



This release is not backwardly compatible with previous release.

- 1.14.3 - fixes #18
- 1.14.2 - fixes #14, #15, #16, #17
- 1.14.1 - fixes #13
- 1.14.0 - released against Isis 1.14.0
- 1.13.12 - released against Isis 1.13.0. Fixes #12 (remove Paperclip\_delete() action).
- 1.13.11 - released against Isis 1.13.0. Fixes #9, #10, #11.
- 1.13.10 - released against Isis 1.13.0. Fixes #3, #4, #5, #6, #7, #8.



This release is not backwardly compatible with previous release

- 1.13.6 - released against Isis 1.13.0. Fixes #2
- 1.13.5 - released against Isis 1.13.0. Fixes #1, with various additional extensions to functionality.



This release is not backwardly compatible with previous release

- 1.13.0 - released against Isis 1.13.0

# Note Subdomain

- 1.14.0 - released against Isis 1.14.0
- 1.13.0 - released against Isis 1.13.0; removed the **Notable** interface and changed implementation to remove dependency on the **Isis addons' poly**; also uses **.layout.xml** for layouts
- 1.12.1 - released against Isis 1.12.1, fixes #4.
- 1.12.0 - released against Isis 1.12.0
- 1.11.0 - released against Isis 1.11.0
- 1.10.0 - released against Isis 1.10.0
- 1.9.0 - released against Isis 1.9.0

# Settings Subdomain

- **1.14.0** - released against Isis 1.14.0
- **1.13.0** - released against Isis 1.13.0
- **1.12.1** - released against Isis 1.12.1
- **1.12.0** - (no release)
- **1.11.0** - released against Isis 1.11.0
- **1.10.0** - released against Isis 1.10.0
- **1.9.0** - released against Isis 1.9.0
- **1.8.0** - released against Isis 1.8.0. Services are automatically registered; their UI can be suppressed using subscriptions.
- **1.7.0** - released against Isis 1.7.0
- **1.6.0** - re-released as part of isisaddons, with classes under package `org.isisaddons.module.settings`

## Relationship to Apache Isis Core

Apache Isis Core 1.6.0 included the `org.apache.isis.module:isis-module-settings:1.6.0` Maven artifact (and its submodules, `isis-module-settings-applib` and `isis-module-settings-impl-jdo`). This module is a direct copy of that code, with the following changes:

- package names have been altered from `org.apache.isis` to `org.isisaddons.module.settings`
- the `persistent-unit` (in the JDO manifest) has changed from `isis-module-settings` to `org-isisaddons-module-settings-dom`
- for simplicity, the `applib` and `impl` submodules have been combined into a single module

Otherwise the functionality is identical; warts and all!

Isis 1.7.0 no longer ships with `org.apache.isis.module:isis-module-settings`; instead use this addon module.

# Tags Subdomain

- **1.14.0** - released against Isis 1.14.0
- **1.13.0** - released against Isis 1.13.0
- **1.12.0** - released against Isis 1.12.0
- **1.11.0** - released against Isis 1.11.0
- **1.10.0** - released against Isis 1.10.0
- **1.9.0** - released against Isis 1.9.0
- **1.8.0** - released against Isis 1.8.0
- **1.7.0** - released against Isis 1.7.0
- **1.6.0** - first release, with classes under package **org.isisaddons.module.tags**