

# **Table of Contents**

Screenshots	. 2
API & Usage	. 4
How to configure/use	. 5
Classpath	. 5
Configuration Proeprties	. 5
Known Issues	. 6
Dependencies	. 7

This module (isis-wicket-summernote) integrates Summernote editor. Summernote is a JavaScript library based on Bootstrap that helps you create WYSIWYG editors online.




As of 1.15.0 this module is broken (upgrade to Wicket 7.x from Wicket 6.x).

#### **Screenshots**

The module's functionality can be explored by running the quickstart with example usage using the org.incode.domainapp.example.app.modules.ExampleDomWktSummerNoteAppManifest.


A home page is displayed when the app is run:






The remaining screenshots below **do** demonstrate the functionality of this module, but are out of date in that they are taken from the original isisaddons/incodehq module (prior to being amalgamated into the incodeplatform).

Edit mode:



#### View mode:



... shows an additional button to view those entities in a summary chart:

### **API & Usage**

Annotate any String property with <code>@org.isisaddons.wicket.summernote.cpt.applib.SummernoteEditor</code>. You may use the annotation attributes to configure some aspects of the rich editor, e.g. its maximum height.

```
import org.isisaddons.wicket.summernote.cpt.applib.SummernoteEditor;

public class SummernoteEditorToDoItem implements Comparable<SummernoteEditorToDoItem>
{
          ...
          private String notes = "";

          @javax.jdo.annotations.Column(allowsNull="true", length=400)
          @SummernoteEditor(height = 100, maxHeight = 300)
          public String getNotes() {
                return notes;
          }
          ...
}.
```

## How to configure/use

#### Classpath

Add the component to your project's dom module's pom.xml:

```
<dependency>
    <groupId>org.isisaddons.wicket.summernote</groupId>
    <artifactId>isis-wicket-summernote-cpt</artifactId>
</dependency>
```

Check for later releases by searching Maven Central Repo.

For instructions on how to use the latest -SNAPSHOT, see the contributors guide.

#### **Configuration Proeprties**

Set up the facet factory in isis.properties (or in the AppManifest#getConfigurationProperties()):

isis.properties

```
isis.reflector.facets.include=\
    org.isisaddons.wicket.summernote.cpt.applib.SummernoteEditorFacetFactory
```

## **Known Issues**

None known at this time.

## **Dependencies**

Maven can report modules dependencies using:

```
mvn dependency:list -o -pl modules/wkt/summernote/impl -D excludeTransitive=true
```

which, excluding Apache Isis itself, returns these compile/runtime dependencies:

```
commons-codec:commons-codec:jar:1.7
```

For further details on 3rd-party dependencies, see:

• Apache Commons (Codec)

It also includes a Javascript dependency on Summernote editor.