Incode Platform

Table of Contents

Quickstart	 . 2
Modules	 . 3

The Incode Platform provides a number of *modules* for use with the Apache Isis framework. The platform also provides a "quickstart" app which can be used to quickly set up your own pre-configured applications.

Quickstart

The quickstart app is a Maven archetype intended to be used as a starting point for new applications.

```
mvn archetype:generate \
    -D archetypeGroupId=org.incode.platform.archetype \
    -D archetypeArtifactId=quickstart-archetype \
    -D archetypeVersion=1.16.0 \
    -D groupId=com.mycompany \
    -D artifactId=myapp \
    -D version=1.0-SNAPSHOT \
    -B
```

Like the Apache Isis framework's own simpleapp archetype, the application provides a SimpleObject to adapt and copy, along with supporting unit tests, integration tests and BDD (cucumber) specs.

The application generated from the archetype is also preconfigured with the dependencies for all of the modules available in the Incode Platform, with auditing, command profiling, message publishing, security, flywaydb, quartz scheduler and (feature) togglz enabled by default. The application also configures the *Jolokia* servlet to allow consoles such as *hawt.io* to monitor the internal state of the webapp.

Modules

Select the modules you need and use them "out of the box", or fork the repo and use the source code as a starting point to meet your own requirements. Most modules are independent of others, with the README for each explaining how to configure your application to use it.

The modules fall into six broad categories, summarised in the table below:

Libraries 1		SPI Implementati ons	Wicket Components	Extensions	Example Subdomains & Libraries	
Base Docx (MS Word) Excel Fake Data Fixture Support FreeMarker IntegTesting Support	PDFBox Polymorphic Associations Servlet API StringInterp olator (OGNL) Unit Testing Support	Audit Command Publishmq Security Sessionlogge r	Excel Fullcalendar 2 Gmap3 Pdfjs Summernote Wickedchart s	FlywayDB Quartz Togglz	Alias Classificatio n Comm Channel Communicat ions Country Doc Fragment Freemarker	Stringinterp olator DoRendering Xdocreport DocRenderin g Document Note Settings Tags
	XDocReport				DocRenderin g	