

VAERS COVID Reporting Pattern Analysis

Version 2.0 Addendum: Denominator-Adjusted Lot Analysis

Independent Researcher

Executive Summary

Version 2.0 incorporates ICAN/CDC lot-distribution data for Pfizer COVID vaccine lots. This allowed the analysis to move beyond raw VAERS lot report counts and calculate denominator-adjusted reporting metrics using doses shipped by lot.

The key finding is that several Pfizer lots remained elevated after denominator adjustment. The strongest lot-level signal identified was GJ3277, which showed an observed/expected serious-reporting ratio of 5.049.

Key Denominator-Adjusted Findings

Lot	Doses Shipped	Serious Reports	Expected Serious	O/E Ratio
GJ3277	3,930,955	579	114.68	5.049
EN6201	15,043,577	1,253	438.89	2.855
EN6200	13,890,331	1,102	405.25	2.719
EN6202	13,619,726	1,070	397.35	2.693
ER2613	15,392,071	926	449.06	2.062

Interpretation

These lots exhibited elevated serious-reporting frequencies within VAERS relative to the Pfizer lot baseline after adjustment for doses shipped. The EN6200, EN6201, and EN6202 lots remained elevated as a cluster, while GJ3277 showed the strongest individual lot-level signal.

Some lots that appeared notable in raw report-count analysis became less remarkable after denominator adjustment. This demonstrates why dose denominators are essential for lot-level interpretation.

Method Summary

For each matched Pfizer lot, the analysis calculated total VAERS reports, serious reports, death reports, total doses shipped, reports per million doses shipped, serious reports per million doses shipped, deaths per million doses shipped, expected serious reports, and the observed/expected serious-reporting ratio.

Expected serious reports were calculated using the overall Pfizer serious-reporting baseline among matched lots with denominator data.

Important Limitations

This analysis uses doses shipped, not confirmed doses administered. VAERS is a passive surveillance system. Reporting frequency is not incidence, and association does not establish causation.

The results do not establish manufacturing defects, contamination, formulation differences, clinical causality, or true injury rates. They should be interpreted as denominator-adjusted VAERS reporting-pattern findings.

Conclusion

Version 2.0 materially improves the lot-level analysis by incorporating dose-denominator data. The denominator-adjusted results show that some Pfizer lots remained elevated even after accounting for doses shipped.