

1. Identifying Transaction Type

Write logic:

- Read the input number.
 - If the number is greater than 0, print "Positive (Deposit)".
 - Else if the number is less than 0, print "Negative (Withdrawal)".
 - Else, print "Zero (No Transaction)".
-

2. Summing the Digits of a Number

Write logic:

- Read the input number.
 - Convert the number into individual digits.
 - Initialize a sum variable to 0.
 - For each digit in the number, add it to the sum variable.
 - Print the sum of the digits.
-

3. Reversing a Transaction ID

Write logic:

- Read the input number.
 - Convert the number into a string.
 - Reverse the string.
 - Convert it back to a number.
 - Print the reversed number.
-

4. Checking if a Number is Prime

Write logic:

- Read the input number.
- If the number is less than 2, print "Not Prime".
- Loop from 2 to the square root of the number:
 - If the number is divisible by any of these values, print "Not Prime" and exit.
- If no divisors are found, print "Prime".

5. Finding the Factorial Using Recursion

Write logic:

- Read the input number.
 - If the number is 0 or 1, return 1.
 - Else, return the number multiplied by the factorial of (number - 1).
 - Print the result.
-

6. Checking if a Number is an Armstrong Number

Write logic:

- Read the input number.
 - Count the number of digits.
 - Initialize a sum variable to 0.
 - For each digit in the number:
 - Raise the digit to the power of the total number of digits.
 - Add the result to the sum variable.
 - If the sum is equal to the original number, print "Armstrong Number".
 - Else, print "Not an Armstrong Number".
-

7. Swapping First and Last Characters of a String

Write logic:

- Read the input string.
 - If the string length is less than 2, print the string as is.
 - Swap the first and last characters while keeping the middle part unchanged.
 - Print the modified string.
-

8. Converting Decimal to Binary

Write logic:

- Read the input decimal number.
- Initialize an empty string for binary representation.
- While the number is greater than 0:

- Divide the number by 2 and store the remainder.
 - Add the remainder to the binary string.
 - Update the number by dividing it by 2.
 - Reverse the binary string.
 - Print the binary representation.
-

9. Finding the Longest Word in a Sentence

Write logic:

- Read the input sentence.
 - Split the sentence into individual words.
 - Initialize a variable to store the longest word.
 - Loop through each word:
 - if the current word is longer than the stored longest word, update the longest word.
 - Print the longest word.
-

10. Checking if Two Strings are Anagrams

Write logic:

- Read the two input strings.
- Remove spaces and convert both strings to lowercase.
- Sort the characters of both strings.
- If the sorted versions of both strings are identical, print "Anagram".
- Else, print "Not an Anagram".