

```
mysql> show databases;
```

Database
college
indhu
information_schema
mysql
performance_schema
sakila
shinchan
student
sys
world

```
10 rows in set (0.03 sec)
```

```
mysql> use college;
```

```
Database changed
```

```
mysql> create table student(  
-> rollNo int primary key,  
-> name varchar(50),  
-> age int,  
-> department varchar(30));
```

```
Query OK, 0 rows affected (0.09 sec)
```

```
mysql> show tables;
```

Tables_in_college
student

```
1 row in set (0.01 sec)
```

```
mysql> describe student;
```

Field	Type	Null	Key	Default	Extra
rollNo	int	NO	PRI	NULL	
name	varchar(50)	YES		NULL	
age	int	YES		NULL	
department	varchar(30)	YES		NULL	

```
4 rows in set (0.01 sec)
```

```
mysql> insert into student
```

```
-> values  
-> (101,'rahul',20,'cse'),  
-> (102,'priya',19,'ai'),  
-> (103,'arun',21,'ece');
```

```
Query OK, 3 rows affected (0.01 sec)
```

```
Records: 3 Duplicates: 0 Warnings: 0
```



mysql> select*from student;

rollNo	name	age	department
101	rahul	20	cse
102	priya	19	ai
103	arun	21	ece

3 rows in set (0.00 sec)

mysql> alter table student

-> add email vaechar(50);

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'vaechar(50)' at line 2

mysql> alter table student

-> add email varchar(50);

Query OK, 0 rows affected (0.03 sec)

Records: 0 Duplicates: 0 Warnings: 0

mysql> describe student;

Field	Type	Null	Key	Default	Extra
rollNo	int	NO	PRI	NULL	
name	varchar(50)	YES		NULL	
age	int	YES		NULL	
department	varchar(30)	YES		NULL	
email	varchar(50)	YES		NULL	

5 rows in set (0.00 sec)

mysql> alter table student

-> modify age tinyint;

Query OK, 3 rows affected (0.10 sec)

Records: 3 Duplicates: 0 Warnings: 0

mysql> alter table student

-> rename column name to student_name;

Query OK, 0 rows affected (0.03 sec)

Records: 0 Duplicates: 0 Warnings: 0

mysql> describe student;

Field	Type	Null	Key	Default	Extra
rollNo	int	NO	PRI	NULL	
student_name	varchar(50)	YES		NULL	
age	tinyint	YES		NULL	
department	varchar(30)	YES		NULL	
email	varchar(50)	YES		NULL	

5 rows in set (0.00 sec)



