

Student 27 **Rayavaram Indhu** 192524332RA

4 / 4 submitted

Level 1 — 25 marks/question

L1-Q1. (E) Sqrt

J

CODE

```
import java.util.Scanner;
class main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        System.out.println("Enter the number: ");
        int num = sc.nextInt();
        double root = Math.sqrt(num);
        System.out.println("Square Root: "+root);
        System.out.println("Square Root: "+(-root));
    }
}
```

OUTPUT

```
Enter the number:
Square Root: 81.0
Square Root: -81.0
```

L1-Q2. (E) Half Diamond

J

CODE

```
import java.util.Scanner;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        System.out.println("enter the number of rows");
        int n=sc.nextInt();
        for(int i=1;i<=n;i++){
            for(int j=1;j<=i;j++){
                System.out.print("1");
            }
            System.out.println();
        }
        for(int i=n-1;i>=1;i--){
            for(int j=1;j<=i;j++){
                System.out.print("1");
            }
            System.out.println();
        }
    }
}
```

OUTPUT

```
enter the number of rows
1
11
111
11
1
```

Report

L1-Q3. (E) Vowels

J

CODE

```

import java.util.Scanner;
class main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        String s=sc.nextLine();
        int count=0;
        for (int i=0; i<s.length();i++){
            char ch = s.charAt(i);
            if (ch == "a" || ch == "e" || ch == "i" || ch == "o" ||ch == "u"){
                count++;
            }
        }
        System.out.println("Number of vowels = "+count);
    }
}

```

OUTPUT

```

Compilation Error:
C:\Windows\TEMP\sandbox_192524332RA_6a6306a482afe9.75657580\main.java:9: error: bad operand types for binary operator '=='
        if (ch == "a" || ch == "e" || ch == "i" ||ch == "o" ||ch == "u"){
            ^
    first type: char
    second type: String
C:\Windows\TEMP\sandbox_192524332RA_6a6306a482afe9.75657580\main.java:9: error: bad operand types for binary operator '=='
        if (ch == "a" || ch == "e" || ch == "i" ||ch == "o" ||ch == "u"){
            ^
    first type: char
    second type: String
C:\Windows\TEMP\sandbox_192524332RA_6a6306a482afe9.75657580\main.java:9: error: bad operand types for binary operator '=='
        if (ch == "a" || ch == "e" || ch == "i" ||ch == "o" ||ch == "u"){
            ^
    first type: char
    second type: String
C:\Windows\TEMP\sandbox_192524332RA_6a6306a482afe9.75657580\main.java:9: error: bad operand types for binary operator '=='
        if (ch == "a" || ch == "e" || ch == "i" ||ch == "o" ||ch == "u"){
            ^
    first type: char
    second type: String
C:\Windows\TEMP\sandbox_192524332RA_6a6306a482afe9.75657580\main.java:9: error: bad operand types for binary operator '=='
        if (ch == "a" || ch == "e" || ch == "i" ||ch == "o" ||ch == "u"){
            ^
    first type: char
    second type: String
5 errors

```

Report

L1-Q4. (E) Matrix Addition

J

CODE

```
import java.util.Scanner;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int m=sc.nextInt();
        int[][] a =new int[n][m];
        int[][] b=new int[n][m];
        int[][] sum=new int[n][m];
        for(int i=0;i<n;i++){
            for(int j=0;j<m;j++){
                a[i][j]=sc.nextInt();
            }
        }
        for(int i=0;i<n;i++){
            for(int j=0;j<m;j++){
                b[i][j]=sc.nextInt();
            }
        }
        for(int i=0;i<n;i++){
            for(int j=0;j<m;j++){
                sum[i][j]=a[i][j]+b[i][j];

                System.out.print(" "+ sum[i][j]);
            }
            System.out.println();
        }
    }
}
```

OUTPUT

```
3 5
9 4
```