==
PlayList : spring boot full course
channel : india free internship
youtube channel https://www.youtube.com/@IndiaFreeInternship
==
SESSION 1
----
1. SPRING FRAMEWORK
2. SPRING BOOT
3. SRPING DATA JPA
4. SPRING WEB MVC
5. SPRING REST
6. SPRING SECURITY
7. MICROSERVICE
8.SPRING BATCH
9.SPRING SCHEDULAR
======================================
SESSION 2
=========
Technolgies : webPage(servlets) +Database(JDBC/JPA) + Email (Java Mail) + Message(JMS)

Limitations:
- *Start coding from line zero*
- *Development takes more time*
- *More chance of error*
- *Design pattern applied manually*

Framework:
- *Ready-made structure*
- *In-built technologies*
- *Design patterns already implemented*

RAD => Rapid Application Development
- *Fast coding*
- *Less Error*

Spring Framework:
- *used for Web Application or Distributed appliation*
- *It has own Apis*
- *It Follow Container System*

Spring Container

- *Find/Scan Classes[spring bean]*
- *Create Object*
- *provide DATA*
- *Link Object based on Relation*
- *Finally Destroy*

Depedency Injection (DI)

Depedency Injection is a concept/theory which is implemented by spring IoC (Inversion of control) also called as spring container.

Theory	*programming*
oops	*core java*
ORM	*HIbernate with JPA*
DI	*Spring Ioc(Inversion of control)*

---

session 3
=========

Application
====================

3 Type of application

(i) Web Application
(ii) Distributed Application
(iii) Microservices Application

(i) Web Application : Collection of web pages run under webserver.

Application : - n services
Project :- n Module

eg : Gmail Application
User(Register and Login) , Inbox, Sent, Drfats, Setting, ... etc
Amazon Application
User(Register and Login) , search, Cart, Payment, ...etc
=> Implementation of service / module: - This is implemented using 3 Layers Design.
1. DAL : Data Access Layer (Database Operations)
2. SL : Service Layer (Calculation/Operations/txn mngmt)
3. PL : Presentation layer (view /Dynamic web pages/MVC)

PIC 1



===
(ii) Distributed Application : An Application that runs at mutiple devices is called as distributed appliation.

xyz Bank application
This appliation can be accessed in different ways. Example.
eg:
1. Manually Process
2. NetBanking (Web App)
3. Mobile Banking
4. IVR
5. ATM / DC
6. 3rd party app (Gpay, PayPhone..etc)
.....

-But here business logics exist at backend application.
- Fontend applications are implemented using Angular, Android...etc
- App connected using HTTP Protocol using Global Data Format (JSON/XML)
PIC 2



WebServices:
===========
Intergration of multiple (at least two) applications which runs on different servers and implemented using different language (java, .net, php, python....etc)

PIC 3



===

session 4
================
================
SPRING FRAMEWORK
================
CORE
----
1. DI and IOC
2. Container Types
3. Annotation Configuration
4. @ComponentScan
5. @Component
6. @Value
7. Java Configuration
8. @Configuration
9. @Bean
10. @PropertySource
11. Environment
12. Lifecycle methods
13. Runners
14. @ConfigurationProperties
15. Properties file
16. YAML File
17. Profiles
18. Lombok API

===========================
spring core chapter 1
===============
Core:
This module/chapter gives all rules and guidelines to work with spring container.
1. DI and IOC
============

Spring Container :- It takes care of object.
1. Find/Scan our Classes(spring bean)
2. Create Object
3. Provide Data
4. Link Object
5. Destroy the Object

=>For this programmer has to provide two inputs-
1. Spring Bean : class+rules given by spring container.
2. Spring Configuration : This is main input cotains details like object name, relation with objects, data....etc.
xml/java/Annotation

*** Spring Container 2 Types:*
1. BeanFactory (Old container) : support only XML coonfiguration file.
2. ApplicationContext (New container) : support xml/java/Annotation configuration.

pic



=======================

Dependeny Injection (DI)

Theory	***programming***
OOPs	***java***
ORM	***HIbernate with JPA***
DI	***Spring IoC(Spring Container) -> Inversion of Control***

=> Depedency :- An instance variable (Field) exist inside a class (spring bean)

1. Primitive Type Dependeny (PTD) :- If a variable is created using (8+1) datatype.
(byte, short, int, long, float, double, boolean, char +string)
(Their wrapper classess too)

2. Collection Type Depedency (CTD) :- If a variable created using(4) types:
(java.util.package)
(List,Map,Set and Properties)

3. Reference Type Depedency (RTD) :- If a variable is creatd using other class/interface

Injection(4)
======
=> It give/provide/assign existed provide data to Depedency(Inside object)
1. Setter Injection (SI) :- provide data to variable using its set method(setter).

2. Constructor Injection(CI): provide data creating object using parameterized constructor.

3. LookUpMethod Injection(LMI) :- Spring bean Scope
[When parent bean is sigleton and child bean is prototype]
4. Interface Injection(II) : - Not Exist in Spring F/W.

```
class Employee{
   int id;
   String name;
   double sal;
}
```




```
Employee e=new Employee()
```

```
class Product{
   int id; //PTD
   String name; //PTD
   Boolean exist; //PTD

   List<String> models; //CTD
   Map<String,Integer> data; //CTD

   Vendor vob; //RTD
   Service sob; //RTD
}
```

```
class Vendor{}

interface Service{}
```

SESSION 5

===========

1. Spring Bean

2. STS Installation

Spring Bean

=========

-It is class that follow rules given by Spring Container.

Rule

-----

a. class must be public Type.

b. Recomended to keep in a package (basePackage Rule)

ex :

com.app.service

com.app.controller

c. Fields(Variables) are option, if required recomended to keep private.

private Integer empId;

private String empName;

d. If variable present in class,

=>define default constructor with setter/getter

=>(or/and) Parameterized Constructor.

ex:

```
public class Employee{
private Integer id;
private String name;
public Empoyee(){
}
 public void setId(Integer id){
this.id=id;
  }

public Integer getId(){
  return id;
  }
}
```

e. We can override Object(c) methods:

toString() equals() hashCode()

[because non-private, non-final,non-static]

f. Inheritance Rule:

Allowed ->Only Spring API is allowed (ie spring F/W classes and interface)

not allowed-> EJB, Servlet

g. Annotation Rule:

Only we can add Spring API Annotation and Inetegration API Annotations

(Hibernate with JPA, Restful webServices annotations);

ex:

@Component, @Service, @Repository.. etc.

STS Installation

=============

step 1:

go to official website

spring.io

link : - https://spring.io/tools#eclipse

step 2 download STS according your OS

step 3

Rigth click on ZIP file

click on "Extract Here"

step 4

Open extracted folder

Run : SpringToolsForEclipse

Final STEP STS installed successfully.

====================

session 6

=========

1. Spring Bean

Simple Java class that follow rules given by container.

2. Spring Configuration File(XML)

It gives object details (name, data,links with other objects ... etc).

3. Test class=> Just find, container created or not? object is creatd or not?

===

Spring core XML Tags

===

<bean> - Object creation

<property> - calling set method

<constructor-arg> - call parameterized constructor

<value> - To provide data to Primitive Type.

<list> <set> <map> <props> -- To provide data to Collection type.

<ref/> -- To Link two objects

---

1. To create Object

<bean id="objName" class="FullyQualifiedClassName"></bean>

2. To call set method

<property name="variableName"></property>

3. To provide data to Primitive Variables

<value>data</value>





================================

1. Spring bean

```
package com.app;

public class PaymentService{

    private int token;

    private boolean active;

    private String provider;

  //set.. set toString..etc

}
```

2. Spring XML configuration file.

```
<bean class="com.app.PaymentService" id="psObj">

<property name="token">

<value>154678</value>

</property>

<property name="active">

<value>true</value>

</property>

<property name="provider">

<value>xyzBank</value>

</property>

</bean>
```

==

CREATE MAVEN PROJECT WITH BELOW STEP :-

==

1. Create Project



File-> New-> Other-> Type maven->choose maven project-> next->

choose checkbox [v] create simple project -> next-> Enter details





groupId : com.app

ArtficatId : FirstApp

version : 1.0



-> Finish



2. pom.xml

```xml
<project xmlns="http://maven.apache.org/POM/4.0.0"

xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"

xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">

<modelVersion>4.0.0</modelVersion>

<groupId>com.app</groupId>

<artifactId>FirstApp</artifactId>

<version>1.0</version>

<properties>

<maven.compiler.source>21</maven.compiler.source>

<maven.compiler.target>21</maven.compiler.target>

</properties>


<dependencies>

    <!-- Source:
     https://mvnrepository.com/artifact/org.springframework/spring-context -->

  <dependency>

    <groupId>org.springframework</groupId>

     <artifactId>spring-context</artifactId>

     <version>7.0.6</version>

     <scope>compile</scope>

  </dependency>

</dependencies>

</project>
```

---

session 7

===========

Spring Core First Application 3 Files.

1. Spring bean (.java)

2. Spring XML configuration (config.xml)

3. Test class(.java)





Note:-

1. Spring container are two Types.

(a) Legacy Container : BeanFactory(I) support only XML

(b) New Container : ApplicationContext(i) support all XML/java/Annotation config.

(c) ApplicationContext(I) : it is a interface.

we are using one of its Impl class:

ClassPathXmlApplicationContext(C).

==================================

Create Maven Project with below Step:

================================

File>new>other>type maven>choose maven project>next>choose checkbox> create Simple project>next>Enter details

GroupId - com.app

ArtficatId - SecondApp

version - 1.0

----

code

SecondApp

========

pom.xml

```
=============
<project xmlns="http://maven.apache.org/POM/4.0.0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">
<modelVersion>4.0.0</modelVersion>
<groupId>com.app</groupId>
<artifactId>SecondApp</artifactId>
<version>1.0</version>

<properties>
<maven.compiler.source>21</maven.compiler.source>
<maven.compiler.target>21</maven.compiler.target>
</properties>

<dependencies>
<!-- Source:https://mvnrepository.com/artifact/org.springframework/spring-context -->
<dependency>
<groupId>org.springframework</groupId>
<artifactId>spring-context</artifactId>
<version>7.0.5</version>
<scope>compile</scope>
</dependency>
</dependencies>
</project>
---------------------------
```

DbCon.java

```
---------------------
package com.app;

public class DbCon {
  private String driver;
  private String url;
```

```
  //alt+shit+s
  public DbCon() {
super();
System.out.println("Constructor called");
  }
  public String getDriver() {
return driver;
  }
  public void setDriver(String driver) {
this.driver = driver;
System.out.println("Driver method called");
  }
  public String getUrl() {
return url;
  }
  public void setUrl(String url) {
this.url = url;
System.out.println("Url method called");
  }
  @Override
  public String toString() {
return "DbCon [driver=" + driver + ", url=" + url + "]";
  }

}
```

==

config.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<beans xmlns="http://www.springframework.org/schema/beans"
   xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
```

```
    xsi:schemaLocation="
        http://www.springframework.org/schema/beans
http://www.springframework.org/schema/beans/spring-beans.xsd">


    <bean class="com.app.DbCon" id="mobj">
        <property name="driver">
        <value>Oracle Driver</value>
        </property>

        <property name="url">
        <value>JDBC-ORCL</value>
        </property>
    </bean>

</beans>
```

=======================

Test.java

```
package com.app;

import org.springframework.context.ApplicationContext;
import org.springframework.context.support.ClassPathXmlApplicationContext;

public class Test {
//ctrl+shit+O
public static void main(String[] args) {
ApplicationContext ac=new ClassPathXmlApplicationContext("config.xml");
Object ob = ac.getBean("mobj");
System.out.println(ob);
}
}
```

----

output

Constructor called

Driver method called

Url method called

DbCon [driver=Oracle Driver, url=JDBC-ORCL]

Session 8

==========