w3schools.com (http://www.w3schools.com)

THE WORLD'S LARGEST WEB DEVELOPER SITE

HTML (/html/default.asp) CSS (/css/default.asp) JAVASCRIPT (/js/default.asp) SQL (/sql/default.asp) PHP (/php/default.asp) jQUERY (/jquery/default.asp) (/default.asp)
BOOTSTRAP (/bootstrap/default.asp) ANGULAR (/angular/default.asp) XML (/xml/default.asp) TUTORIALS REFERENCES EXAMPLES

Bootstrap Tutorial
FORUM (/forum/default.asp)

BS HOME (default.asp)
BS Get Started (bootstrap_get_started.asp)
BS Grid Basic (bootstrap_grid_basic.asp)
BS Typography (bootstrap_typography.asp)
BS Tables (bootstrap_tables.asp)
BS Images (bootstrap_images.asp)
BS Jumbotron (bootstrap_jumbotron_header.asp)
BS Wells (bootstrap_wells.asp)
BS Alerts (bootstrap_alerts.asp)
BS Buttons (bootstrap_buttons.asp)
BS Button Groups (bootstrap_button_groups.asp)
BS Glyphicons (bootstrap_glyphicons.asp)
BS Badges/Labels (bootstrap_badges_labels.asp)
BS Progress Bars (bootstrap_progressbars.asp)
BS Pagination (bootstrap_pagination.asp)
BS Pager (bootstrap_pager.asp)

Master the skills to shine.
Explore on-demand courses led by top instructors.
Lynda.com A LINKEDIN COMPANY
Try it free.

Bootstrap CSS Typography Reference

« Previous (bootstrap_exam.asp Next Reference » (bootstrap_ref_css_b

Bootstrap's Default Settings

Bootstrap's global default font-size is 14px, with a line-height of 1.428.

This is applied to the <body> and all paragraphs.

In addition, all <p> elements have a bottom margin that equals half their computed line-height (10px by default).

Typography

The elements below are HTML elements that will be styled a little bit differently by Bootstrap than browser defaults. Look at the "Try it" examples to see the result/differences.

The classes below is used to style the elements further.

Element/Class	Description	Example
<h1> - <h6> or .h1 - .h6	h1 - h6 headings	Try it (tryit.asp?filename=trybs_ref_txt_hn&stacked=h)
<small>	Creates a lighter,	Try it (tryit.asp?filename=trybs_ref_txt_hn&stacked=h)

amazon
Introducing Fluke Connect
› Shop now

BS List Groups (bootstrap_list_groups.asp)
BS Panels (bootstrap_panels.asp)
BS Dropdowns (bootstrap_dropdowns.asp)
BS Collapse (bootstrap_collapse.asp)
BS Tabs/Pills (bootstrap_tabs_pills.asp)
BS Navbar (bootstrap_navbar.asp)
BS Forms (bootstrap_forms.asp)
BS Inputs (bootstrap_forms_inputs.asp)
BS Inputs 2 (bootstrap_forms_inputs2.asp)
BS Input Sizing (bootstrap_forms_sizing.asp)
BS Carousel (bootstrap_carousel.asp)
BS Modal (bootstrap_modal.asp)
BS Tooltip (bootstrap_tooltip.asp)
BS Popover (bootstrap_popover.asp)
BS Scrollspy (bootstrap_scrollspy.asp)
BS Affix (bootstrap_affix.asp)

Bootstrap Grids

BS Grid System (bootstrap_grid_system.asp)
BS Stacked/Horizontal (bootstrap_grid_stacked_to_horizontal.asp)
BS Grid Small

	secondary text in any heading Heading (secondary text)	
.small	Indicates smaller text (set to 85% of the size of the parent): Smaller text	Try it (tryit.asp?filename=trybs_ref_txt_small&stacked=h)
.lead	Makes a text stand out: Stand out text	Try it (tryit.asp?filename=trybs_ref_txt_lead&stacked=h)
<mark> or .mark	Highlights text: Highlighted text	Try it (tryit.asp?filename=trybs_ref_txt_mark&stacked=h)
<del>	Indicates deleted text: ~~Deleted text~~	Try it (tryit.asp?filename=trybs_ref_txt_del&stacked=h)
<s>	Indicates no longer relevant text: ~~No longer relevant text~~	Try it (tryit.asp?filename=trybs_ref_txt_s&stacked=h)
<ins>	Indicates inserted text: Inserted text	Try it (tryit.asp?filename=trybs_ref_txt_ins&stacked=h)
<u>	Indicates underlined text:	Try it (tryit.asp?filename=trybs_ref_txt_u&stacked=h)

W3SCHOOLS EXAMS

HTML, CSS, JavaScript, PHP, jQuery, and XML Certifications (http://www.w3schools.com/

COLOR PICKER

(/tags/ref_colorpicker.asp)

SHARE THIS PAGE

(http://www
u=http://www.w3schools.cor
(http://twitter.com
http://www.w3schools.com/b
(https:/
url=http://www.w3schools.cc

(bootstrap_grid_small.asp)
BS Grid Medium
(bootstrap_grid_medium.asp)
BS Grid Large
(bootstrap_grid_large.asp)
BS Grid Examples
(bootstrap_grid_examples.asp)

Bootstrap Case

Case Container
(bootstrap_case_container.asp)
Case Jumbotron
(bootstrap_case_jumbotron.asp)
Case Button/Icon
(bootstrap_case_buttons.asp)
Case Multicolumn
(bootstrap_case_multicolumns.asp)
Case Menu
(bootstrap_case_menu.asp)
Case Navigation Bar
(bootstrap_case_navigation.asp)

Bootstrap Exam

BS Quiz (bootstrap_quiz.asp)
BS Certificate
(bootstrap_exam.asp)

Bootstrap CSS Ref

CSS Typography
(bootstrap_ref_css_text.asp)
CSS Buttons
(bootstrap_ref_css_buttons.asp)
CSS Forms
(bootstrap_ref_css_forms.asp)
CSS Helpers
(bootstrap_ref_css_helpers.asp)

	Underlined text	
	Indicates bold text: **Bold text**	Try it (tryit.asp?filename=trybs_ref_txt_strong&stacked=h)
	Indicates italic text: *Italic text*	Try it (tryit.asp?filename=trybs_ref_txt_em&stacked=h)
.text-left	Indicates left-aligned text	Try it (tryit.asp?filename=trybs_ref_text-left&stacked=h)
.text-center	Indicates center-aligned text	Try it (tryit.asp?filename=trybs_ref_text-left&stacked=h)
.text-right	Indicates right-aligned text	Try it (tryit.asp?filename=trybs_ref_text-left&stacked=h)
.text-justify	Indicates justified text	Try it (tryit.asp?filename=trybs_ref_text-left&stacked=h)
.text-nowrap	Indicates no wrap text	Try it (tryit.asp?filename=trybs_ref_text-left&stacked=h)
.text-lowercase	Indicates lowercased text: lowercased text	Try it (tryit.asp?filename=trybs_ref_text-lowercase&stacked=h)
.text-uppercase	Indicates uppercased text: UPPERCASED TEXT	Try it (tryit.asp?filename=trybs_ref_text-lowercase&stacked=h)
.text-capitalize	Indicates capitalized text: Capitalized Text	Try it (tryit.asp?filename=trybs_ref_text-lowercase&stacked=h)
<abbr>	The <abbr> element	Try it (tryit.asp?filename=trybs_ref_txt_abbr&stacked=h)

CSS Images (bootstrap_ref_css_images.asp)
CSS Tables (bootstrap_ref_css_tables.asp)

Bootstrap Comps

Glyphicons (bootstrap_ref_comp_glyphs.asp)
Dropdowns (bootstrap_ref_comp_dropdowns.asp)
Navs (bootstrap_ref_comp_navs.asp)

Bootstrap JS Ref

JS Affix (bootstrap_ref_js_affix.asp)
JS Alert (bootstrap_ref_js_alert.asp)
JS Button (bootstrap_ref_js_button.asp)
JS Carousel (bootstrap_ref_js_carousel.asp)
JS Collapse (bootstrap_ref_js_collapse.asp)
JS Dropdown (bootstrap_ref_js_dropdown.asp)
JS Modal (bootstrap_ref_js_modal.asp)
JS Popover (bootstrap_ref_js_popover.asp)
JS Scrollspy (bootstrap_ref_js_scrollspy.asp)
JS Tab (bootstrap_ref_js_tab.asp)
JS Tooltip (bootstrap_ref_js_tooltip.asp)

	indicates an abbreviation or acronym. Abbreviations with a title attribute have a dotted bottom border and a help cursor on hover, providing additional context on hover.	
.initialism	Displays the text inside the <abbr> element in a slightly smaller font size	Try it (tryit.asp?filename=trybs_ref_txt_abbr2&stacked=h)
<address>	Presents contact information	Try it (tryit.asp?filename=trybs_ref_txt_address&stacked=h)
<blockquote>	Indicates blocks of content from another source	Try it (tryit.asp?filename=trybs_ref_txt_blockquote&stacked=h)
.blockquote-reverse	Indicates a blockquote with right-aligned content	Try it (tryit.asp?filename=trybs_ref_txt_blockquote2&stacked=h)
<ul>	Indicates an unordered list	Try it (tryit.asp?filename=trybs_ref_txt_ul&stacked=h)
<ol>	Indicates an ordered list	Try it (tryit.asp?filename=trybs_ref_txt_ol&stacked=h)
.list-unstyled	Removes the	

	default list-style and left margin on list items (works on both <ul> and <ol>). This class only applies to immediate children list items (to remove the default list-style from any nested lists, apply this class to any nested lists as well)	Try it (tryit.asp?filename=trybs_ref_txt_list-unstyled&stacked=h)
.list-inline	Places all list items on a single line	Try it (tryit.asp?filename=trybs_ref_txt_list-inline&stacked=h)
<dl>	Indicates a description list	Try it (tryit.asp?filename=trybs_ref_txt_dl&stacked=h)
.dl-horizontal	Lines up the terms and descriptions in the <dl> element side-by-side. Starts off like default <dl>s, but when the browser window expands, it will line up side-by-side	Try it (tryit.asp?filename=trybs_ref_txt_dl-horizontal&stacked=h)

Code

Element/Class	Description	Example
<code>	Indicates inline snippets of code: `span , div`	Try it (tryit.asp?filename=trybs_ref_txt_code&stacked=h)
<kbd>	Indicates input that is typically entered via the keyboard: `CTRL + P`	Try it (tryit.asp?filename=trybs_ref_txt_kbd&stacked=h)
<pre>	Indicates multiple lines of code	Try it (tryit.asp?filename=trybs_ref_txt_pre&stacked=h)
<pre class="pre-scrollable">	Indicates multiple lines of code with scrollbar	Try it (tryit.asp?filename=trybs_ref_txt_pre&stacked=h)
<samp>	Indicates sample output from a computer program: `Sample output`	Try it (tryit.asp?filename=trybs_ref_txt_samp&stacked=h)
<var>	Indicates variables: *x = ab + y*	Try it (tryit.asp?filename=trybs_ref_txt_var&stacked=h)

« Previous (bootstrap_exam.asp Next Reference » (bootstrap_ref_css_b



Chromebooks for Work

Built Beautiful, Built for Work Live Online Event - Register Now!

REPORT ERROR () PRINT PAGE () FORUM (/forum/default.asp) ABOUT (/about/default.asp)

Top 10 Tutorials

HTML Tutorial (/html/default.asp)
CSS Tutorial (/css/default.asp)
JavaScript Tutorial (/js/default.asp)
SQL Tutorial (/sql/default.asp)
PHP Tutorial (/php/default.asp)
jQuery Tutorial (/jquery/default.asp)
Bootstrap Tutorial (/bootstrap/default.asp)
Angular Tutorial (/angular/default.asp)
ASP.NET Tutorial (/aspnet/default.asp)
XML Tutorial (/xml/default.asp)

Top 10 References

HTML Reference (/tags/default.asp)
CSS Reference (/cssref/default.asp)
JavaScript Reference (/jsref/default.asp)
Browser Statistics (/browsers/default.asp)
HTML DOM (/jsref/dom_obj_document.asp)
PHP Reference (/php/php_ref_array.asp)
jQuery Reference (/jquery/jquery_ref_selectors.asp)
HTML Colors (/tags/ref_colornames.asp)
HTML Character Sets (/charsets/default.asp)
XML DOM (/dom/dom_nodetype.asp)

Top 10 Examples

HTML Examples (/html/html_examples.asp)
CSS Examples (/css/css_examples.asp)
JavaScript Examples (/js/js_examples.asp)
HTML DOM Examples (/js/js_dom_examples.asp)
PHP Examples (/php/php_examples.asp)
jQuery Examples (/jquery/jquery_examples.asp)
XML Examples (/xml/xml_examples.asp)
XML DOM Examples (/dom/dom_examples.asp)
ASP Examples (/asp/asp_examples.asp)
SVG Examples (/svg/svg_examples.asp)

Web Certificates

HTML Certificate (/cert/default.asp)
HTML5 Certificate (/cert/default.asp)
CSS Certificate (/cert/default.asp)
JavaScript Certificate (/cert/default.asp)
jQuery Certificate (/cert/default.asp)
PHP Certificate (/cert/default.asp)
Bootstrap Certificate (/cert/default.asp)
XML Certificate (/cert/default.asp)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use (/about/about_copyright.asp), cookie and privacy policy (/about/about_privacy.asp). Copyright 1999-2015 (/about/about_copyright.asp) by Refsnes Data. All Rights Reserved.

w3schools.com (http://www.w3schools.com)