

w3schools.com

(http://www.w3schools.com)

THE WORLD'S LARGEST WEB DEVELOPER SITE

HTML (/html/default.asp)

CSS (/css/default.asp)

JAVASCRIPT (/js/default.asp)

SQL (/sql/default.asp)

PHP (/php/default.asp)

JQUERY (/jquery/default.asp)

BOOTSTRAP (/bootstrap/default.asp)

ANGULAR (/angular/default.asp)

XML (/xml/default.asp)

TUTORIALS

REFERENCES

EXAMPLES

Boc

Tutorial

BS HOME (default.asp)

BS Get Started (bootstrap_get_started.asp)

BS Grid Basic (bootstrap_grid_basic.asp)

BS Typography (bootstrap_typography.asp)

BS Tables (bootstrap_tables.asp)

BS Images (bootstrap_images.asp)

BS Jumbotron (bootstrap_jumbotron_header.asp)

BS Wells (bootstrap_wells.asp)

BS Alerts (bootstrap_alerts.asp)

BS Buttons (bootstrap_buttons.asp)

BS Button Groups (bootstrap_button_groups.asp)

BS Glyphicons (bootstrap_glyphicons.asp)

BS Badges/Labels (bootstrap_badges_labels.asp)

BS Progress Bars (bootstrap_progressbars.asp)

BS Pagination (bootstrap_pagination.asp)

BS Pager (bootstrap_pager.asp)

BS List Groups

Does your coverage get everything back to normal?

Almost Covered

Covered

FARMERS INSURANCE


Get a Quote Now

Bootstrap JS Carousel

« Previous (bootstrap_ref_js_but Next Reference » (bootstrap_ref_js_coll

JS Carousel (carousel.js)

The Carousel plugin is a component for cycling through elements, like a carousel (slideshow).
For a tutorial about Carousels, read our [Bootstrap Carousel Tutorial \(bootstrap_carousel.asp\)](#).

 **Note:** Carousels are not supported properly in Internet Explorer 9 and earlier (because they use CSS3 transitions and animations to achieve the slide effect).

The Carousel Plugin Classes

Class	Description
.carousel	Creates a carousel
.slide	Adds a CSS transition and animation effect when sliding from one item to the next. Remove this class if you do not want this effect
.carousel-indicators	Adds indicators for the carousel. These are the little dots at the bottom of each slide (which indicates how many slides there are in the carousel, and which slide the user are currently viewing)
.carousel-inner	Adds slides to the carousel



MOTOR OIL REIMAGINED™

WAS \$49⁹⁹

NOW \$45⁸⁸

SYNTHETIC OIL CHANGE
PENNZOIL PLATINUM™

June 11 – Sept. 9, 2015.



Learn More

(bootstrap_list_groups.asp)

BS Panels
(bootstrap_panels.asp)

BS Dropdowns
(bootstrap_dropdowns.asp)

BS Collapse
(bootstrap_collapse.asp)

BS Tabs/Pills
(bootstrap_tabs_pills.asp)

BS Navbar
(bootstrap_navbar.asp)

BS Forms
(bootstrap_forms.asp)

BS Inputs
(bootstrap_forms_inputs.asp)

BS Inputs 2
(bootstrap_forms_inputs2.asp)

BS Input Sizing
(bootstrap_forms_sizing.asp)

BS Carousel
(bootstrap_carousel.asp)

BS Modal
(bootstrap_modal.asp)

BS Tooltip
(bootstrap_tooltip.asp)

BS Popover
(bootstrap_popover.asp)

BS Scrollspy
(bootstrap_scrollspy.asp)

BS Affix (bootstrap_affix.asp)

.item	Specifies the content of each slide
.left carousel-control	Adds a left button to the carousel, which allows the user to go back between the slides
.right carousel-control	Adds a right button to the carousel, which allows the user to go forward between the slides
.carousel-caption	Specifies a caption for the carousel

Via data-* Attributes

The `data-ride="carousel"` activates the carousel.

The `data-slide` and `data-slide-to` attributes specifies which slide to go to.

The `data-slide` attribute accepts two values: **prev** or **next**, while `data-slide-to` accept numbers.

```
<!-- Carousel -->
<div id="myCarousel" class="carousel slide" data-ride="carousel">

<!-- Carousel Indicators -->
<li data-target="#myCarousel" data-slide-to="1"></li>

<!-- Carousel Controls -->
<a class="left carousel-control" href="#myCarousel" data-slide="prev">
```

[Try it \(tryit.asp?filename=trybs_ref_js_carousel2&stacked=h\)](http://tryit.asp?filename=trybs_ref_js_carousel2&stacked=h)

Via JavaScript

Enable manually with:

```
// Activate Carousel
$("#myCarousel").carousel();

// Enable Carousel Indicators
$(".item").click(function(){
    $("#myCarousel").carousel(1);
});
```

Bootstrap Grids

BS Grid System
(bootstrap_grid_system.asp)

BS Stacked/Horizontal
(bootstrap_grid_stacked_to_horizontal.asp)


BS Grid Small
(bootstrap_grid_small.asp)

BS Grid Medium

W3SCHOOLS EXAMS

HTML, CSS, JavaScript,
PHP, jQuery, and XML
Certifications
(<http://www.w3schools.com/>)

COLOR PICKER



(/tags/ref_colorpicker.asp)

SHARE THIS PAGE

(<http://www.w3schools.com/>)

(<http://twitter.com/w3schools>)

(<https://plus.google.com/w3schools>)

(<http://www.w3schools.com/>)



(bootstrap_grid_medium.asp)
BS Grid Large
(bootstrap_grid_large.asp)
BS Grid Examples
(bootstrap_grid_examples.asp)

```
// Enable Carousel Controls
$(".left").click(function(){
    $("#myCarousel").carousel("prev");
});
```

Try it (tryit.asp?filename=trybs_ref_js_carousel_js&stacked=h)

Bootstrap Case

Case Container
(bootstrap_case_container.asp)
Case Jumbotron
(bootstrap_case_jumbotron.asp)
Case Button/Icon
(bootstrap_case_buttons.asp)
Case Multicolumn
(bootstrap_case_multicolumns.asp)
Case Menu
(bootstrap_case_menu.asp)
Case Navigation Bar
(bootstrap_case_navigation.asp)

Bootstrap Exam

BS Quiz (bootstrap_quiz.asp)
BS Certificate
(bootstrap_exam.asp)

Bootstrap CSS Ref

CSS Typography
(bootstrap_ref_css_text.asp)
CSS Buttons
(bootstrap_ref_css_buttons.asp)
CSS Forms
(bootstrap_ref_css_forms.asp)
CSS Helpers
(bootstrap_ref_css_helpers.asp)
CSS Images
(bootstrap_ref_css_images.asp)
CSS Tables

Carousel Options

Options can be passed via data attributes or JavaScript. For data attributes, append the option name to data-, as in data-interval="".

Name	Type	Default	Description	Try it
interval	number, or the boolean false	5000	Specifies the delay (in milliseconds) between each slide. Note: Set interval to false to stop the items from automatically sliding	<div>Using JS (tryit.asp?filename=trybs_ref_js_carousel_interval&stacked=h)</div> <div>Using data (tryit.asp?filename=trybs_ref_js_carousel_interval_data&stacked=h)</div>
pause	string, or the boolean false	"hover"	Pauses the carousel from going through the next slide when the mouse pointer enters the carousel, and resumes the sliding when the mouse pointer leaves the carousel	<div>Using JS (tryit.asp?filename=trybs_ref_js_carousel_pause&stacked=h)</div> <div>Using data (tryit.asp?filename=trybs_ref_js_carousel_pause_data&stacked=h)</div>

(bootstrap_ref_css_tables.asp)

Bootstrap Comps

Glyphicons
(bootstrap_ref_comp_glyphs.asp)

Dropdowns
(bootstrap_ref_comp_dropdowns.asp)

Navs
(bootstrap_ref_comp_navs.asp)

Bootstrap JS Ref

JS Affix
(bootstrap_ref_js_affix.asp)

JS Alert
(bootstrap_ref_js_alert.asp)

JS Button
(bootstrap_ref_js_button.asp)

JS Carousel
(bootstrap_ref_js_carousel.asp)

JS Collapse
(bootstrap_ref_js_collapse.asp)

JS Dropdown
(bootstrap_ref_js_dropdown.asp)

JS Modal
(bootstrap_ref_js_modal.asp)

JS Popover
(bootstrap_ref_js_popover.asp)

JS Scrollspy
(bootstrap_ref_js_scrollspy.asp)

JS Tab
(bootstrap_ref_js_tab.asp)

JS Tooltip
(bootstrap_ref_js_tooltip.asp)

Note: Set pause to **false** to stop the ability to pause on hover

wrap boolean true Specifies whether the carousel should go through all slides continuously, or stop at the last slide

- true - cycle continuously
- false - stop at the last item

Using JS (tryit.asp?filename=trybs_ref_js_carousel_wrap&stacked=h)

Using data (tryit.asp?filename=trybs_ref_js_carousel_wrap_data&stacked=h)

Carousel Methods

The following table lists all available carousel methods.

Method	Description	Try it
.carousel(<i>options</i>)	Activates the carousel with an option. See options above for valid values	Try it (tryit.asp?filename=trybs_ref_js_carousel_interval&stacked=h)
.carousel("cycle")	Goes through the carousel items from left to right	Try it (tryit.asp?filename=trybs_ref_js_carousel_cycle_pause&stacked=h)
.carousel("pause")	Stops the	Try it (tryit.asp?filename=trybs_ref_js_carousel_cycle_pause&stacked=h)

	carousel from going through items	
<code>.carousel(number)</code>	Goes to a specified item (zero- based: first item is 0, second item is 1, etc..)	Try it (tryit.asp?filename=trybs_ref_js_carousel_number&stacked=h)
<code>.carousel("prev")</code>	Goes to the previous item	Try it (tryit.asp?filename=trybs_ref_js_carousel_prev_next&stacked=h)
<code>.carousel("next")</code>	Goes to the next item	Try it (tryit.asp?filename=trybs_ref_js_carousel_prev_next&stacked=h)

Carousel Events

The following table lists all available carousel events.

Event	Description	Try it
<code>slide.bs.modal</code>	Occurs when the carousel is about to slide from one item to another	Try it (tryit.asp?filename=trybs_ref_js_carousel_event_slide&stacked=h)
<code>slid.bs.modal</code>	Occurs when the carousel has finished sliding from one item to another	Try it (tryit.asp?filename=trybs_ref_js_carousel_event_slid&stacked=h)




Examples

Captions to Slides

Add `<div class="carousel-caption">` within each `<div class="item">` to create a caption for each slide:

Example



```
<div id="myCarousel" class="carousel slide" data-ride="carousel">
  <!-- Indicators -->
  <ol class="carousel-indicators">
    <li data-target="#myCarousel" data-slide-to="0" class="active"></li>
    <li data-target="#myCarousel" data-slide-to="1"></li>
    <li data-target="#myCarousel" data-slide-to="2"></li>
    <li data-target="#myCarousel" data-slide-to="3"></li>
  </ol>

  <!-- Wrapper for slides -->
```

```

<div class="carousel-inner" role="listbox">
  <div class="item active">
    
    <div class="carousel-caption">
      <h3>Chania</h3>
      <p>The atmosphere in Chania has a touch of Florence and Venice.</p>
    </div>
  </div>

  <div class="item">
    
    <div class="carousel-caption">
      <h3>Chania</h3>
      <p>The atmosphere in Chania has a touch of Florence and Venice.</p>
    </div>
  </div>

  <div class="item">
    
    <div class="carousel-caption">
      <h3>Flowers</h3>
      <p>Beatiful flowers in Kolymbari, Crete.</p>
    </div>
  </div>

  <div class="item">
    
    <div class="carousel-caption">
      <h3>Flowers</h3>
      <p>Beatiful flowers in Kolymbari, Crete.</p>
    </div>
  </div>
</div>

<!-- Left and right controls -->
<a class="left carousel-control" href="#myCarousel" role="button" data-slide="prev">
  <span class="glyphicon glyphicon-chevron-left" aria-hidden="true"></span>
  <span class="sr-only">Previous</span>
</a>
<a class="right carousel-control" href="#myCarousel" role="button" data-
slide="next">
  <span class="glyphicon glyphicon-chevron-right" aria-hidden="true"></span>
  <span class="sr-only">Next</span>
</a>
</div>

```

Try it Yourself » (tryit.asp?filename=trybs_ref_js_carousel2&stacked=h)

« Previous (bootstrap_ref_js_but

Next Reference » (bootstrap_ref_js_coll



[REPORT ERROR \(\)](#)

[PRINT PAGE \(\)](#)

[FORUM \(/forum/default.asp\)](#)

[ABOUT \(/about/default.asp\)](#)

Top 10 Tutorials

- [HTML Tutorial \(/html/default.asp\)](#)
- [CSS Tutorial \(/css/default.asp\)](#)
- [JavaScript Tutorial \(/js/default.asp\)](#)
- [SQL Tutorial \(/sql/default.asp\)](#)
- [PHP Tutorial \(/php/default.asp\)](#)
- [jQuery Tutorial \(/jquery/default.asp\)](#)
- [Bootstrap Tutorial \(/bootstrap/default.asp\)](#)
- [Angular Tutorial \(/angular/default.asp\)](#)
- [ASP.NET Tutorial \(/aspnet/default.asp\)](#)
- [XML Tutorial \(/xml/default.asp\)](#)

Top 10 References

- [HTML Reference \(/tags/default.asp\)](#)
- [CSS Reference \(/cssref/default.asp\)](#)
- [JavaScript Reference \(/jsref/default.asp\)](#)
- [Browser Statistics \(/browsers/default.asp\)](#)
- [HTML DOM \(/jsref/dom_obj_document.asp\)](#)
- [PHP Reference \(/php/php_ref_array.asp\)](#)
- [jQuery Reference \(/jquery/jquery_ref_selectors.asp\)](#)
- [HTML Colors \(/tags/ref_colornames.asp\)](#)
- [HTML Character Sets \(/charsets/default.asp\)](#)
- [XML DOM \(/dom/dom_nodetype.asp\)](#)

Top 10 Examples

- [HTML Examples \(/html/html_examples.asp\)](#)
- [CSS Examples \(/css/css_examples.asp\)](#)
- [JavaScript Examples \(/js/js_examples.asp\)](#)
- [HTML DOM Examples \(/js/js_dom_examples.asp\)](#)
- [PHP Examples \(/php/php_examples.asp\)](#)
- [jQuery Examples \(/jquery/jquery_examples.asp\)](#)
- [XML Examples \(/xml/xml_examples.asp\)](#)
- [XML DOM Examples \(/dom/dom_examples.asp\)](#)
- [ASP Examples \(/asp/asp_examples.asp\)](#)
- [SVG Examples \(/svg/svg_examples.asp\)](#)

Web Certificates

- [HTML Certificate \(/cert/default.asp\)](#)
- [HTML5 Certificate \(/cert/default.asp\)](#)
- [CSS Certificate \(/cert/default.asp\)](#)
- [JavaScript Certificate \(/cert/default.asp\)](#)
- [jQuery Certificate \(/cert/default.asp\)](#)
- [PHP Certificate \(/cert/default.asp\)](#)
- [Bootstrap Certificate \(/cert/default.asp\)](#)
- [XML Certificate \(/cert/default.asp\)](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use (/about/about_copyright.asp), cookie and privacy policy (/about/about_privacy.asp). Copyright 1999-2015 (/about/about_copyright.asp) by Refsnes Data. All Rights Reserved.



(<http://www.w3schools.com>)