

w3schools.com

(http://www.w3schools.com)

THE WORLD'S LARGEST WEB DEVELOPER SITE

HTML (/html/default.asp)

CSS (/css/default.asp)

JAVASCRIPT (/js/default.asp)

SQL (/sql/default.asp)

PHP (/php/default.asp)

jQuery (/jquery/default.asp)

BOOTSTRAP (/bootstrap/default.asp)

ANGULAR (/angular/default.asp)

XML (/xml/default.asp)

TUTORIALS

REFERENCES

EXAMPLES

FORUM (/forum/default.asp)

Boc

BS HOME (default.asp)

BS Get Started (bootstrap\_get\_started.asp)

BS Grid Basic (bootstrap\_grid\_basic.asp)

BS Typography (bootstrap\_typography.asp)

BS Tables (bootstrap\_tables.asp)

BS Images (bootstrap\_images.asp)

BS Jumbotron (bootstrap\_jumbotron\_header.asp)

BS Wells (bootstrap\_wells.asp)

BS Alerts (bootstrap\_alerts.asp)

BS Buttons (bootstrap\_buttons.asp)

BS Button Groups (bootstrap\_button\_groups.asp)

BS Glyphicons (bootstrap\_glyphicons.asp)

BS Badges/Labels (bootstrap\_badges\_labels.asp)

BS Progress Bars (bootstrap\_progressbars.asp)

BS Pagination (bootstrap\_pagination.asp)

BS Pager (bootstrap\_pager.asp)

BS List Groups (bootstrap\_list\_groups.asp)

BS Panels (bootstrap\_panels.asp)

BS Dropdowns (bootstrap\_dropdowns.asp)

BS Collapse (bootstrap\_collapse.asp)

BS Tabs/Pills

See Special Offer

Bootstrap CSS Helper Classes Reference

« Previous (bootstrap\_ref\_css\_form

Next Reference » (bootstrap\_ref\_css\_image

Text


Add meaning through text-colors with the classes below. Links will darken on hover:

Class	Description	Example
.text-muted	Text styled with class "text-muted"	Try it (tryit.asp?filename=trybs_ref_hlp_text-muted&stacked=h)
.text-primary	Text styled with class "text-primary"	Try it (tryit.asp?filename=trybs_ref_hlp_text-primary&stacked=h)
.text-success	Text styled with class "text-success"	Try it (tryit.asp?filename=trybs_ref_hlp_text-success&stacked=h)
.text-info	Text styled with class "text-info"	Try it (tryit.asp?filename=trybs_ref_hlp_text-info&stacked=h)
.text-warning	Text styled with class "text-warning"	Try it (tryit.asp?filename=trybs_ref_hlp_text-warning&stacked=h)
.text-danger	Text styled with class "text-danger"	Try it (tryit.asp?filename=trybs_ref_hlp_text-danger&stacked=h)

Background


Add meaning through background-colors with the classes below. Links will darken on hover just like text classes:

Get Your First \$15,000 Managed Free Today



Wealthfront is THE FASTEST GROWING software-based financial advisor

INVEST NOW



wealthfront

W3SCHOOLS EXAMS

HTML, CSS, JavaScript, PHP,

http://www.w3schools.com/bootstrap/bootstrap\_ref\_css\_helpers.asp

Page 1 of 5

(bootstrap\_tabs\_pills.asp)  
BS Navbar  
(bootstrap\_navbar.asp)  
BS Forms (bootstrap\_forms.asp)  
BS Inputs  
(bootstrap\_forms\_inputs.asp)  
BS Inputs 2  
(bootstrap\_forms\_inputs2.asp)  
BS Input Sizing  
(bootstrap\_forms\_sizing.asp)  
BS Carousel  
(bootstrap\_carousel.asp)  
BS Modal (bootstrap\_modal.asp)  
BS Tooltip (bootstrap\_tooltip.asp)  
BS Popover  
(bootstrap\_popover.asp)  
BS Scrollspy  
(bootstrap\_scrollspy.asp)  
BS Affix (bootstrap\_affix.asp)

Bootstrap Grids

BS Grid System  
(bootstrap\_grid\_system.asp)  
BS Stacked/Horizontal  
(bootstrap\_grid\_stacked\_to\_horizontal.asp)  
BS Grid Small  
(bootstrap\_grid\_small.asp)  
BS Grid Medium  
(bootstrap\_grid\_medium.asp)  
BS Grid Large  
(bootstrap\_grid\_large.asp)  
BS Grid Examples  
(bootstrap\_grid\_examples.asp)

Bootstrap Case

Case Container  
(bootstrap\_case\_container.asp)  
Case Jumbotron  
(bootstrap\_case\_jumbotron.asp)  
Case Button/Icon  
(bootstrap\_case\_buttons.asp)

Class	Description	Example
.bg-primary	Table cell is styled with class "bg-primary"	<a href="#">Try it (tryit.asp?filename=trybs_ref_hlp_bg-primary&amp;stacked=h)</a>
.bg-success	Table cell is styled with class "bg-success"	<a href="#">Try it (tryit.asp?filename=trybs_ref_hlp_bg-success&amp;stacked=h)</a>
.bg-info	Table cell is styled with class "bg-info"	<a href="#">Try it (tryit.asp?filename=trybs_ref_hlp_bg-info&amp;stacked=h)</a>
.bg-warning	Table cell is styled with class "bg-warning"	<a href="#">Try it (tryit.asp?filename=trybs_ref_hlp_bg-warning&amp;stacked=h)</a>
.bg-danger	Table cell is styled with class "bg-danger"	<a href="#">Try it (tryit.asp?filename=trybs_ref_hlp_bg-danger&amp;stacked=h)</a>

Other

Class	Description	Example
.pull-left	Floats an element to the left	<a href="#">Try it (tryit.asp?filename=trybs_ref_hlp_pull-left&amp;stacked=h)</a>
.pull-right	Floats an element to the right	<a href="#">Try it (tryit.asp?filename=trybs_ref_hlp_pull-left&amp;stacked=h)</a>
.center-block	Sets an element to display:block and center	<a href="#">Try it (tryit.asp?filename=trybs_ref_hlp_center-block&amp;stacked=h)</a>
.clearfix	Clears floats	
.show	Forces an element to be shown	<a href="#">Try it (tryit.asp?filename=trybs_ref_hlp_hidden&amp;stacked=h)</a>
.hidden	Forces an element to be hidden	<a href="#">Try it (tryit.asp?filename=trybs_ref_hlp_hidden&amp;stacked=h)</a>
.sr-only	Hides an element to all devices except screen readers	<a href="#">Try it (tryit.asp?filename=trybs_ref_hlp_sr-only&amp;stacked=h)</a>
.sr-only-focusable	Combine with .sr-only to show the element again when it is focused (e.g. by a keyboard-only user)	<a href="#">Try it (tryit.asp?filename=trybs_ref_hlp_sr-only&amp;stacked=h)</a>
.text-hide	Helps replace an element's	<a href="#">Try it (tryit.asp?filename=trybs_ref_hlp_text-hide&amp;stacked=h)</a>

jQuery, and XML  
Certifications  
(<http://www.w3schools.com/ce>)

COLOR PICKER



([/tags/ref\\_colorpicker.asp](/tags/ref_colorpicker.asp))

SHARE THIS PAGE

(<http://www.w3schools.com/t>)  
 (<http://twitter.com/>)  
<http://www.w3schools.com/box>  
 (<https://url=http://www.w3schools.com>)



Case Multicolumn  
(bootstrap\_case\_multicolumns.asp)  
Case Menu  
(bootstrap\_case\_menu.asp)  
Case Navigation Bar  
(bootstrap\_case\_navigation.asp)

Bootstrap Exam

BS Quiz (bootstrap\_quiz.asp)  
BS Certificate  
(bootstrap\_exam.asp)

Bootstrap CSS Ref

CSS Typography  
(bootstrap\_ref\_css\_text.asp)  
CSS Buttons  
(bootstrap\_ref\_css\_buttons.asp)  
CSS Forms  
(bootstrap\_ref\_css\_forms.asp)  
**CSS Helpers**  
**(bootstrap\_ref\_css\_helpers.asp)**  
CSS Images  
(bootstrap\_ref\_css\_images.asp)  
CSS Tables  
(bootstrap\_ref\_css\_tables.asp)

Bootstrap Comps

Glyphicons  
(bootstrap\_ref\_comp\_glyphs.asp)  
Dropdowns  
(bootstrap\_ref\_comp\_dropdowns.asp)  
Navs  
(bootstrap\_ref\_comp\_navs.asp)

Bootstrap JS Ref

JS Affix  
(bootstrap\_ref\_js\_affix.asp)  
JS Alert  
(bootstrap\_ref\_js\_alert.asp)

text content with a background image	
.close	Indicates a close icon Try it (tryit.asp?filename=trybs_ref_hlp_close&stacked=h)
.caret	Indicates dropdown functionality (will reverse automatically in dropup menus) Try it (tryit.asp?filename=trybs_ref_hlp_caret&stacked=h)

Responsive Utilities

These classes are used to show and/or hide content by device via media queries.

Use one or a combination of the available classes for toggling content across viewport breakpoints:

Classes	Extra small devices Phones (<768px)	Small devices Tablets (≥768px)	Medium devices Desktops (≥992px)	Large devices Desktops (≥1200px)
.visible-xs-*	Visible	Hidden	Hidden	Hidden
.visible-sm-*	Hidden	Visible	Hidden	Hidden
.visible-md-*	Hidden	Hidden	Visible	Hidden
.visible-lg-*	Hidden	Hidden	Hidden	Visible
.hidden-xs	Hidden	Visible	Visible	Visible
.hidden-sm	Visible	Hidden	Visible	Visible
.hidden-md	Visible	Visible	Hidden	Visible
.hidden-lg	Visible	Visible	Visible	Hidden

As of v3.2.0, the .visible-\*-\* classes for come in three variations, one for each CSS display property value:

Group of classes	CSS display
visible-*-block	display: block;
.visible-*-inline	display: inline;
.visible-*-inline-block	display: inline-block;

- JS Button  
(bootstrap\_ref\_js\_button.asp)
- JS Carousel  
(bootstrap\_ref\_js\_carousel.asp)
- JS Collapse  
(bootstrap\_ref\_js\_collapse.asp)
- JS Dropdown  
(bootstrap\_ref\_js\_dropdown.asp)
- JS Modal  
(bootstrap\_ref\_js\_modal.asp)
- JS Popover  
(bootstrap\_ref\_js\_popover.asp)
- JS Scrollspy  
(bootstrap\_ref\_js\_scrollspy.asp)
- JS Tab (bootstrap\_ref\_js\_tab.asp)
- JS Tooltip  
(bootstrap\_ref\_js\_tooltip.asp)

E.g. for small ( sm ) screens, the available .visible-\*\*\* classes are: .visible-sm-block , .visible-sm-inline , and .visible-sm-inline-block .

The classes .visible-xs , .visible-sm , .visible-md , and .visible-lg are **deprecated as of v3.2.0**.

Example

Example

Resize this page to see how the text below changes:  
This text is shown only on a LARGE screen.

Try it Yourself » (tryit.asp?filename=trybs\_ref\_hlp\_text-visible&stacked=h)

« Previous (bootstrap\_ref\_css\_form

Next Reference » (bootstrap\_ref\_css\_imag



REPORT ERROR ( )      PRINT PAGE ( )      FORUM (/forum/default.asp)      ABOUT (/about/default.asp)

Top 10 Tutorials  
HTML Tutorial (/html/default.asp)  
CSS Tutorial (/css/default.asp)

Top 10 References  
HTML Reference (/tags/default.asp)  
CSS Reference (/cssref/default.asp)

Top 10 Examples  
HTML Examples  
(/html/html\_examples.asp)

Web Certificates  
HTML Certificate (/cert/default.asp)  
HTML5 Certificate (/cert/default.asp)

JavaScript Tutorial (/js/default.asp)	JavaScript Reference (/jsref/default.asp)	CSS Examples (/css/css_examples.asp)	CSS Certificate (/cert/default.asp)
SQL Tutorial (/sql/default.asp)	Browser Statistics (/browsers/default.asp)	JavaScript Examples (/js/js_examples.asp)	JavaScript Certificate (/cert/default.asp)
PHP Tutorial (/php/default.asp)	HTML DOM (/jsref/dom_obj_document.asp)	HTML DOM Examples (/js/js_dom_examples.asp)	jQuery Certificate (/cert/default.asp)
jQuery Tutorial (/jquery/default.asp)	PHP Reference (/php/php_ref_array.asp)	PHP Examples (/php/php_examples.asp)	PHP Certificate (/cert/default.asp)
Bootstrap Tutorial (/bootstrap/default.asp)	jQuery Reference (/jquery/jquery_ref_selectors.asp)	jQuery Examples (/jquery/jquery_examples.asp)	Bootstrap Certificate (/cert/default.asp)
Angular Tutorial (/angular/default.asp)	HTML Colors (/tags/ref_colornames.asp)	XML Examples (/xml/xml_examples.asp)	XML Certificate (/cert/default.asp)
ASP.NET Tutorial (/aspnet/default.asp)	HTML Character Sets (/charsets/default.asp)	XML DOM Examples (/dom/dom_examples.asp)	
XML Tutorial (/xml/default.asp)	XML DOM (/dom/dom_nodetype.asp)	ASP Examples (/asp/asp_examples.asp)	
		SVG Examples (/svg/svg_examples.asp)	

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use (/about/about\_copyright.asp), cookie and privacy policy (/about/about\_privacy.asp). Copyright 1999-2015 (/about/about\_copyright.asp) by Refsnes Data. All Rights Reserved.



(<http://www.w3schools.com>)