


Next Reference » ([bootstrap\\_ref\\_js\\_bu](#))

The alert plugin include options and methods to close alert messages.

For a tutorial about Alerts, read our [Bootstrap Alerts Tutorial \(bootstrap\\_alerts.asp\)](#).

Class	Description	Example
.alert	Creates an alert message box	<code>Try it (tryit.asp?filename=trybs_ref_js_alert1&amp;stacked=h)</code>
.alert-success	Indicates a successful or positive action	<code>Try it (tryit.asp?filename=trybs_ref_js_alert_success&amp;stacked=h)</code>
.alert-info	Contextual button for informational alert messages	<code>Try it (tryit.asp?filename=trybs_ref_js_alert_info&amp;stacked=h)</code>
.alert-warning	Indicates caution should be taken with	<code>Try it (tryit.asp?filename=trybs_ref_js_alert_warning&amp;stacked=h)</code>



- (bootstrap\_pager.asp)
- BS List Groups (bootstrap\_list\_groups.asp)
- BS Panels (bootstrap\_panels.asp)
- BS Dropdowns (bootstrap\_dropdowns.asp)
- BS Collapse (bootstrap\_collapse.asp)
- BS Tabs/Pills (bootstrap\_tabs\_pills.asp)
- BS Navbar (bootstrap\_navbar.asp)
- BS Forms (bootstrap\_forms.asp)
- BS Inputs (bootstrap\_forms\_inputs.asp)
- BS Inputs 2 (bootstrap\_forms\_inputs2.asp)
- BS Input Sizing (bootstrap\_forms\_sizing.asp)
- BS Carousel (bootstrap\_carousel.asp)
- BS Modal (bootstrap\_modal.asp)
- BS Tooltip (bootstrap\_tooltip.asp)
- BS Popover (bootstrap\_popover.asp)
- BS Scrollspy (bootstrap\_scrollspy.asp)
- BS Affix (bootstrap\_affix.asp)

this action		
.alert-danger	Indicates a dangerous or potentially negative action	Try it (tryit.asp?filename=trybs_ref_js_alert_danger&stacked=h)
.close	Styles the close button for the alert message (floats right with a specified font-size, color, etc.)	Try it (tryit.asp?filename=trybs_ref_js_alert_close2&stacked=h)

## Close Alerts Via data-\* Attributes

Add data-dismiss="alert" to a link or a button element to close the alert message.

```
<a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>
```

Try it (tryit.asp?filename=trybs\_ref\_js\_alert&stacked=h)

## Close Alerts Via JavaScript

Close manually with:

```
$('.close').alert();
```

Try it (tryit.asp?filename=trybs\_ref\_js\_alert\_js&stacked=h)

## Bootstrap Grids

- BS Grid System (bootstrap\_grid\_system.asp)
- BS Stacked/Horizontal (bootstrap\_grid\_stacked\_to\_horizontal.asp)

## Alert Options

None

### W3SCHOOLS EXAMS

HTML, CSS, JavaScript, PHP, jQuery, and XML Certifications  
(<http://www.w3schools.com/>)

### COLOR PICKER



([/tags/ref\\_colorpicker.asp](/tags/ref_colorpicker.asp))

### SHARE THIS PAGE

- (<http://www.w3schools.com/>)
- (<http://twitter.com/w3schoolscom>)
- (<https://plus.google.com/w3schoolscom>)



BS Grid Small  
(bootstrap\_grid\_small.asp)  
BS Grid Medium  
(bootstrap\_grid\_medium.asp)  
BS Grid Large  
(bootstrap\_grid\_large.asp)  
BS Grid Examples  
(bootstrap\_grid\_examples.asp)

Bootstrap Case

Case Container  
(bootstrap\_case\_container.asp)  
Case Jumbotron  
(bootstrap\_case\_jumbotron.asp)  
Case Button/Icon  
(bootstrap\_case\_buttons.asp)  
Case Multicolumn  
(bootstrap\_case\_multicolumns.asp)  
Case Menu  
(bootstrap\_case\_menu.asp)  
Case Navigation Bar  
(bootstrap\_case\_navigation.asp)

Bootstrap Exam

BS Quiz (bootstrap\_quiz.asp)  
BS Certificate  
(bootstrap\_exam.asp)

Bootstrap CSS  
Ref

CSS Typography  
(bootstrap\_ref\_css\_text.asp)  
CSS Buttons  
(bootstrap\_ref\_css\_buttons.asp)  
CSS Forms  
(bootstrap\_ref\_css\_forms.asp)

Alert Methods

The following table lists all available alert methods.

Method	Description	Try it
.alert("close")	Closes the alert message	<a href="#">Try it (tryit.asp?filename=trybs_ref_js_alert_close&amp;stacked=h)</a>

Alert Events

The following table lists all available alert events.

Event	Description	Try it
close.bs.alert	Occurs when the alert message is about to be closed	<a href="#">Try it (tryit.asp?filename=trybs_ref_js_alert_event_close&amp;stacked=h)</a>
closed.bs.alert	Occurs when the alert message has been closed	<a href="#">Try it (tryit.asp?filename=trybs_ref_js_alert_event_closed&amp;stacked=h)</a>



« Previous (bootstrap\_ref\_js\_aff                      Next Reference » (bootstrap\_ref\_js\_bu

- CSS Helpers  
(bootstrap\_ref\_css\_helpers.asp)
- CSS Images  
(bootstrap\_ref\_css\_images.asp)
- CSS Tables  
(bootstrap\_ref\_css\_tables.asp)



Bootstrap Comps

- Glyphicons  
(bootstrap\_ref\_comp\_glyphs.asp)
- Dropdowns  
(bootstrap\_ref\_comp\_dropdowns.asp)
- Navs  
(bootstrap\_ref\_comp\_navs.asp)

REPORT ERROR ()

PRINT PAGE ()

FORUM (/forum/default.asp)

ABOUT (/about/default.asp)

Bootstrap JS Ref

- JS Affix  
(bootstrap\_ref\_js\_affix.asp)
- JS Alert**  
**(bootstrap\_ref\_js\_alert.asp)**
- JS Button  
(bootstrap\_ref\_js\_button.asp)
- JS Carousel  
(bootstrap\_ref\_js\_carousel.asp)
- JS Collapse  
(bootstrap\_ref\_js\_collapse.asp)
- JS Dropdown  
(bootstrap\_ref\_js\_dropdown.asp)
- JS Modal  
(bootstrap\_ref\_js\_modal.asp)
- JS Popover  
(bootstrap\_ref\_js\_popover.asp)
- JS Scrollspy  
(bootstrap\_ref\_js\_scrollspy.asp)
- JS Tab  
(bootstrap\_ref\_js\_tab.asp)
- JS Tooltip

Top 10 Tutorials

- HTML Tutorial (/html/default.asp)
- CSS Tutorial (/css/default.asp)
- JavaScript Tutorial (/js/default.asp)
- SQL Tutorial (/sql/default.asp)
- PHP Tutorial (/php/default.asp)
- jQuery Tutorial (/jquery/default.asp)
- Bootstrap Tutorial  
(/bootstrap/default.asp)
- Angular Tutorial  
(/angular/default.asp)
- ASP.NET Tutorial  
(/aspnet/default.asp)
- XML Tutorial (/xml/default.asp)

Top 10 References

- HTML Reference (/tags/default.asp)
- CSS Reference (/cssref/default.asp)
- JavaScript Reference  
(/jsref/default.asp)
- Browser Statistics  
(/browsers/default.asp)
- HTML DOM  
(/jsref/dom\_obj\_document.asp)
- PHP Reference  
(/php/php\_ref\_array.asp)
- jQuery Reference  
(/jquery/jquery\_ref\_selectors.asp)
- HTML Colors  
(/tags/ref\_colornames.asp)
- HTML Character Sets  
(/charsets/default.asp)
- XML DOM  
(/dom/dom\_nodetype.asp)

Top 10 Examples

- HTML Examples  
(/html/html\_examples.asp)
- CSS Examples  
(/css/css\_examples.asp)
- JavaScript Examples  
(/js/js\_examples.asp)
- HTML DOM Examples  
(/js/js\_dom\_examples.asp)
- PHP Examples  
(/php/php\_examples.asp)
- jQuery Examples  
(/jquery/jquery\_examples.asp)
- XML Examples  
(/xml/xml\_examples.asp)
- XML DOM Examples  
(/dom/dom\_examples.asp)
- ASP Examples  
(/asp/asp\_examples.asp)
- SVG Examples  
(/svg/svg\_examples.asp)

Web Certificates

- HTML Certificate (/cert/default.asp)
- HTML5 Certificate  
(/cert/default.asp)
- CSS Certificate (/cert/default.asp)
- JavaScript Certificate  
(/cert/default.asp)
- jQuery Certificate (/cert/default.asp)
- PHP Certificate (/cert/default.asp)
- Bootstrap Certificate  
(/cert/default.asp)
- XML Certificate (/cert/default.asp)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use (/about/about\_copyright.asp), cookie and privacy policy (/about/about\_privacy.asp). Copyright 1999-2015 (/about/about\_copyright.asp) by Refsnes Data. All Rights Reserved.

(bootstrap\_ref\_js\_tooltip.asp)

