Alarm Generation

```xml
<event>
    <uei>uei.opennms.org/nodes/nodeDown</uei>
    <event-label>OpenNMS-defined node event: nodeDown</event-label>
    <descr>
        ... some description ...
    </descr>
    <logmsg dest="logndisplay">
        Node %parm[nodelabel]% is down.
    </logmsg>
    <severity>Major</severity>
    <alarm-data reduction-key="%uei%:%dpname%:%nodeid%" alarm-type="1" auto-clean="false"/>
</event>
<event>
    <uei>uei.opennms.org/nodes/nodeUp</uei>
    <event-label>OpenNMS-defined node event: nodeUp</event-label>
    <descr>
        ... some description ...
    </descr>
    <logmsg dest="logndisplay">
        Node %parm[nodelabel]% is up.
    </logmsg>
    <severity>Normal</severity>
    <alarm-data reduction-key="%uei%:%dpname%:%nodeid%" alarm-type="2"
                clear-key="uei.opennms.org/nodes/nodeDown:%dpname%:%nodeid%" auto-clean="false"/>
</event>
```

Alarm Generation

```xml
<event>
    <uei>uei.opennms.org/nodes/nodeDown</uei>
    <event-label>OpenNMS-defined node event: nodeDown</event-label>
    <descr>
        ... some description ...
    </descr>
    <logmsg dest="logndisplay">
        Node %parm[nodelabel]% is down.
    </logmsg>
    <severity>Major</severity>
    <alarm-data reduction-key="%uei%:%dpname%:%nodeid%" alarm-type="1" auto-clean="false"/>
</event>
<event>
    <uei>uei.opennms.org/nodes/nodeUp</uei>
    <event-label>OpenNMS-defined node event: nodeUp</event-label>
    <descr>
        ... some description ...
    </descr>
    <logmsg dest="logndisplay">
        Node %parm[nodelabel]% is up.
    </logmsg>
    <severity>Normal</severity>
    <alarm-data reduction-key="%uei%:%dpname%:%nodeid%" alarm-type="2"
                clear-key="uei.opennms.org/nodes/nodeDown:%dpname%:%nodeid%" auto-clean="false"/>
</event>
```