


# HTML TEXT FORMATTING TAGS





# TEXT FORMATING TAGS

## Heading Tags

In HTML, heading tags are used to define headings or titles for sections of content. These tags range from `<h1>` to `<h6>`, with `<h1>` being the highest (most important) level and `<h6>` the lowest (least important).

`<h1>` headings should be used for main headings, followed by `<h2>` headings, then the less important `<h3>`, and so on.

### Example:

```
<h1>Heading 1</h1>
```

```
<h2>Heading 2</h2>
```

```
<h3>Heading 3</h3>
```

```
<h4>Heading 4</h4>
```

```
<h5>Heading 5</h5>
```

```
<h6>Heading 6</h6>
```

# TEXT FORMATING TAGS

## Paragraph Tag <p>

The <p> tag in HTML is used to define a paragraph of text. It is one of the most commonly used tags in HTML and is used to group and structure blocks of text in a document.

### Syntax:

```
<p>This is a paragraph.</p>
```

## Bold Tag <b>

## Italic Tag <i>

## <sub> & <sup> Tags



# TEXT FORMATING TAGS

**<hr> Tag**

**Line Break Tag <br>**

**<pre> & <code> Tag**

```
<code>
  <pre>
    function helloWorld(){
      alert("Hello World")
    }
  </pre>
</code>
```

# TEXT FORMATING TAGS

## Anchor Tag <a>

```
<a href="https://www.google.com/">Visit Google</a>
```

## Attributes of Anchor Tag

**href:** The URL or target resource of the link (mandatory for it to function as a hyperlink).

**target:** Specifies where to open the linked document.

**title:** Provides additional information about the link, usually displayed as a tooltip when the user hovers over the link.

**download:** Specifies that the target of the link should be downloaded rather than opened in the browser. This can also specify a file name for the download.



# THANK YOU

PHONE NUMBER

**(+91) 778 899 2897**

WEBSITE

**[www.indixpert.com](http://www.indixpert.com)**