

```

firearrow@FireArrow:~/Documents$ mkdir Git
firearrow@FireArrow:~/Documents$ cd Git
firearrow@FireArrow:~/Documents/Git$ git init
Initialized empty Git repository in /home/firearrow/Documents/Git/.git/
firearrow@FireArrow:~/Documents/Git$ copy /home/firearrow/Downloads/U-32.pdf
No command 'copy' found, did you mean:
Command 'fcopy' from package 'fai-client' (universe)
Command 'mcopy' from package 'mtools' (main)
Command 'copt' from package 'z88dk-bin' (universe)
Command 'bcopy' from package 'bacula-sd-mysql' (universe)
Command 'bcopy' from package 'bacula-sd-pgsql' (universe)
Command 'bcopy' from package 'bacula-sd-sqlite3' (universe)
Command 'bcopy' from package 'bareos-tools' (universe)
Command 'rcopy' from package 'rdmacm-utils' (universe)
Command 'hcopy' from package 'hfsutils' (main)
copy: command not found
firearrow@FireArrow:~/Documents/Git$ clone
clone: command not found
firearrow@FireArrow:~/Documents/Git$ cp /home/firearrow/Downloads/U-32.pdf
cp: missing destination file operand after '/home/firearrow/Downloads/U-32.pdf'
Try 'cp --help' for more information.
firearrow@FireArrow:~/Documents/Git$ cp /home/firearrow/Downloads/U-32.pdf
cp: missing destination file operand after '/home/firearrow/Downloads/U-32.pdf'
Try 'cp --help' for more information.
firearrow@FireArrow:~/Documents/Git$ ^C
firearrow@FireArrow:~/Documents/Git$ cp /home/firearrow/Downloads/U-32.pdf ./
firearrow@FireArrow:~/Documents/Git$ ls
U-32.pdf
firearrow@FireArrow:~/Documents/Git$ git add *
firearrow@FireArrow:~/Documents/Git$ git status
On branch master

Initial commit

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)

    new file:   U-32.pdf

firearrow@FireArrow:~/Documents/Git$ git commit -m "Caricamento pdf"

*** Please tell me who you are.

Run

  git config --global user.email "you@example.com"
  git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'firearrow@FireArrow.(none)')
firearrow@FireArrow:~/Documents/Git$ git config --global user.email "me.I@myself.com"
firearrow@FireArrow:~/Documents/Git$ git commit -m "Caricamento file pdf"
[master (root-commit) 15bb982] Caricamento file pdf
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 U-32.pdf
firearrow@FireArrow:~/Documents/Git$ man git remote
firearrow@FireArrow:~/Documents/Git$ git add remote https://github.com/Pasqua98/Scuola
fatal: pathspec 'remote' did not match any files
firearrow@FireArrow:~/Documents/Git$ man git add remote
No manual entry for remote
firearrow@FireArrow:~/Documents/Git$ git add remote https://github.com/Pasqua98/Scuola
fatal: pathspec 'remote' did not match any files
firearrow@FireArrow:~/Documents/Git$ git remote add origin https://github.com/Pasqua98/Scuola
firearrow@FireArrow:~/Documents/Git$ git remote
origin
firearrow@FireArrow:~/Documents/Git$ git push origin master
Username for 'https://github.com': Pasqua98
Password for 'https://Pasqua98@github.com':
To https://github.com/Pasqua98/Scuola
 ! [rejected]        master -> master (fetch first)
error: failed to push some refs to 'https://github.com/Pasqua98/Scuola'
hint: Updates were rejected because the remote contains work that you do
hint: not have locally. This is usually caused by another repository pushing

```

```

hint: to the same ref. You may want to first integrate the remote changes
hint: (e.g., 'git pull ...') before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
firearrow@FireArrow:~/Documents/Git$ git pull origin master
warning: no common commits
remote: Counting objects: 3, done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 3
Unpacking objects: 100% (3/3), done.
From https://github.com/Pasqua98/Scuola
 * branch          master      -> FETCH_HEAD
 * [new branch]    master      -> origin/master
Merge made by the 'recursive' strategy.
 README.md | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 README.md
firearrow@FireArrow:~/Documents/Git$ git push origin master
Username for 'https://github.com': Pasqua98
Password for 'https://Pasqua98@github.com':
Counting objects: 5, done.
Delta compression using up to 8 threads.
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 56.77 KiB | 0 bytes/s, done.
Total 5 (delta 0), reused 0 (delta 0)
To https://github.com/Pasqua98/Scuola
 a89dcef..f246aaf master -> master
firearrow@FireArrow:~/Documents/Git$ git reset
^[[3~firearrow@FireArrow:~/Documents/Git$ ls -al
total 80
drwxrwxr-x 3 firearrow firearrow 4096 set 27 17:09 .
drwxr-xr-x 4 firearrow firearrow 4096 set 27 16:55 ..
drwxrwxr-x 8 firearrow firearrow 4096 set 27 17:11 .git
-rw-rw-r-- 1 firearrow firearrow    8 set 27 17:09 README.md
-rw-rw-r-- 1 firearrow firearrow 62729 set 27 17:00 U-32.pdf
firearrow@FireArrow:~/Documents/Git$ rm *
firearrow@FireArrow:~/Documents/Git$ ls
firearrow@FireArrow:~/Documents/Git$ ls -al
total 12
drwxrwxr-x 3 firearrow firearrow 4096 set 27 17:11 .
drwxr-xr-x 4 firearrow firearrow 4096 set 27 16:55 ..
drwxrwxr-x 8 firearrow firearrow 4096 set 27 17:11 .git
firearrow@FireArrow:~/Documents/Git$ git remote clone
error: Unknown subcommand: clone
usage: git remote [-v | --verbose]
      or: git remote add [-t <branch>] [-m <master>] [-f] [--tags | --no-tags] [--mirror=<fetch|push>]
<name> <url>
      or: git remote rename <old> <new>
      or: git remote remove <name>
      or: git remote set-head <name> (-a | --auto | -d | --delete | <branch>)
      or: git remote [-v | --verbose] show [-n] <name>
      or: git remote prune [-n | --dry-run] <name>
      or: git remote [-v | --verbose] update [-p | --prune] [(<group> | <remote>)...]
      or: git remote set-branches [--add] <name> <branch>...
      or: git remote get-url [--push] [--all] <name>
      or: git remote set-url [--push] <name> <newurl> [<oldurl>]
      or: git remote set-url --add <name> <newurl>
      or: git remote set-url --delete <name> <url>

      -v, --verbose          be verbose; must be placed before a subcommand

firearrow@FireArrow:~/Documents/Git$ git pull origin master
From https://github.com/Pasqua98/Scuola
 * branch          master      -> FETCH_HEAD
Already up-to-date.
firearrow@FireArrow:~/Documents/Git$ ls -al
total 12
drwxrwxr-x 3 firearrow firearrow 4096 set 27 17:11 .
drwxr-xr-x 4 firearrow firearrow 4096 set 27 16:55 ..
drwxrwxr-x 8 firearrow firearrow 4096 set 27 17:12 .git
firearrow@FireArrow:~/Documents/Git$ git init
Reinitialized existing Git repository in /home/firearrow/Documents/Git/.git/
firearrow@FireArrow:~/Documents/Git$ git add remote origin https://github.com/Pasqua98/Scuola
fatal: pathspec 'remote' did not match any files
firearrow@FireArrow:~/Documents/Git$ git remote add origin https://github.com/Pasqua98/Scuola
fatal: remote origin already exists.
firearrow@FireArrow:~/Documents/Git$ git pull origin master

```

```
From https://github.com/Pasqua98/Scuola
* branch          master      -> FETCH_HEAD
Already up-to-date.
firearrow@FireArrow:~/Documents/Git$ git checkout
D      README.md
D      U-32.pdf
firearrow@FireArrow:~/Documents/Git$ git clone origin
fatal: repository 'origin' does not exist
firearrow@FireArrow:~/Documents/Git$ git clone https://github.com/Pasqua98/Scuola
Cloning into 'Scuola'...
remote: Counting objects: 8, done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 8 (delta 0), reused 0 (delta 0), pack-reused 3
Unpacking objects: 100% (8/8), done.
Checking connectivity... done.
firearrow@FireArrow:~/Documents/Git$ ls -al
total 16
drwxrwxr-x 4 firearrow firearrow 4096 set 27 17:15 .
drwxr-xr-x 4 firearrow firearrow 4096 set 27 16:55 ..
drwxrwxr-x 8 firearrow firearrow 4096 set 27 17:15 .git
drwxrwxr-x 3 firearrow firearrow 4096 set 27 17:15 Scuola
firearrow@FireArrow:~/Documents/Git$ cd Scuola
firearrow@FireArrow:~/Documents/Git/Scuola$ ls
README.md  U-32.pdf
firearrow@FireArrow:~/Documents/Git/Scuola$ git branch origin Scuola
fatal: Not a valid object name: 'Scuola'.
firearrow@FireArrow:~/Documents/Git/Scuola$ git branch origin
firearrow@FireArrow:~/Documents/Git/Scuola$ git checkout
Your branch is up-to-date with 'origin/master'.
firearrow@FireArrow:~/Documents/Git/Scuola$ cd ..
firearrow@FireArrow:~/Documents/Git$ git checkout
D      README.md
D      U-32.pdf
firearrow@FireArrow:~/Documents/Git$ git merge Scuola
merge: Scuola - not something we can merge
firearrow@FireArrow:~/Documents/Git$
```