

# **Course Work-1 Report**

## **Predicting the Price of a Football Player**

A Course Work Report Submitted  
in Partial Fulfillment of the Requirements

for the Degree of

## **Bachelor of Technology**

In

**Computer Science and Engineering Department**

By

**Indradhar Paka**

**1800315C203**

**CSE-III**

**3<sup>rd</sup> year**



**BML MUNJAL  
UNIVERSITY™**

**SCHOOL OF ENGINEERING AND TECHNOLOGY**

**BML MUNJAL UNIVERSITY GURGAON**


**November,2020**

## 1. Pearson's Correlation between each variable and output variable:

position_cat	-0.202518
age	-0.144592
age_cat	-0.116853
club_id	-0.052287
new_foreign	0.097173
region	0.110158
new_signing	0.115376
fpl_sel	0.484164
fpl_points	0.595919
big_club	0.624354
page_views	0.716096
fpl_value	0.771985
market_value	1.000000

The Correlation between each variable in data set with market value is found. The Correlation value indicates the dependence of the variables on each other. The correlation value lies between 0 and 1 (-1 to 1 if the variables are dependent on each other inversely). Higher the value of correlation, the higher dependency and the variables can be merged or removed according to the value of correlation. The Heat map below shows the interdependency of each variable on other. If the intensity of color is more, then it can be assumed that the variables are more correlated. Dark red represents higher dependency on each other positively and dark blue represents higher dependency on each other negatively.

Heat Map showing correlation among all the variables:



## 2. Comparison of Different Regression Models:

### Linear Regression

MSE score: 2253.1826765864375

R2 score: -11.382032075377651

### Lasso Regression

MSE score: 44.635748023994644

R2 score: -9.948664696519803

### Ridge Regression

MSE score: 47.42696824958404

R2 score: -11.360790565498204

### Kth Nearest Neighbour Regression

RMSE value for k= 20 is: 8.774911812480529

### SVR Regression

MSE score: 10.47592874913882

R2 score: 0.39691213061159725

### Tree Regression:

MSE score: 9.841880295889636

R2 score: 0.46770586839901285

### Random Forest

MSE score: 6.158698043109998

R2 score: 0.7915637053996277

### Gradient Boost Regression

MSE score: 6.180443705944269

R2 score: 0.790089177057778

## 3. Tune the hyperparameters and build the most accurate model

### Linear Regression

Best Score: -4.319281419264125

Best Hyperparameters: {'copy\_X': True, 'fit\_intercept': True, 'normalize': True}

LinearRegression GridSearch Accuracy: -11.382032075377651

RMSE score: 54.74359131021873

R2 score: -15.468805129349892

### Lasso Regression

Best Score: -4.240566475479193

Best Hyperparameters: {'alpha': 0.01, 'copy\_X': False, 'fit\_intercept': True, 'max\_iter': 10, 'normalize': True, 'precompute': True, 'selection': 'random', 'warm\_start': True}

Lasso GridSearch Accuracy: -10.808741351789669  
RMSE score: 44.991174613855385  
R2 score: -10.123723485983499

### **Ridge Regression**

Best Score: -4.227049326675834  
Best Hyperparameters: {'alpha': 0.1, 'copy\_X': True, 'fit\_intercept': True, 'max\_iter': 10, 'normalize': True, 'solver': 'sag'}  
Ridge GridSearch Accuracy: -16.53391516942623  
RMSE score: 7.3203682790345175  
R2 score: 0.7055162179805238

### **Kth Nearest Neighbour Regression**

Best Score: 0.5200726289993008  
Best Hyperparameters: {'leaf\_size': 1, 'n\_neighbors': 24, 'p': 1}  
Knn GridSearch Score: 0.5680141582840241  
RMSE value : 8.622021473671152  
R2 score: 0.5914796253878369

### **SVR Regression**

Best Score: -6.099489733412793  
Best Hyperparameters: {'gamma': 0.0001, 'kernel': 'rbf', 'max\_iter': 100}  
SVR GridSearch Accuracy: 0.2185178234939857  
MSE score: 10.47592874913882  
R2 score: 0.39691213061159725

### **Decision Trees**

Best Score: -4.537185920582436  
Best Hyperparameters: {'criterion': 'friedman\_mse', 'max\_depth': 5, 'max\_features': None, 'min\_samples\_leaf': 1, 'min\_samples\_split': 2, 'splitter': 'best'}  
RMSE score: 7.11986429441369  
R2 score: 0.7214270436370289

### **Random Forest**

Best Score: 0.7774042844927579  
Best Hyperparameters: {'n\_estimators': 1600, 'min\_samples\_split': 2, 'min\_samples\_leaf': 1, 'max\_features': 'log2', 'max\_depth': 1000}  
Random Forest GridSearch Accuracy: 0.7597747041311681  
RMSE score: 6.679054568133203  
R2 score: 0.75485360871305

### **Gradient Boost Regression**

Best Score: -3.45074930135845  
  
Best Hyperparameters: {'subsample': 1, 'n\_estimators': 500, 'max\_features': 'log2', 'max\_depth': 4, 'loss': 'lad', 'alpha': 0.1}  
  
RMSE score: 6.906251422901736  
R2 score: 0.7378919913863964

	Before Tuning(R2)	After Tuning(R2)	Best Scores
Linear regression	-11.382032075377651	-15.468805129349892	-4.319281419264125
Lasso Regression	-9.948664696519803	-10.123723485983499	-4.240566475479193
Ridge Regression	-11.360790565498204	0.7055162179805238	-4.227049326675834
Near Neighbor Regression	0.685247698439583	0.5914796253878369	0.5200726289993008
Support vector Machine	0.39691213061159725	0.39691213061159725	-6.099489733412793
Decision Trees	0.46770586839901285	0.7214270436370289	-4.537185920582436
Random Forest	0.7915637053996277	0.75485360871305	0.7774042844927579
Gradient Boost Regression	0.790089177057778	0.7378919913863964	-3.45074930135845

From all the above models we can observe that the **SUPPORT VECTOR REGRESSION**, reports us the best results as the R2 value of the SVR is lowest among all other regressions. The Best Score of SVR is -6.099489733412793, Best Hyperparameters: {'gamma': 0.0001, 'kernel': 'rbf', 'max\_iter': 100}, Accuracy: 0.2185178234939857, MSE score: 10.47592874913882 and R2 score: 0.39691213061159725

So, Support vector Machine is the best algorithm among all others in this scenario. So, we deployed Support Vector Machine Regression in Restful API.

#### 4. Model Deployment as RESTFUL API service

choice	age	position_cat	page_views	fpl_value	fpl_points	region
age	age_cat	club_id	big_club	new_signing	submit	

Attaching ipynb file containing all the tests and api model.