```
package com.internshala.echo.fragments
import android.app.Activity
import android.content.Context
import android.hardware.Sensor
import android.hardware.SensorEvent
import android.hardware.SensorEventListener
import android.hardware.SensorManager
import android.media.AudioManager
import android.media.MediaPlayer
import android.net.Uri
import android.os.Bundle
import android.os.Handler
import android.support.v4.app.Fragment
import android.view.LayoutInflater
import android.view.View
import android.view.ViewGroup
import android.widget.ImageButton
import android.widget.SeekBar
import android.widget.TextView
import android.widget.Toast
import com.cleveroad.audiovisualization.AudioVisualization
import com.cleveroad.audiovisualization.DbmHandler
import com.cleveroad.audiovisualization.GLAudioVisualizationView
import com.internshala.echo.CurrentSongHelper
import com.internshala.echo.R
import com.internshala.echo.Songs
import com.internshala.echo.databases.EchoDatabase
import com.internshala.echo.fragments.SongPlayingFragment.Staticated.onSongComplete
import com.internshala.echo.fragments.SongPlayingFragment.Staticated.playNext
import com.internshala.echo.fragments.SongPlayingFragment.Staticated.processInformation
import com.internshala.echo.fragments.SongPlayingFragment.Staticated.updateTextViews
import com.internshala.echo.fragments.SongPlayingFragment.Statified.audioVisualization
import com.internshala.echo.fragments.SongPlayingFragment.Statified.currentPosition
import com.internshala.echo.fragments.SongPlayingFragment.Statified.currentSongHelper
import com.internshala.echo.fragments.SongPlayingFragment.Statified.endTimeText
import com.internshala.echo.fragments.SongPlayingFragment.Statified.fab
import com.internshala.echo.fragments.SongPlayingFragment.Statified.favoriteContent
import com.internshala.echo.fragments.SongPlayingFragment.Statified.fetchSongs
import com.internshala.echo.fragments.SongPlayingFragment.Statified.glView
import com.internshala.echo.fragments.SongPlayingFragment.Statified.loopImaqeButton
import com.internshala.echo.fragments.SongPlayingFragment.Statified.mediaPlayer
import com.internshala.echo.fragments.SongPlayingFragment.Statified.myActivity
import com.internshala.echo.fragments.SongPlayingFragment.Statified.nextImageButton
import com.internshala.echo.fragments.SongPlayingFragment.Statified.playPauseImageButton
import com.internshala.echo.fragments.SongPlayingFragment.Statified.previousImageButton
import com.internshala.echo.fragments.SongPlayingFragment.Statified.seekBar
import com.internshala.echo.fragments.SongPlayingFragment.Statified.shuffleImageButton
import com.internshala.echo.fragments.SongPlayingFragment.Statified.songArtistView
import com.internshala.echo.fragments.SongPlayingFragment.Statified.songTitleView
import com.internshala.echo.fragments.SongPlayingFragment.Statified.startTimeText
import com.internshala.echo.fragments.SongPlayingFragment.Statified.updateSongTime
import java.util.*
import java.util.concurrent.TimeUnit
/**
 * A simple [Fragment] subclass.
class SongPlayingFragment : Fragment() {
```

```
/*Here you may wonder that why did we create two objects namely Statified and
Staticated respectively
    * These objects are created as the variables and functions will be used from another
class
    * Now, the question is why did we make two different objects and not one single object
    * This is because we created the Statified object which contains all the variables and
    * the Staticated object which contain all the functions*/
    object Statified {
         var myActivity: Activity? = null
         var mediaPlayer: MediaPlayer? = null
         var startTimeText: TextView? = null
         var endTimeText: TextView? = null
         var playPauseImageButton: ImageButton? = null
         var previousImageButton: ImageButton? = null
         var nextImageButton: ImageButton? = null
         var loopImageButton: ImageButton? = null
         var shuffleImageButton: ImageButton? = null
         var seekBar: SeekBar? = null
         var songArtistView: TextView? = null
         var songTitleView: TextView? = null
         var currentPosition: Int = 0
         var fetchSongs: ArrayList<Songs>? = null
         var currentSongHelper: CurrentSongHelper? = null
         /*Declaring variable for handling the favorite button*/
         var fab: ImageButton? = null
         /*Variable for using DB functions*/
         var favoriteContent: EchoDatabase? = null
         var audioVisualization: AudioVisualization? = null
         var glView: GLAudioVisualizationView? = null
         /*Sensor Variables*/
         var mSensorManager: SensorManager? = null
         var mSensorListener: SensorEventListener? = null
         var MY_PREFS_NAME = "ShakeFeature"
         var updateSongTime = object : Runnable {
             override fun run() {
                  val getCurrent = mediaPlayer?.currentPosition
                  startTimeText?.setText(String.format("%d:%d",
                          TimeUnit.MILLISECONDS.toMinutes(getCurrent?.toLong() as Long),
TimeUnit.MILLISECONDS.toSeconds(TimeUnit.MILLISECONDS.toMinutes(getCurrent?.toLong() as
Long))))
                  seekBar?.setProgress(getCurrent?.toInt() as Int)
                 Handler().postDelayed(this, 1000)
             }
        }
    }
    object Staticated {
         var MY_PREFS_SHUFFLE = "Shuffle feature"
         var MY_PREFS_LOOP = "Loop feature"
         fun onSongComplete() {
             if (currentSongHelper?.isShuffle as Boolean) {
                  playNext("PlayNextLikeNormalShuffle")
```

currentSongHelper?.isPlaying = true

```
} else {
                  if (currentSongHelper?.isLoop as Boolean) {
                      currentSongHelper?.isPlaying = true
                      var nextSong = fetchSongs?.get(currentPosition)
                      currentSongHelper?.currentPosition = currentPosition
                      currentSongHelper?.songPath = nextSong?.songData
                      currentSongHelper?.songTitle = nextSong?.songTitle
                      currentSongHelper?.songArtist = nextSong?.artist
                      currentSongHelper?.songId = nextSong?.songID as Long
                      updateTextViews(currentSongHelper?.songTitle as String,
currentSongHelper?.songArtist as String)
                      mediaPlayer?.reset()
                      try {
                           mediaPlayer?.setDataSource(myActivity,
Uri.parse(currentSongHelper?.songPath))
                          mediaPlayer?.prepare()
                          mediaPlayer?.start()
                      } catch (e: Exception) {
                          e.printStackTrace()
                  } else {
                      playNext("PlayNextNormal")
                      currentSongHelper?.isPlaying = true
                  }
             }
             if (favoriteContent?.checkifIdExists(currentSongHelper?.songId?.toInt() as Int)
as Boolean) {
                  fab?.setBackgroundResource(R.drawable.favorite_on)
             } else {
                  fab?.setBackgroundResource(R.drawable.favorite_off)
         }
         fun updateTextViews(songTitle: String, songArtist: String) {
             songTitleView?.setText(songTitle)
             songArtistView?.setText(songArtist)
         }
         fun processInformation(mediaPlayer: MediaPlayer) {
             val finalTime = mediaPlayer.duration
             val startTime = mediaPlayer.currentPosition
             seekBar?.max = finalTime
             startTimeText?.setText(String.format("%d: %d",
                      TimeUnit.MILLISECONDS.toMinutes(startTime.toLong()),
                      TimeUnit.MILLISECONDS.toSeconds(startTime.toLong()) -
TimeUnit.MINUTES.toSeconds(TimeUnit.MILLISECONDS.toMinutes(startTime.toLong())))
             endTimeText?.setText(String.format("%d: %d",
                      TimeUnit.MILLISECONDS.toMinutes(finalTime.toLong()),
                      TimeUnit.MILLISECONDS.toSeconds(finalTime.toLong()) -
TimeUnit.MINUTES.toSeconds(TimeUnit.MILLISECONDS.toMinutes(finalTime.toLong())))
             seekBar?.setProgress(startTime)
             Handler().postDelayed(updateSongTime, 1000)
         }
```

```
fun playNext(check: String) {
             if (check.equals("PlayNextNormal", true)) {
                  currentPosition = currentPosition + 1
             } else if (check.equals("PlayNextLikeNormalShuffle", true)) {
                 var randomObject = Random()
                 var randomPosition = randomObject.nextInt(fetchSongs?.size?.plus(1) as
Int)
                  currentPosition = randomPosition
             }
             if (currentPosition == fetchSongs?.size) {
                 currentPosition = 0
             }
             currentSongHelper?.isLoop = false
             var nextSong = fetchSongs?.get(currentPosition)
             currentSongHelper?.songPath = nextSong?.songData
             currentSongHelper?.songTitle = nextSong?.songTitle
             currentSongHelper?.songArtist = nextSong?.artist
             currentSongHelper?.songId = nextSong?.songID as Long
             updateTextViews(currentSongHelper?.songTitle as String,
currentSongHelper?.songArtist as String)
             mediaPlayer?.reset()
             try {
                  mediaPlayer?.prepare()
                 mediaPlayer?.start()
                 processInformation(mediaPlayer as MediaPlayer)
             } catch (e: Exception) {
                 e.printStackTrace()
             if (favoriteContent?.checkifIdExists(currentSongHelper?.songId?.toInt() as Int)
as Boolean) {
                  fab?.setBackgroundResource(R.drawable.favorite_on)
             } else {
                  fab?.setBackgroundResource(R.drawable.favorite_off)
             }
         }
    }
    var mAcceleration: Float = 0f
    var mAccelerationCurrent: Float = 0f
    var mAccelerationLast: Float = 0f
    override fun onCreateView(inflater: LayoutInflater?, container: ViewGroup?,
                                 savedInstanceState: Bundle?): View? {
         val view = inflater!!.inflate(R.layout.fragment_song_playing, container, false)
         seekBar = view?.findViewById(R.id.seekBar)
         startTimeText = view?.findViewById(R.id.startTime)
         endTimeText = view?.findViewById(R.id.endTime)
         playPauseImageButton = view?.findViewById(R.id.playPauseButton)
         nextImageButton = view?.findViewById(R.id.nextButton)
         previousImageButton = view?.findViewById(R.id.previousButton)
         loopImageButton = view?.findViewById(R.id.loopButton)
         shuffleImageButton = view?.findViewById(R.id.shuffleButton)
         songTitleView = view?.findViewById(R.id.songTitle)
         songArtistView = view?.findViewById(R.id.songArtist)
         /*Linking it with the view*/
         fab = view?.findViewById(R.id.favoriteIcon)
         /*Fading the favorite icon*/
         fab?.alpha = 0.8f
```

```
glView = view?.findViewById(R.id.visualizer_view)
         return view
    }
    override fun onViewCreated(view: View?, savedInstanceState: Bundle?) {
         super.onViewCreated(view, savedInstanceState)
         audioVisualization = glView as AudioVisualization
    }
    override fun onAttach(context: Context?) {
         super.onAttach(context)
         myActivity = context as Activity
    }
    override fun onAttach(activity: Activity?) {
         super.onAttach(activity)
        myActivity = activity
    }
    override fun onResume() {
         super.onResume()
         audioVisualization?.onResume()
         /*Here we register the sensor*/
         Statified.mSensorManager?.registerListener(Statified.mSensorListener,
                  Statified.mSensorManager?.getDefaultSensor(Sensor.TYPE_ACCELEROMETER),
                  SensorManager.SENSOR_DELAY_NORMAL)
    }
    override fun onPause() {
        audioVisualization?.onPause()
         super.onPause()
         /*When fragment is paused, we remove the sensor to prevent the battery drain*/
         Statified.mSensorManager?.unregisterListener(Statified.mSensorListener)
    }
    override fun onDestroyView() {
         audioVisualization?.release()
         super.onDestroyView()
    }
    override fun onCreate(savedInstanceState: Bundle?) {
         super.onCreate(savedInstanceState)
         /*Sensor service is activate when the fragment is created*/
         Statified.mSensorManager =
Statified.myActivity?.getSystemService(Context.SENSOR_SERVICE) as SensorManager
         /*Default values*/
         mAcceleration = 0.0f
         /*We take earth's gravitational value to be default, this will give us good
results*/
         mAccelerationCurrent = SensorManager.GRAVITY_EARTH
         mAccelerationLast = SensorManager.GRAVITY_EARTH
         /*Here we call the function*/
        bindShakeListener()
    }
```

```
override fun onActivityCreated(savedInstanceState: Bundle?) {
         super.onActivityCreated(savedInstanceState)
         /*Initialising the database*/
         favoriteContent = EchoDatabase(myActivity)
         currentSongHelper = CurrentSongHelper()
         currentSongHelper?.isPlaying = true
         currentSongHelper?.isLoop = false
         currentSongHelper?.isShuffle = false
         var path: String? = null
         var _songTitle: String? = null
         var _songArtist: String? = null
         var songId: Long = 0
         try {
             path = arguments.getString("path")
             _songTitle = arguments.getString("songTitle")
             _songArtist = arguments.getString("songArtist")
             songId = arguments.getInt("songId").toLong()
             currentPosition = arguments.getInt("position")
             fetchSongs = arguments.getParcelableArrayList("songData")
             currentSongHelper?.songPath = path
             currentSongHelper?.songTitle = _songTitle
             currentSongHelper?.songArtist = _songArtist
             currentSongHelper?.songId = songId
             currentSongHelper?.currentPosition = currentPosition
             updateTextViews(currentSongHelper?.songTitle as String,
currentSongHelper?.songArtist as String)
         } catch (e: Exception) {
             e.printStackTrace()
         /*Here we check whether we came to the song playing fragment via tapping on a song
or by bottom bar*/
         var fromFavBottomBar = arguments.get("FavBottomBar") as? String
         if (fromFavBottomBar != null) {
             /*If we came via bottom bar then the already playing media player object is
used*/
             Statified.mediaPlayer = FavoriteFragment.Statified.mediaPlayer
         } else {
             /*Else we use the default way*/
             mediaPlayer = MediaPlayer()
             mediaPlayer?.setAudioStreamType(AudioManager.STREAM_MUSIC)
             try {
                 mediaPlayer?.setDataSource(myActivity, Uri.parse(path))
                 mediaPlayer?.prepare()
             } catch (e: Exception) {
                 e.printStackTrace()
             }
             mediaPlayer?.start()
         processInformation(mediaPlayer as MediaPlayer)
         if (currentSongHelper?.isPlaying as Boolean) {
             playPauseImageButton?.setBackgroundResource(R.drawable.pause_icon)
         } else {
             playPauseImageButton?.setBackgroundResource(R.drawable.play_icon)
         mediaPlayer?.setOnCompletionListener {
             onSongComplete()
         }
```

```
clickHandler()
         var visualizationHandler = DbmHandler.Factory.newVisualizerHandler(myActivity as
Context, 0)
         audioVisualization?.linkTo(visualizationHandler)
         var prefsForShuffle = myActivity?.getSharedPreferences(Staticated.MY_PREFS_SHUFFLE,
Context.MODE_PRIVATE)
         var isShuffleAllowed = prefsForShuffle?.getBoolean("feaure", false)
         if (isShuffleAllowed as Boolean) {
             currentSongHelper?.isShuffle = true
             currentSongHelper?.isLoop = false
             shuffleImageButton?.setBackgroundResource(R.drawable.shuffle_icon)
             loopImageButton?.setBackgroundResource(R.drawable.loop_white_icon)
         } else {
             currentSongHelper?.isShuffle = false
             shuffleImageButton?.setBackgroundResource(R.drawable.shuffle_white_icon)
         }
         var prefsForLoop = myActivity?.getSharedPreferences(Staticated.MY_PREFS_LOOP,
Context.MODE_PRIVATE)
         var isLoopAllowed = prefsForLoop?.getBoolean("feature", false)
         if (isLoopAllowed as Boolean) {
             currentSongHelper?.isShuffle = false
             currentSongHelper?.isLoop = true
             shuffleImageButton?.setBackgroundResource(R.drawable.shuffle_white_icon)
             loopImageButton?.setBackgroundResource(R.drawable.loop_icon)
         } else {
             loopImageButton?.setBackgroundResource(R.drawable.loop_white_icon)
             currentSongHelper?.isLoop = false
         }
         /*Here we check that if the song playing is a favorite, then we show a red colored
heart indicating favorite else only the heart boundary
         * This action is performed whenever a new song is played, hence this will done in
the playNext(), playPrevious() and onSongComplete() methods*/
         if (favoriteContent?.checkifIdExists(currentSongHelper?.songId?.toInt() as Int) as
Boolean) {
             fab?.setImageResource(R.drawable.favorite_on)
         } else {
             fab?.setImageResource(R.drawable.favorite_off)
         }
    }
    fun clickHandler() {
         /*Here we handle the click of the favorite icon
         * When the icon was clicked, if it was red in color i.e. a favorite song then we
remove the song from favorites*/
         fab?.setOnClickListener({
             if (favoriteContent?.checkifIdExists(currentSongHelper?.songId?.toInt() as Int)
as Boolean) {
                  fab?.setImageResource(R.drawable.favorite_off)
                  favoriteContent?.deleteFavourite(currentSongHelper?.songId?.toInt() as
Int)
                  /*Toast is prompt message at the bottom of screen indicating that an
action has been performed*/
                  Toast.makeText(myActivity, "Removed from Favorites",
Toast.LENGTH_SHORT).show()
             } else {
```

```
/*If the song was not a favorite, we then add it to the favorites using
the method we made in our database*/
                  fab?.setImageResource(R.drawable.favorite_on)
                  favoriteContent?.storeAsFavorite(currentSongHelper?.songId?.toInt(),
currentSongHelper?.songArtist, currentSongHelper?.songTitle, currentSongHelper?.songPath)
                  Toast.makeText(myActivity, "Added to Favorites",
Toast.LENGTH_SHORT).show()
         })
         shuffleImageButton?.setOnClickListener({
             var editorShuffle =
myActivity?.getSharedPreferences(Staticated.MY_PREFS_SHUFFLE, Context.MODE_PRIVATE)?.edit()
             var editorLoop = myActivity?.getSharedPreferences(Staticated.MY_PREFS_LOOP,
Context.MODE_PRIVATE)?.edit()
             if (currentSongHelper?.isShuffle as Boolean) {
                  shuffleImageButton?.setBackgroundResource(R.drawable.shuffle_white_icon)
                  currentSongHelper?.isShuffle = false
                  editorShuffle?.putBoolean("feature", false)
                  editorShuffle?.apply()
             } else {
                  currentSongHelper?.isShuffle = true
                  currentSongHelper?.isLoop = false
                  shuffleImageButton?.setBackgroundResource(R.drawable.shuffle_icon)
                  loopImageButton?.setBackgroundResource(R.drawable.loop_white_icon)
                  editorShuffle?.putBoolean("feature", true)
                  editorShuffle?.apply()
                  editorLoop?.putBoolean("feature", false)
                  editorLoop?.apply()
             }
         })
         nextImageButton?.setOnClickListener({
             currentSongHelper?.isPlaying = true
             if (currentSongHelper?.isShuffle as Boolean) {
                  playNext("PlayNextLikeNormalShuffle")
             } else {
                 playNext("PlayNextNormal")
             }
         })
         previousImageButton?.setOnClickListener({
             currentSongHelper?.isPlaying = true
             if (currentSongHelper?.isLoop as Boolean) {
                  loopImageButton?.setBackgroundResource(R.drawable.loop_white_icon)
             }
             playPrevious()
         })
         loopImageButton?.setOnClickListener({
             var editorShuffle =
myActivity?.getSharedPreferences(Staticated.MY_PREFS_SHUFFLE, Context.MODE_PRIVATE)?.edit()
             var editorLoop = myActivity?.getSharedPreferences(Staticated.MY_PREFS_LOOP,
Context.MODE_PRIVATE)?.edit()
             if (currentSongHelper?.isLoop as Boolean) {
                  currentSongHelper?.isLoop = false
                  loopImageButton?.setBackgroundResource(R.drawable.loop_white_icon)
                  editorLoop?.putBoolean("feature", false)
                  editorLoop?.apply()
             } else {
                  currentSongHelper?.isLoop = true
```

```
currentSongHelper?.isShuffle = false
                  loopImageButton?.setBackgroundResource(R.drawable.loop_icon)
                  shuffleImageButton?.setBackgroundResource(R.drawable.shuffle_white_icon)
                 editorShuffle?.putBoolean("feature", false)
                  editorShuffle?.apply()
                 editorLoop?.putBoolean("feature", true)
                 editorLoop?.apply()
             }
        })
        playPauseImageButton?.setOnClickListener({
             if (mediaPlayer?.isPlaying as Boolean) {
                 mediaPlayer?.pause()
                 currentSongHelper?.isPlaying = false
                 playPauseImageButton?.setBackgroundResource(R.drawable.play_icon)
             } else {
                 mediaPlayer?.start()
                 currentSongHelper?.isPlaying = true
                 playPauseImageButton?.setBackgroundResource(R.drawable.pause_icon)
             }
        })
    }
    fun playPrevious() {
        currentPosition = currentPosition - 1
        if (currentPosition == -1) {
             currentPosition = 0
        if (currentSongHelper?.isPlaying as Boolean) {
             playPauseImageButton?.setBackgroundResource(R.drawable.pause_icon)
        } else {
             playPauseImageButton?.setBackgroundResource(R.drawable.play_icon)
        }
        currentSongHelper?.isLoop = false
        var nextSong = fetchSongs?.get(currentPosition)
        currentSongHelper?.songPath = nextSong?.songData
        currentSongHelper?.songTitle = nextSong?.songTitle
        currentSongHelper?.songArtist = nextSong?.artist
        currentSongHelper?.songId = nextSong?.songID as Long
        updateTextViews(currentSongHelper?.songTitle as String,
currentSongHelper?.songArtist as String)
        mediaPlayer?.reset()
        try {
             mediaPlayer?.setDataSource(myActivity, Uri.parse(currentSongHelper?.songPath))
             mediaPlayer?.prepare()
             mediaPlayer?.start()
             processInformation(mediaPlayer as MediaPlayer)
        } catch (e: Exception) {
             e.printStackTrace()
        if (favoriteContent?.checkifIdExists(currentSongHelper?.songId?.toInt() as Int) as
Boolean) {
             fab?.setImageResource(R.drawable.favorite_on)
        } else {
             fab?.setImageResource(R.drawable.favorite_off)
        }
    }
```

```
/*This function handles the shake events in order to change the songs when we shake the
phone*/
    fun bindShakeListener() {
         /*The sensor listener has two methods used for its implementation i.e.
OnAccuracyChanged() and onSensorChanged*/
         Statified.mSensorListener = object : SensorEventListener {
             override fun onAccuracyChanged(sensor: Sensor?, accuracy: Int) {
                  /*We do noot need to check or work with the accuracy changes for the
sensor*/
             override fun onSensorChanged(event: SensorEvent) {
                  /*We need this onSensorChanged function
                  * This function is called when there is a new sensor event*/
                 /*The sensor event has 3 dimensions i.e. the x, y and z in which the
changes can occur*/
                 val x = event.values[0]
                 val y = event.values[1]
                 val z = event.values[2]
                 /*Now lets see how we calculate the changes in the acceleration*/
                 /*Now we shook the phone so the current acceleration will be the first to
start with*/
                 mAccelerationLast = mAccelerationCurrent
                 /*Since we could have moved the phone in any direction, we calculate the
Euclidean distance to get the normalized distance*/
                  mAccelerationCurrent = Math.sqrt(((x * x + y * y + z *
z).toDouble())).toFloat()
                  /*Delta gives the change in acceleration*/
                 val delta = mAccelerationCurrent - mAccelerationLast
                  /*Here we calculate thelower filter
                  * The written below is a formula to get it*/
                 mAcceleration = mAcceleration * 0.9f + delta
                  /*We obtain a real number for acceleration
                  * and we check if the acceleration was noticeable, considering 12 here*/
                  if (mAcceleration > 12) {
                      /*If the accel was greater than 12 we change the song, given the fact
our shake to change was active*/
                      val prefs =
Statified.myActivity?.getSharedPreferences(Statified.MY_PREFS_NAME, Context.MODE_PRIVATE)
                      val isAllowed = prefs?.getBoolean("feature", false)
                      if (isAllowed as Boolean) {
                          Staticated.playNext("PlayNextNormal")
                 }
             }
        }
    }
}
```