((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Collection of protocol designed by IETF
((OPTION_A)) THIS IS MANDATORY OPTION	IPSec
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	SSL
((OPTION_C)) This is optional	PGP
((OPTION_D)) This is optional	NONE
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	Operation in Tunnel mode
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	IPSec
THIS IS MANDATORY OPTION	
((OPTION_B))	SSL
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	PGP
This is optional	
((OPTION_D))	NONE
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	IPSec protects information in
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	transport
THIS IS MANDATORY OPTION	
((OPTION_B))	tunnel
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Either A or B
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	IPSec in wich mode does not protect IP header
((OPTION_A)) THIS IS MANDATORY OPTION	transport
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	tunnel
((OPTION_C)) This is optional	Either A or B
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Which mode is used when we need host to host protection
((OPTION_A)) THIS IS MANDATORY OPTION	Transport
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Tunnel
((OPTION_C)) This is optional	Either A or B
((OPTION_D)) This is optional	None
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	IPSec protects the whole IP packets
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Transport
THIS IS MANDATORY OPTION	
((OPTION_B))	Tunnel
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Either A or B
This is optional	
((OPTION_D))	None
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	IPSec defines two protocol
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	AH, SSL
THIS IS MANDATORY OPTION	
((OPTION_B))	PGP, ASP
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	AH, ESP
This is optional	
((OPTION_D))	NONE
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	Authentication at the IP header
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	АН
THIS IS MANDATORY OPTION	
((OPTION_B))	ECP
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	PGP
This is optional	
((OPTION_D))	SSL
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	IT PROVIDES AUTHENTICATION OR ENCRIPTION OR BOTH FOR PACKET AT IP LEVEL
((OPTION_A)) THIS IS MANDATORY OPTION	АН
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	ESP
((OPTION_C)) This is optional	PGP
((OPTION_D)) This is optional	SSL
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	IPSEC USES A SET OF SA CALLED
((OPTION_A)) THIS IS MANDATORY OPTION	SAD
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	SAB
((OPTION_C)) This is optional	SADB
((OPTION_D)) This is optional	NONE
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Protocol to provide security for inbound and outnound
((OPTION_A)) THIS IS MANDATORY OPTION	SA
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	CA
((OPTION_C)) This is optional	KDC
((OPTION_D)) This is optional	IKE
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	IKE creates SA for
((OPTION_A)) THIS IS MANDATORY OPTION	SSL
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	PGP
((OPTION_C)) This is optional	IPSec
((OPTION_D)) This is optional	VP
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	IKE based on other how many protocol
((OPTION_A)) THIS IS MANDATORY OPTION	Two
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Three
((OPTION_C)) This is optional	Four
((OPTION_D)) This is optional	five
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	IKE uses
((OPTION_A)) THIS IS MANDATORY OPTION	OAKLEY
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	SKEME
((OPTION_C)) This is optional	ISKAMP
((OPTION_D)) This is optional	ALL ABOVE
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Network is used in an organization
((OPTION_A)) THIS IS MANDATORY OPTION	Private
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Public
((OPTION_C)) This is optional	Semi private
((OPTION_D)) This is optional	Semi publik
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Private network that uses an internet model
((OPTION_A)) THIS IS MANDATORY OPTION	intranet
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Internet
((OPTION_C)) This is optional	Extranet
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Is a network that allows authorized access from outside
((OPTION_A)) THIS IS MANDATORY OPTION	Intranet
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Internet
((OPTION_C)) This is optional	Extranet
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	Internet authorities have reserved address for
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Intranet
THIS IS MANDATORY OPTION	
((OPTION_B))	Internet
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Extranet
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Is provides privacy for LAN
((OPTION_A)) THIS IS MANDATORY OPTION	VPP
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	VNP
((OPTION_C)) This is optional	VNN
((OPTION_D)) This is optional	VPN
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	IT PROVIDES END TO END SECURITY FOR APPLICATION
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	DATA LINK
THIS IS MANDATORY OPTION	
((OPTION_B))	NETWORK
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	TRANSPORT
This is optional	
((OPTION_D))	NONE
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	Is actually an IETF version on
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	TLS, TSS
THIS IS MANDATORY OPTION	
((OPTION_B))	SSL. TLS
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	TLS, SSL
This is optional	
((OPTION_D)) This is optional	SSL,SLT
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	Provides security at the transport layer
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	SSL
THIS IS MANDATORY OPTION	
((OPTION_B))	TLS
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	EITHER A OR B
This is optional	
((OPTION_D))	вотн
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	To provide security and compression
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	SSL
THIS IS MANDATORY OPTION	
((OPTION_B))	TLS
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	EITHER A OR B
This is optional	
((OPTION_D))	вотн
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Can receive application data from any application layer protocol
((OPTION_A)) THIS IS MANDATORY OPTION	SSL
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	TLS
((OPTION_C)) This is optional	EITHER A OR B
((OPTION_D)) This is optional	вотн
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	SSL provides
((OPTION_A)) THIS IS MANDATORY OPTION	Integrity
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Confidentiality
((OPTION_C)) This is optional	Compression
((OPTION_D)) This is optional	All above
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	SSI session
((OPTION_A)) THIS IS MANDATORY OPTION	List of protocol
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Cipher suit
((OPTION_C)) This is optional	List of keys
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Cryptographic algorithem and secrets are sent with the message IN
((OPTION_A)) THIS IS MANDATORY OPTION	IPSec
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	SSL
((OPTION_C)) This is optional	TLS
((OPTION_D)) This is optional	PGP
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Security protocol for email security is
((OPTION_A)) THIS IS MANDATORY OPTION	IPSec
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	SSL
((OPTION_C)) This is optional	PGP
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Was invented by Phil Zimmerman
((OPTION_A)) THIS IS MANDATORY OPTION	IPSec
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	SSI
((OPTION_C)) This is optional	PGP
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	Provides security, integration, authentication in email
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	IPSec
THIS IS MANDATORY OPTION	
((OPTION_B))	SSI
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	PGP
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	Method to transfer secure message
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	cryptography
THIS IS MANDATORY OPTION	
((OPTION_B))	crypotoanalysis
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	both
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	Is the original message before transmission
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Cipher text
THIS IS MANDATORY OPTION	
((OPTION_B))	Plain text
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Secret text
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	Is the message after transmission
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Cipher text
THIS IS MANDATORY OPTION	
((OPTION_B))	Plain text
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Secret text
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	An algorithm transforms plaintext to ciphertext
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Encryption
THIS IS MANDATORY OPTION	
((OPTION_B))	Decryption
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Both
This is optional	
((OPTION_D))	None
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	An algorithm transforms cipher text to plain text
((OPTION_A)) THIS IS MANDATORY OPTION	Encryption
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Decryption
((OPTION_C)) This is optional	Both
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	A combination of encryption and decryption algorithm is called
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Cipher
THIS IS MANDATORY OPTION	
((OPTION_B))	Secret
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Key
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Cipher operates on
((OPTION_A)) THIS IS MANDATORY OPTION	Cipher
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	secret
((OPTION_C)) This is optional	Key
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	The same key used by both the sender and reciver
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Symmetric key
THIS IS MANDATORY OPTION	
((OPTION_B))	Asymmetric key
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Either A or B
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	The key is called as secret key
((OPTION_A)) THIS IS MANDATORY OPTION	Symmetric key
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Asymmetric key
((OPTION_C)) This is optional	Either A or B
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	A pair of keys used in
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Symmetric key
THIS IS MANDATORY OPTION	
((OPTION_B))	Asymmetric key
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Either A or B
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	An asymmetric key cipher the sender uses the key
((OPTION_A)) THIS IS MANDATORY OPTION	Private
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Public
((OPTION_C)) This is optional	Either A or B
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	An asymmetric key cipher the receiver uses the key
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Private
THIS IS MANDATORY OPTION	
((OPTION_B))	Public
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Either A or B
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	A cipher replaces one character with another
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Substitution
THIS IS MANDATORY OPTION	
((OPTION_B))	Transposition
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Either A or B
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Monoalphabetic and polyalphabetic cipher are
((OPTION_A)) THIS IS MANDATORY OPTION	Substitution
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Transposition
((OPTION_C)) This is optional	Either A or B
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	The simplest monoalphabetic cipher is
((OPTION_A)) THIS IS MANDATORY OPTION	Transposition
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Additive
((OPTION_C)) This is optional	Shift
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION))	Ceasar cipher that has key of 3
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Transposition
THIS IS MANDATORY OPTION	
((OPTION_B))	Additive
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Shift
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	The cipher reorders the plain text to creat the ciphertext
((OPTION_A)) THIS IS MANDATORY OPTION	Substitution
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Transposition
((OPTION_C)) This is optional	Either A or B
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	In a keyless substitution To define the relationship between input and output stream
((OPTION_A)) THIS IS MANDATORY OPTION	S box
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	P box
((OPTION_C)) This is optional	T box
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Ina keyless transposition To define the relationship between input and output stream
((OPTION_A)) THIS IS MANDATORY OPTION	S box
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	P box
((OPTION_C)) This is optional	T box
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Cipher made of a combination of different simple cipher
((OPTION_A)) THIS IS MANDATORY OPTION	Round
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Circle
((OPTION_C)) This is optional	Square
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	DES is an method
((OPTION_A)) THIS IS MANDATORY OPTION	Symmetric key
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Asymmetric key
((OPTION_C)) This is optional	Either A or B
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	DES has an Round
((OPTION_A)) THIS IS MANDATORY OPTION	14
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	15
((OPTION_C)) This is optional	16
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION))	DES functions has componenets
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	2
THIS IS MANDATORY OPTION	
((OPTION_B))	3
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	4
This is optional	
((OPTION_D))	5
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2	2
OR 3 UPTO 10)	
((QUESTION))	DES uses a key generater to generate sixteenround key
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	32 bit
THIS IS MANDATORY OPTION	
((OPTION_B))	48 bit
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	54 bit
This is optional	
((OPTION_D))	42 bit
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION))	DES was designed to increase the size of DES key
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Double
THIS IS MANDATORY OPTION	
((OPTION_B))	Tripal
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Quadrupal
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION))	Algorithm uses a 128 bit block of data
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	AEE
THIS IS MANDATORY OPTION	
((OPTION_B))	AED
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	AER
This is optional	
((OPTION_D))	AES
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	AES has how many different combinations
((OPTION_A)) THIS IS MANDATORY OPTION	2
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	3
((OPTION_C)) This is optional	4
((OPTION_D)) This is optional	5
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	ECB and CBC are ciphers
((OPTION_A)) THIS IS MANDATORY OPTION	Block
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Stream
((OPTION_C)) This is optional	Field
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION))	Public key cryptographic algorithm is
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	RSS
THIS IS MANDATORY OPTION	
((OPTION_B))	RAS
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	RSA
This is optional	
((OPTION_D)) This is optional	RAA
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	AC
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	it provides a one time session key for two parties
((OPTION_A)) THIS IS MANDATORY OPTION	Diffie hellman
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	RSA
((OPTION_C)) This is optional	DES
((OPTION_D)) This is optional	AES
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE	TELNET is an abbreviation of
IMAGES ALSO	
((OPTION_A))	Terminal network
THIS IS MANDATORY OPTION	
((OPTION_B))	Telephone network
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Telecommunication network
This is optional	
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION))	TELNET is a client server application program for
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Specific purpose
THIS IS MANDATORY OPTION	
((OPTION_B))	General purpose
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Both
This is optional	
((OPTION_D))	None
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Users logs in to local time sharing system is called
((OPTION_A)) THIS IS MANDATORY OPTION	Local
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Remote
((OPTION_C)) This is optional	Temporary
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER	To access remote machine need a login
CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Local
THIS IS MANDATORY OPTION	
((OPTION_B))	Remote
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Temporary
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	NVT uses two set of character
((OPTION_A)) THIS IS MANDATORY OPTION	Sending, receiving
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Request, reply
((OPTION_C)) This is optional	Data, control
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	For data NVT uses ASCII with the highest order bit set
((OPTION_A)) THIS IS MANDATORY OPTION	1
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	0
((OPTION_C)) This is optional	A or B
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION))	For data NVT uses ASCII with the highest order bit set
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	1
THIS IS MANDATORY OPTION	
((OPTION_B))	0
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	A or B
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	The server usesport
((OPTION_A)) THIS IS MANDATORY OPTION	Wellknown
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Emperior
((OPTION_C)) This is optional	Both
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION))	To distinguish data from characters
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	ICA
THIS IS MANDATORY OPTION	
((OPTION_B))	IAC
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	AIC
This is optional	
((OPTION_D))	NONE
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	the echoing is done by the client in the mode
((OPTION_A)) THIS IS MANDATORY OPTION	Default
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Character
((OPTION_C)) This is optional	Line
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	FTP uses a service of
((OPTION_A)) THIS IS MANDATORY OPTION	UDP
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	IP
((OPTION_C)) This is optional	TCP
((OPTION_D)) This is optional	NONE
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION))	In FTP control and data connection are
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	21, 22
THIS IS MANDATORY OPTION	
((OPTION_B))	20,21
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	21,20
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	FTP is the service type used by IP protocol because
((OPTION_A)) THIS IS MANDATORY OPTION	Maximise throughput
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Minimize delay
((OPTION_C)) This is optional	Minimize erro
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	For control connection FTP use a character set of
((OPTION_A)) THIS IS MANDATORY OPTION	Regular ASCII
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	EBCDIC
((OPTION_C)) This is optional	NVT ASCII
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	During FTP session the control connection is opended
((OPTION_A)) THIS IS MANDATORY OPTION	Exactly once
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Exactly twice
((OPTION_C)) This is optional	Many times
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	During FTP session the control connection is opended
((OPTION_A)) THIS IS MANDATORY OPTION	Exactly once
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Exactly twice
((OPTION_C)) This is optional	Many times
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION))	FTP files are types of an attribute called
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	File types
THIS IS MANDATORY OPTION	
((OPTION_B))	Data structures
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Transmission mode
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	In FTP there are three types of, stream, blocked and compression
((OPTION_A)) THIS IS MANDATORY OPTION	File types
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Data structurs
((OPTION_C)) This is optional	Transmission mode
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	In FTP and image defines an attribute called
((OPTION_A)) THIS IS MANDATORY OPTION	File type
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Data structure
((OPTION_C)) This is optional	Transmission mode
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	In FTP when we, it is copied from the server to client
((OPTION_A)) THIS IS MANDATORY OPTION	Retrieve a file
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Retrieve a list
((OPTION_C)) This is optional	Both
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION))	In FTP when we, it is copied from the client to server
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Retrieve a file
THIS IS MANDATORY OPTION	
((OPTION_B))	Store a file
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Retrieve a lise
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Is a part of a local hard drive, a special file with permission restriction
((OPTION_A)) THIS IS MANDATORY OPTION	A message
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	A responce
((OPTION_C)) This is optional	An agent
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS))	2
QUESTION IS OF HOW MANY	
MARKS? (1 OR 2	
OR 3 UPTO 10)	
((QUESTION))	When the sender and the receiver on the same system we need
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	One UA
THIS IS MANDATORY OPTION	
((OPTION_B))	Two UA
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	One UA and one MTA
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	When the sender and receiver are on the different system, we need
((OPTION_A)) THIS IS MANDATORY OPTION	One MTA
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Two UA
((OPTION_C))	Two UA and one pair of MTA
This is optional	
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	When the sender is connected to the mail server via a LAN or WAN, we need
((OPTION_A)) THIS IS MANDATORY OPTION	Two MTA
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Two UA and two pairs of MTA
((OPTION_C)) This is optional	Two UA and a pair of MTA
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS))	2
QUESTION IS OF HOW MANY	
MARKS? (1 OR 2	
OR 3 UPTO 10)	
((QUESTION))	When the sender and receiver are connected to the mail server via a LAN or WAN, we need
ENTER CONTENT. QTN	
CAN HAVE	
IMAGES ALSO	
((OPTION_A))	Two UA, two pair of MTA, a pair of MAA
THIS IS MANDATORY	
OPTION	
((OPTION_B))	Two UA and two pair of MTA
THIS IS ALSO	
MANDATORY OPTION	
((OPTION_C))	Two UA, two pair of MTA, two pair of MAA
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E))	
This is optional. If optional keep	
empty so that	
system will skip this option	
((CORRECT_CH	A
OICE)) Either A	
or B or C or D or E	
((EXPLANATION)) This is also	
optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	It provides a service to the user to make the process of sending and receiving message
((OPTION_A)) THIS IS MANDATORY OPTION	MTA
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	MAA
((OPTION_C)) This is optional	UA
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Which of the following services is not provided by UA
((OPTION_A)) THIS IS MANDATORY OPTION	Composing message
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Reading message
((OPTION_C)) This is optional	Reply message
((OPTION_D)) This is optional	ALL are
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	There are two types of user agents
((OPTION_A)) THIS IS MANDATORY OPTION	Command driven, data driven
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Command driven, GUI based
((OPTION_C)) This is optional	Command based and data based
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION))	It contains the sender address, receiver address and other information
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Message
THIS IS MANDATORY OPTION	
((OPTION_B))	Envelop
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Both
This is optional	
((OPTION_D)) This is optional	none
·	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	The message contains
((OPTION_A)) THIS IS MANDATORY OPTION	Header, envelop
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Header, body
((OPTION_C)) This is optional	Envelop, body
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION))	In the internet, the email address contains two parts
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Local part, domain name
THIS IS MANDATORY OPTION	
((OPTION_B))	Global part, domain name
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Label, domain name
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Which is a supplementary protocol that allow Non ASCII data to be sent through email
((OPTION_A)) THIS IS MANDATORY OPTION	JPEG
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	MPEG
((OPTION_C)) This is optional	MIME
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION))	The actual email transfer is done through
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	UA
THIS IS MANDATORY OPTION	
((OPTION_B))	MTA
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	MAA
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Protocol that defines a MTA client and server in the internet is called
((OPTION_A)) THIS IS MANDATORY OPTION	SMTP
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	SNMP
((OPTION_C)) This is optional	TELNET
((OPTION_D)) This is optional	NONE
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	The process of transferring a mail message occurs inphase
((OPTION_A)) THIS IS MANDATORY OPTION	2
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	4
((OPTION_C)) This is optional	5
((OPTION_D)) This is optional	none
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION))	SMTP is protocol
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Pull
THIS IS MANDATORY OPTION	
((OPTION_B))	Push
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Both
This is optional	
((OPTION_D)) This is optional	none
·	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	В
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION))	The third stage in a email transfer need aprotocol
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	Pull
THIS IS MANDATORY OPTION	
((OPTION_B))	Push
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	Both
This is optional	
((OPTION_D))	none
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION))	The third stage in an email transfer uses anprotocol
ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A))	UA
THIS IS MANDATORY OPTION	
((OPTION_B))	MTA
THIS IS ALSO MANDATORY OPTION	
((OPTION_C))	MAA
This is optional	
((OPTION_D))	NONE
This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	2
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Currently two message asses protocol are available
((OPTION_A)) THIS IS MANDATORY OPTION	POP3, IMAP2
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	POP4,IMAP1
((OPTION_C))	POP3, IMAP4
This is optional	
((OPTION_D)) This is optional	NONE
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	С
((EXPLANATION)) This is also optional	