
100

## **Cucumber Report**

100



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
array	4.788 s	1	0	1	0	15	7	1	7

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	<u>array</u>	user navigates to arrays in python page and tries to run code

TAG	Scenario			Feature					
Name	T	P	F	S	T	P	F	S	
@TC_array_01	1	0	1	0	1	0	1	0	
@array	1	0	1	0	1	0	1	0	


FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	<u>array</u>	1	0	1	0	4.788 s

SCENARIOS SUMMARY


-- 6 --




:	#	Feature Name	Scenario Name	T	P	F	S	Duration
	1	array	user navigates to arrays in python page and tries to run code	15	7	1	7	4.784 s

DETAILED SECTION -- 7 -

## array



## user navigates to arrays in python page and tries to run code



#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.008 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.638 s
3	When user Navigate to Sign in button	PASSED	0.124 s
4	When user enters the Valid Username	PASSED	0.152 s
5	And enter Valid Password	PASSED	0.113 s
6	And user click the login button	PASSED	0.397 s
7	Then user should successfully login into Homepage	PASSED	0.001 s
8	When user clicks array get started button	FAILED	0.015 s
	java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:75) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:17) * Not displayable characters are replaced by '?'.		
9	And user navigates to array page	SKIPPED	0.001 s
10	When user clicks arrays in python link	SKIPPED	0.001 s
11	Then user should be redirected to arrays in python page	SKIPPED	0.000 s

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
12	When user clicks try here button	SKIPPED	0.001 s
13	And user should be redirected to page with run button	SKIPPED	0.000 s
14	When user enters code in the text editor and clicks the run button	SKIPPED	0.000 s
15	Then the user gets an alert and accepts it	SKIPPED	0.003 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.833 s
	user navigates to arrays in python page and tries to run code		
	Name of the control		