

Cucumber Report

Oct 9, 2023, 4:27:34 PM

Start : Oct 09, 4:26:46.393 PM

End : Oct 09, 4:27:32.738 PM

Duration : 46.345 s

Features





PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 13
SKIPPED - 0

Steps

PASSED - 91
FAILED - 13
SKIPPED - 132




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>array</u>		46.345 s		13	0	13	0	236	91	13	132


#	Feature Name	Scenario Name
1	<u>array</u>	<u>user navigates to arrays in python page and tries to run code</u>
2		<u>user navigates to arrays in python page and tries to run without code</u>
3		<u>user navigates to get started page from arrays using list page</u>
4		<u>user navigates to stack page through basic operations in lists page</u>
5		<u>user tries search the array practice question using code and submit button</u>
6		<u>user tries search the array practice question without code and submit button</u>
7		<u>user tries search the array practice question with code and run button</u>
8		<u>user tries to practice max consecutive ones code</u>
9		<u>user tries to get to the graph page through practice questions page</u>
10		<u>user navigates back to get started page from the basic lists page</u>
11		<u>user navigates to practice questions and then to homepage and back to linked lists</u>
12		<u>user navigates to queue page through tree page from array page</u>

#	Feature Name	Scenario Name
13	<u>array</u>	<i>user navigates to applications of array page and then logs out</i>

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@TC_array_01		1	0	1	0	1	0	1	0
@array		13	0	13	0	1	0	1	0
@TC_array_02		1	0	1	0	1	0	1	0
@TC_array_03		1	0	1	0	1	0	1	0
@TC_array_04		1	0	1	0	1	0	1	0
@TC_array_05		1	0	1	0	1	0	1	0
@TC_array_06		1	0	1	0	1	0	1	0
@TC_array_07		1	0	1	0	1	0	1	0
@TC_array_08		1	0	1	0	1	0	1	0
@TC_array_09		1	0	1	0	1	0	1	0
@TC_array_10		1	0	1	0	1	0	1	0
@TC_array_11		1	0	1	0	1	0	1	0
@TC_array_12		1	0	1	0	1	0	1	0
@TC_array_13		1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>array</u>	13	0	13	0	46.345 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>array</u>	<u>user navigates to arrays in python page and tries to run code</u>	17	7	1	9	6.470 s
2		<u>user navigates to arrays in python page and tries to run without code</u>	19	7	1	11	3.381 s
3		<u>user navigates to get started page from arrays using list page</u>	15	7	1	7	3.086 s
4		<u>user navigates to stack page through basic operations in lists page</u>	16	7	1	8	3.078 s
5		<u>user tries search the array practice question using code and submit button</u>	19	7	1	11	2.976 s
6		<u>user tries search the array practice question without code and submit button</u>	19	7	1	11	3.303 s
7		<u>user tries search the array practice question with code and run button</u>	19	7	1	11	3.392 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>user tries to practice max consecutive ones code</u>	19	7	1	11	3.584 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>array</u>	<u>user tries to get to the graph page through practice questions page</u>	21	7	1	13	3.299 s
10		<u>user navigates back to get started page from the basic lists page</u>	17	7	1	9	3.258 s
11		<u>user navigates to practice questions and then to homepage and back to linked lists</u>	21	7	1	13	3.502 s
12		<u>user navigates to queue page through tree page from array page</u>	19	7	1	11	3.430 s
13		<u>user navigates to applications of array page and then logs out</u>	15	7	1	7	3.300 s

array


user navigates to arrays in python page and tries to run code




#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.005 s
2	When user open the Homepage of dsportal and click get started button	PASSED	1.641 s
3	When user Navigate to Sign in button	PASSED	0.147 s
4	When user enters the Valid Username	PASSED	0.156 s
5	And enter Valid Password	PASSED	0.103 s
6	And user click the login button	PASSED	0.297 s
7	Then user should successfully login into Homepage	PASSED	0.002 s
8	And user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.022 s
9	Then user navigates to array page	SKIPPED	0.003 s
10	When user clicks array get started button	SKIPPED	0.001 s
11	And user navigates to array page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	When user clicks arrays in python link	SKIPPED	0.001 s
13	Then user should be redirected to arrays in python page	SKIPPED	0.001 s
14	When user clicks try here button	SKIPPED	0.003 s
15	And user should be redirected to page with run button	SKIPPED	0.002 s
16	When user enters code in the text editor and clicks the run button	SKIPPED	0.001 s
17	Then the user gets an alert and accepts it	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user navigates to arrays in python page and tries to run code	PASSED	0.696 s
			


user navigates to arrays in python page and tries to run without code




#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.815 s
3	When user Navigate to Sign in button	PASSED	0.145 s
4	When user enters the Valid Username	PASSED	0.162 s
5	And enter Valid Password	PASSED	0.089 s
6	And user click the login button	PASSED	0.361 s
7	Then user should successfully login into Homepage	PASSED	0.002 s
8	And user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:14) * Not displayable characters are replaced by '?'.		
9	Then user navigates to array page	SKIPPED	0.001 s
10	When user clicks array get started button	SKIPPED	0.003 s
11	And user navigates to array page	SKIPPED	0.002 s
12	When user clicks array get started button	SKIPPED	0.001 s
13	Then user navigates to array page	SKIPPED	0.001 s
14	When user clicks arrays in python link	SKIPPED	0.001 s
15	Then user should be redirected to arrays in python page	SKIPPED	0.001 s
16	When user clicks try here button	SKIPPED	0.001 s
17	And user should be redirected to page with run button	SKIPPED	0.002 s
18	When user clicks the run button	SKIPPED	0.000 s
19	Then user should check if there is an alert	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user navigates to arrays in python page and tries to run without code 	PASSED	0.629 s


user navigates to get started page from arrays using list page




#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.704 s


#	Step / Hook Details	Status	Duration
3	When user Navigate to Sign in button	PASSED	0.132 s
4	When user enters the Valid Username	PASSED	0.159 s
5	And enter Valid Password	PASSED	0.090 s
6	And user click the login button	PASSED	0.384 s
7	Then user should successfully login into Homepage	PASSED	0.001 s
8	And user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.004 s
9	Then user navigates to array page	SKIPPED	0.001 s
10	When user clicks array get started button	SKIPPED	0.000 s
11	And user navigates to array page	SKIPPED	0.000 s
12	When user clicks arrays using list link	SKIPPED	0.000 s
13	Then user should be redirected to arrays using list page	SKIPPED	0.001 s
14	When user clicks numpyninja tab	SKIPPED	0.000 s
15	Then user gets redirected to the get started page	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user navigates to get started page from arrays using list page 	PASSED	0.615 s

user navigates to stack page through basic operations in lists page




#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.689 s
3	When user Navigate to Sign in button	PASSED	0.128 s
4	When user enters the Valid Username	PASSED	0.149 s
5	And enter Valid Password	PASSED	0.087 s
6	And user click the login button	PASSED	0.371 s
7	Then user should successfully login into Homepage	PASSED	0.001 s
8	And user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:14) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s
9	Then user navigates to array page	SKIPPED	0.000 s
10	When user clicks array get started button	SKIPPED	0.001 s
11	And user navigates to array page	SKIPPED	0.000 s
12	When user clicks basic operations in lists link	SKIPPED	0.000 s
13	Then user should be redirected to basic operations in lists page	SKIPPED	0.001 s
14	When user clicks data structures	SKIPPED	0.000 s
15	And user clicks stack	SKIPPED	0.001 s
16	Then user should be redirected to stack page	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user navigates to stack page through basic operations in lists page 	PASSED	0.700 s


user tries search the array practice question using code and submit button




#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.738 s
3	When user Navigate to Sign in button	PASSED	0.128 s
4	When user enters the Valid Username	PASSED	0.143 s
5	And enter Valid Password	PASSED	0.082 s
6	And user click the login button	PASSED	0.343 s
7	Then user should successfully login into Homepage	PASSED	0.001 s
8	And user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:14) * Not displayable characters are replaced by '?'. 	FAILED	0.006 s
9	Then user navigates to array page	SKIPPED	0.002 s
10	When user clicks array get started button	SKIPPED	0.001 s
11	And user navigates to array page	SKIPPED	0.000 s
12	When user clicks arrays in python link	SKIPPED	0.000 s
13	Then user should be redirected to arrays in python page	SKIPPED	0.001 s
14	When user clicks practice questions link	SKIPPED	0.001 s
15	Then user should be redirected to practice questions page	SKIPPED	0.000 s
16	When user clicks search the array link	SKIPPED	0.001 s
17	Then user should be redirected to question page	SKIPPED	0.000 s
18	When user enters code in the text editor and clicks the submit button	SKIPPED	0.000 s
19	Then user should see an error message	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user tries search the array practice question using code and submit button	PASSED	0.598 s

#	Step / Hook Details	Status	Duration
			


user tries search the array practice question without code and submit button

FAILED	DURATION - 3.303 s	Steps Total - 19 Pass - 7 Fail - 1 Skip - 11	
/ 4:27:05.564 PM // 4:27:08.867 PM /			
array			
@array @TC_array_06			


#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.795 s
3	When user Navigate to Sign in button	PASSED	0.156 s
4	When user enters the Valid Username	PASSED	0.184 s
5	And enter Valid Password	PASSED	0.102 s
6	And user click the login button	PASSED	0.308 s
7	Then user should successfully login into Homepage	PASSED	0.002 s
8	And user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.005 s
9	Then user navigates to array page	SKIPPED	0.001 s
10	When user clicks array get started button	SKIPPED	0.001 s
11	And user navigates to array page	SKIPPED	0.001 s
12	When user clicks arrays in python link	SKIPPED	0.002 s
13	Then user should be redirected to arrays in python page	SKIPPED	0.000 s
14	When user clicks practice questions link	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
15	Then user should be redirected to practice questions page	SKIPPED	0.000 s
16	When user clicks search the array link	SKIPPED	0.000 s
17	Then user should be redirected to question page	SKIPPED	0.000 s
18	When user clicks the submit button	SKIPPED	0.000 s
19	Then user should see an error message	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user tries search the array practice question without code and submit button 	PASSED	0.727 s


user tries search the array practice question with code and run button




#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.855 s
3	When user Navigate to Sign in button	PASSED	0.151 s
4	When user enters the Valid Username	PASSED	0.174 s
5	And enter Valid Password	PASSED	0.102 s
6	And user click the login button	PASSED	0.367 s
7	Then user should successfully login into Homepage	PASSED	0.000 s
8	And user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97)	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:14) * Not displayable characters are replaced by '?'.		
9	Then user navigates to array page	SKIPPED	0.001 s
10	When user clicks array get started button	SKIPPED	0.001 s
11	And user navigates to array page	SKIPPED	0.001 s
12	When user clicks arrays in python link	SKIPPED	0.000 s
13	Then user should be redirected to arrays in python page	SKIPPED	0.000 s
14	When user clicks practice questions link	SKIPPED	0.000 s
15	Then user should be redirected to practice questions page	SKIPPED	0.001 s
16	When user clicks search the array link	SKIPPED	0.001 s
17	Then user should be redirected to question page	SKIPPED	0.000 s
18	When user clicks the run button	SKIPPED	0.000 s
19	Then the user gets an alert and accepts it	SKIPPED	0.000 s
AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)			PASSED
user tries search the array practice question with code and run button			0.692 s
			


user tries to practice max consecutive ones code



#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.748 s

#	Step / Hook Details	Status	Duration
3	When user Navigate to Sign in button	PASSED	0.147 s
4	When user enters the Valid Username	PASSED	0.165 s
5	And enter Valid Password	PASSED	0.113 s
6	And user click the login button	PASSED	0.386 s
7	Then user should successfully login into Homepage	PASSED	0.001 s
8	And user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
9	Then user navigates to array page	SKIPPED	0.000 s
10	When user clicks array get started button	SKIPPED	0.000 s
11	And user navigates to array page	SKIPPED	0.000 s
12	When user clicks arrays in python link	SKIPPED	0.000 s
13	Then user should be redirected to arrays in python page	SKIPPED	0.000 s
14	When user clicks practice questions link	SKIPPED	0.000 s
15	Then user should be redirected to practice questions page	SKIPPED	0.000 s
16	When user clicks max executive ones link	SKIPPED	0.000 s
17	Then user should be redirected to question page	SKIPPED	0.000 s
18	When user enters code in the text editor and clicks the submit button	SKIPPED	0.000 s
19	Then user should see an error message	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user tries to practice max consecutive ones code 	PASSED	0.661 s


user tries to get to the graph page through practice questions page



#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.003 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.765 s
3	When user Navigate to Sign in button	PASSED	0.137 s
4	When user enters the Valid Username	PASSED	0.175 s
5	And enter Valid Password	PASSED	0.109 s
6	And user click the login button	PASSED	0.355 s
7	Then user should successfully login into Homepage	PASSED	0.002 s
8	And user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:14) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s
9	Then user navigates to array page	SKIPPED	0.001 s
10	When user clicks array get started button	SKIPPED	0.000 s
11	And user navigates to array page	SKIPPED	0.000 s
12	When user clicks arrays in python link	SKIPPED	0.000 s
13	Then user should be redirected to arrays in python page	SKIPPED	0.001 s
14	When user clicks practice questions link	SKIPPED	0.000 s
15	Then user should be redirected to practice questions page	SKIPPED	0.002 s
16	When user clicks squares of a sorted array link	SKIPPED	0.002 s
17	Then user should be redirected to question page	SKIPPED	0.001 s
18	When the user clicks the back arrow button	SKIPPED	0.002 s
19	And user clicks data structures	SKIPPED	0.000 s
20	And user clicks graph	SKIPPED	0.001 s
21	Then user should be redirected to the graph page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	<p>AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>user tries to get to the graph page through practice questions page</p> 	PASSED	0.659 s


user navigates back to get started page from the basic lists page




#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.000 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.793 s
3	When user Navigate to Sign in button	PASSED	0.133 s
4	When user enters the Valid Username	PASSED	0.181 s
5	And enter Valid Password	PASSED	0.103 s
6	And user click the login button	PASSED	0.358 s
7	Then user should successfully login into Homepage	PASSED	0.000 s
8	And user clicks array get started button <i>java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null</i> <i>at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97)</i> <i>at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:14)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.003 s
9	Then user navigates to array page	SKIPPED	0.001 s
10	When user clicks array get started button	SKIPPED	0.001 s
11	And user navigates to array page	SKIPPED	0.001 s
12	When user clicks basic operations in lists link	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
13	Then user should be redirected to basic operations in lists page	SKIPPED	0.000 s
14	When user clicks try here button	SKIPPED	0.001 s
15	Then user should be redirected to page with run button	SKIPPED	0.000 s
16	When user enters code in the text editor and clicks the run button	SKIPPED	0.000 s
17	Then the user gets an alert and accepts it	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user navigates back to get started page from the basic lists page 	PASSED	0.649 s


user navigates to practice questions and then to homepage and back to linked lists




#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.778 s
3	When user Navigate to Sign in button	PASSED	0.156 s
4	When user enters the Valid Username	PASSED	0.194 s
5	And enter Valid Password	PASSED	0.123 s
6	And user click the login button	PASSED	0.375 s
7	Then user should successfully login into Homepage	PASSED	0.001 s
8	And user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97)	FAILED	0.003 s


#	Step / Hook Details	Status	Duration
	at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:14) * Not displayable characters are replaced by '?'.		
9	Then user navigates to array page	SKIPPED	0.000 s
10	When user clicks array get started button	SKIPPED	0.001 s
11	And user navigates to array page	SKIPPED	0.001 s
12	When user clicks arrays using list link	SKIPPED	0.004 s
13	Then user should be redirected to arrays using list page	SKIPPED	0.001 s
14	When user clicks practice questions link	SKIPPED	0.000 s
15	Then user should be redirected to practice questions page	SKIPPED	0.001 s
16	When user clicks numpyninja tab	SKIPPED	0.000 s
17	Then user gets redirected to the get started page	SKIPPED	0.000 s
18	When the user clicks get started button	SKIPPED	0.000 s
19	Then the user lands on the homepage	SKIPPED	0.002 s
20	When user clicks linked lists get started button	SKIPPED	0.001 s
21	Then user lands on the linked lists page	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user navigates to practice questions and then to homepage and back to linked lists	PASSED	0.771 s
			

user navigates to queue page through tree page from array page



#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.807 s
3	When user Navigate to Sign in button	PASSED	0.138 s
4	When user enters the Valid Username	PASSED	0.184 s
5	And enter Valid Password	PASSED	0.108 s
6	And user click the login button	PASSED	0.363 s
7	Then user should successfully login into Homepage	PASSED	0.002 s
8	And user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:14) * Not displayable characters are replaced by '?'. 	FAILED	0.004 s
9	Then user navigates to array page	SKIPPED	0.000 s
10	When user clicks array get started button	SKIPPED	0.001 s
11	And user navigates to array page	SKIPPED	0.001 s
12	When user clicks on applications of array link	SKIPPED	0.000 s
13	Then user lands on the applications of array page	SKIPPED	0.000 s
14	When user clicks data structures	SKIPPED	0.000 s
15	And user clicks queue	SKIPPED	0.000 s
16	Then user lands on queue page	SKIPPED	0.000 s
17	When user clicks data structures	SKIPPED	0.000 s
18	And user clicks on tree	SKIPPED	0.000 s
19	Then user lands on tree page	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user navigates to queue page through tree page from array page 	PASSED	0.734 s

user navigates to applications of array page and then logs out



#	Step / Hook Details	Status	Duration		
1	Given user Launch the Browser	PASSED	0.003 s		
2	When user open the Homepage of dsportal and click get started button	PASSED	0.803 s		
3	When user Navigate to Sign in button	PASSED	0.146 s		
4	When user enters the Valid Username	PASSED	0.177 s		
5	And enter Valid Password	PASSED	0.107 s		
6	And user click the login button	PASSED	0.359 s		
7	Then user should successfully login into Homepage	PASSED	0.000 s		
8	And user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:14) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s		
9	Then user navigates to array page	SKIPPED	0.001 s		
10	When user clicks array get started button	SKIPPED	0.001 s		
11	And user navigates to array page	SKIPPED	0.001 s		
12	When user clicks on applications of array link	SKIPPED	0.000 s		
13	Then user should be redirected to applications of array page	SKIPPED	0.001 s		
14	When the user clicks the sign out link	SKIPPED	0.002 s		
15	Then user should be logged out and navigated to the homepage	SKIPPED	0.000 s		
AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)		PASSED	0.688 s		
user navigates to applications of array page and then logs out					