

Cucumber Report

Oct 9, 2023, 4:29:04 PM

Start : Oct 09, 4:28:17.547 PM

End : Oct 09, 4:29:03.015 PM

Duration : 45.468 s

Features






PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 13
SKIPPED - 0

Steps

PASSED - 91
FAILED - 13
SKIPPED - 106




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>array</u>	45.468 s	13	0	13	0	210	91	13	106


#	Feature Name	Scenario Name
1	<u>array</u>	<u>user navigates to arrays in python page and tries to run code</u>
2		<u>user navigates to arrays in python page and tries to run without code</u>
3		<u>user navigates to get started page from arrays using list page</u>
4		<u>user navigates to stack page through basic operations in lists page</u>
5		<u>user tries search the array practice question using code and submit button</u>
6		<u>user tries search the array practice question without code and submit button</u>
7		<u>user tries search the array practice question with code and run button</u>
8		<u>user tries to practice max consecutive ones code</u>
9		<u>user tries to get to the graph page through practice questions page</u>
10		<u>user navigates back to get started page from the basic lists page</u>
11		<u>user navigates to practice questions and then to homepage and back to linked lists</u>
12		<u>user navigates to queue page through tree page from array page</u>

#	Feature Name	Scenario Name
13	<u>array</u>	<i>user navigates to applications of array page and then logs out</i>

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@TC_array_01		1	0	1	0	1	0	1	0
@array		13	0	13	0	1	0	1	0
@TC_array_02		1	0	1	0	1	0	1	0
@TC_array_03		1	0	1	0	1	0	1	0
@TC_array_04		1	0	1	0	1	0	1	0
@TC_array_05		1	0	1	0	1	0	1	0
@TC_array_06		1	0	1	0	1	0	1	0
@TC_array_07		1	0	1	0	1	0	1	0
@TC_array_08		1	0	1	0	1	0	1	0
@TC_array_09		1	0	1	0	1	0	1	0
@TC_array_10		1	0	1	0	1	0	1	0
@TC_array_11		1	0	1	0	1	0	1	0
@TC_array_12		1	0	1	0	1	0	1	0
@TC_array_13		1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>array</u>	13	0	13	0	45.468 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>array</u>	<u>user navigates to arrays in python page and tries to run code</u>	15	7	1	7	4.925 s
2		<u>user navigates to arrays in python page and tries to run without code</u>	17	7	1	9	2.993 s
3		<u>user navigates to get started page from arrays using list page</u>	13	7	1	5	3.391 s
4		<u>user navigates to stack page through basic operations in lists page</u>	14	7	1	6	3.141 s
5		<u>user tries search the array practice question using code and submit button</u>	17	7	1	9	3.365 s
6		<u>user tries search the array practice question without code and submit button</u>	17	7	1	9	3.552 s
7		<u>user tries search the array practice question with code and run button</u>	17	7	1	9	3.452 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8		<u>user tries to practice max consecutive ones code</u>	17	7	1	9	3.397 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>array</u>	<u>user tries to get to the graph page through practice questions page</u>	19	7	1	11	3.318 s
10		<u>user navigates back to get started page from the basic lists page</u>	15	7	1	7	3.343 s
11		<u>user navigates to practice questions and then to homepage and back to linked lists</u>	19	7	1	11	3.352 s
12		<u>user navigates to queue page through tree page from array page</u>	17	7	1	9	3.454 s
13		<u>user navigates to applications of array page and then logs out</u>	13	7	1	5	3.445 s

array


user navigates to arrays in python page and tries to run code




#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.013 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.669 s
3	When user Navigate to Sign in button	PASSED	0.131 s
4	When user enters the Valid Username	PASSED	0.159 s
5	And enter Valid Password	PASSED	0.093 s
6	And user click the login button	PASSED	0.287 s
7	Then user should successfully login into Homepage	PASSED	0.003 s
8	When user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:17) * Not displayable characters are replaced by '?'.	FAILED	0.032 s
9	And user navigates to array page	SKIPPED	0.003 s
10	When user clicks arrays in python link	SKIPPED	0.001 s
11	Then user should be redirected to arrays in python page	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
12	When user clicks try here button	SKIPPED	0.002 s
13	And user should be redirected to page with run button	SKIPPED	0.001 s
14	When user enters code in the text editor and clicks the run button	SKIPPED	0.001 s
15	Then the user gets an alert and accepts it	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user navigates to arrays in python page and tries to run code	PASSED	0.670 s


user navigates to arrays in python page and tries to run without code




#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.672 s
3	When user Navigate to Sign in button	PASSED	0.141 s
4	When user enters the Valid Username	PASSED	0.169 s
5	And enter Valid Password	PASSED	0.099 s
6	And user click the login button	PASSED	0.267 s
7	Then user should successfully login into Homepage	PASSED	0.001 s
8	When user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:28) * Not displayable characters are replaced by '?'.	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
9	And user navigates to array page	SKIPPED	0.004 s
10	When user clicks array get started button	SKIPPED	0.002 s
11	Then user navigates to array page	SKIPPED	0.001 s
12	When user clicks arrays in python link	SKIPPED	0.001 s
13	Then user should be redirected to arrays in python page	SKIPPED	0.001 s
14	When user clicks try here button	SKIPPED	0.001 s
15	And user should be redirected to page with run button	SKIPPED	0.001 s
16	When user clicks the run button	SKIPPED	0.001 s
17	Then user should check if there is an alert	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user navigates to arrays in python page and tries to run without code	PASSED	0.670 s
			


user navigates to get started page from arrays using list page




#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.002 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.976 s
3	When user Navigate to Sign in button	PASSED	0.162 s
4	When user enters the Valid Username	PASSED	0.177 s
5	And enter Valid Password	PASSED	0.095 s
6	And user click the login button	PASSED	0.369 s

#	Step / Hook Details	Status	Duration
7	Then user should successfully login into Homepage	PASSED	0.001 s
8	When user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:41) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
9	And user navigates to array page	SKIPPED	0.001 s
10	When user clicks arrays using list link	SKIPPED	0.002 s
11	Then user should be redirected to arrays using list page	SKIPPED	0.001 s
12	When user clicks numpyninja tab	SKIPPED	0.002 s
13	Then user gets redirected to the get started page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user navigates to get started page from arrays using list page 	PASSED	0.587 s


user navigates to stack page through basic operations in lists page




#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.729 s
3	When user Navigate to Sign in button	PASSED	0.141 s
4	When user enters the Valid Username	PASSED	0.173 s
5	And enter Valid Password	PASSED	0.092 s

#	Step / Hook Details	Status	Duration
6	And user click the login button	PASSED	0.285 s
7	Then user should successfully login into Homepage	PASSED	0.001 s
8	When user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:50) * Not displayable characters are replaced by '?'. 9 And user navigates to array page 10 When user clicks basic operations in lists link 11 Then user should be redirected to basic operations in lists page 12 When user clicks data structures 13 And user clicks stack 14 Then user should be redirected to stack page	FAILED	0.006 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user navigates to stack page through basic operations in lists page 	PASSED	0.725 s


user tries search the array practice question using code and submit button




#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.002 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.858 s
3	When user Navigate to Sign in button	PASSED	0.154 s

#	Step / Hook Details	Status	Duration
4	When user enters the Valid Username	PASSED	0.210 s
5	And enter Valid Password	PASSED	0.121 s
6	And user click the login button	PASSED	0.348 s
7	Then user should successfully login into Homepage	PASSED	0.001 s
8	When user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:60) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
9	And user navigates to array page	SKIPPED	0.000 s
10	When user clicks arrays in python link	SKIPPED	0.000 s
11	Then user should be redirected to arrays in python page	SKIPPED	0.000 s
12	When user clicks practice questions link	SKIPPED	0.000 s
13	Then user should be redirected to practice questions page	SKIPPED	0.000 s
14	When user clicks search the array link	SKIPPED	0.000 s
15	Then user should be redirected to question page	SKIPPED	0.000 s
16	When user enters code in the text editor and clicks the submit button	SKIPPED	0.000 s
17	Then user should see an error message	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user tries search the array practice question using code and submit button 	PASSED	0.725 s



user tries search the array practice question without code and submit button




#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.003 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.803 s
3	When user Navigate to Sign in button	PASSED	0.141 s
4	When user enters the Valid Username	PASSED	0.201 s
5	And enter Valid Password	PASSED	0.106 s
6	And user click the login button	PASSED	0.296 s
7	Then user should successfully login into Homepage	PASSED	0.003 s
8	When user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:73) * Not displayable characters are replaced by '?'. 	FAILED	0.009 s
9	And user navigates to array page	SKIPPED	0.000 s
10	When user clicks arrays in python link	SKIPPED	0.001 s
11	Then user should be redirected to arrays in python page	SKIPPED	0.002 s
12	When user clicks practice questions link	SKIPPED	0.001 s
13	Then user should be redirected to practice questions page	SKIPPED	0.001 s
14	When user clicks search the array link	SKIPPED	0.001 s
15	Then user should be redirected to question page	SKIPPED	0.001 s
16	When user clicks the submit button	SKIPPED	0.007 s
17	Then user should see an error message	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.809 s
	user tries search the array practice question without code and submit button		

#	Step / Hook Details	Status	Duration
			


user tries search the array practice question with code and run button

FAILED	DURATION - 3.452 s		Steps Total - 17 Pass - 7 Fail - 1 Skip - 9	
/ 4:28:39.143 PM // 4:28:42.595 PM /				
array				
@array @TC_array_07				

#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.003 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.805 s
3	When user Navigate to Sign in button	PASSED	0.133 s
4	When user enters the Valid Username	PASSED	0.185 s
5	And enter Valid Password	PASSED	0.116 s
6	And user click the login button	PASSED	0.366 s
7	Then user should successfully login into Homepage	PASSED	0.001 s
8	When user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:86) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
9	And user navigates to array page	SKIPPED	0.000 s
10	When user clicks arrays in python link	SKIPPED	0.001 s
11	Then user should be redirected to arrays in python page	SKIPPED	0.001 s
12	When user clicks practice questions link	SKIPPED	0.000 s
13	Then user should be redirected to practice questions page	SKIPPED	0.001 s
14	When user clicks search the array link	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
15	Then user should be redirected to question page	SKIPPED	0.001 s
16	When user clicks the run button	SKIPPED	0.000 s
17	Then the user gets an alert and accepts it	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user tries search the array practice question with code and run button 	PASSED	0.737 s


user tries to practice max consecutive ones code



#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.002 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.849 s
3	When user Navigate to Sign in button	PASSED	0.131 s
4	When user enters the Valid Username	PASSED	0.196 s
5	And enter Valid Password	PASSED	0.106 s
6	And user click the login button	PASSED	0.375 s
7	Then user should successfully login into Homepage	PASSED	0.000 s
8	When user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:99) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
9	And user navigates to array page	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
10	When user clicks arrays in python link	SKIPPED	0.001 s
11	Then user should be redirected to arrays in python page	SKIPPED	0.000 s
12	When user clicks practice questions link	SKIPPED	0.001 s
13	Then user should be redirected to practice questions page	SKIPPED	0.000 s
14	When user clicks max executive ones link	SKIPPED	0.000 s
15	Then user should be redirected to question page	SKIPPED	0.001 s
16	When user enters code in the text editor and clicks the submit button	SKIPPED	0.000 s
17	Then user should see an error message	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user tries to practice max consecutive ones code 	PASSED	0.680 s


user tries to get to the graph page through practice questions page




#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.002 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.854 s
3	When user Navigate to Sign in button	PASSED	0.129 s
4	When user enters the Valid Username	PASSED	0.182 s
5	And enter Valid Password	PASSED	0.110 s
6	And user click the login button	PASSED	0.301 s
7	Then user should successfully login into Homepage	PASSED	0.003 s


#	Step / Hook Details	Status	Duration
8	When user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:112) * Not displayable characters are replaced by '?'.	FAILED	0.009 s
9	And user navigates to array page	SKIPPED	0.002 s
10	When user clicks arrays in python link	SKIPPED	0.002 s
11	Then user should be redirected to arrays in python page	SKIPPED	0.001 s
12	When user clicks practice questions link	SKIPPED	0.001 s
13	Then user should be redirected to practice questions page	SKIPPED	0.001 s
14	When user clicks squares of a sorted array link	SKIPPED	0.001 s
15	Then user should be redirected to question page	SKIPPED	0.002 s
16	When the user clicks the back arrow button	SKIPPED	0.002 s
17	And user clicks data structures	SKIPPED	0.002 s
18	And user clicks graph	SKIPPED	0.000 s
19	Then user should be redirected to the graph page	SKIPPED	0.001 s
AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)			PASSED
user tries to get to the graph page through practice questions page			0.673 s

user navigates back to get started page from the basic lists page




#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.799 s
3	When user Navigate to Sign in button	PASSED	0.173 s
4	When user enters the Valid Username	PASSED	0.200 s
5	And enter Valid Password	PASSED	0.108 s
6	And user click the login button	PASSED	0.352 s
7	Then user should successfully login into Homepage	PASSED	0.000 s
8	When user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:127) * Not displayable characters are replaced by '?'. 	FAILED	0.005 s
9	And user navigates to array page	SKIPPED	0.000 s
10	When user clicks basic operations in lists link	SKIPPED	0.001 s
11	Then user should be redirected to basic operations in lists page	SKIPPED	0.000 s
12	When user clicks try here button	SKIPPED	0.000 s
13	Then user should be redirected to page with run button	SKIPPED	0.001 s
14	When user enters code in the text editor and clicks the run button	SKIPPED	0.000 s
15	Then the user gets an alert and accepts it	SKIPPED	0.000 s
AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user navigates back to get started page from the basic lists page		PASSED	0.580 s
			



user navigates to practice questions and then to homepage and back to linked lists




#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.762 s
3	When user Navigate to Sign in button	PASSED	0.142 s
4	When user enters the Valid Username	PASSED	0.179 s
5	And enter Valid Password	PASSED	0.113 s
6	And user click the login button	PASSED	0.349 s
7	Then user should successfully login into Homepage	PASSED	0.001 s
8	When user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:138) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s
9	And user navigates to array page	SKIPPED	0.001 s
10	When user clicks arrays using list link	SKIPPED	0.000 s
11	Then user should be redirected to arrays using list page	SKIPPED	0.001 s
12	When user clicks practice questions link	SKIPPED	0.000 s
13	Then user should be redirected to practice questions page	SKIPPED	0.000 s
14	When user clicks numpyninja tab	SKIPPED	0.001 s
15	Then user gets redirected to the get started page	SKIPPED	0.000 s
16	When the user clicks get started button	SKIPPED	0.000 s
17	Then the user lands on the homepage	SKIPPED	0.000 s
18	When user clicks linked lists get started button	SKIPPED	0.001 s
19	Then user lands on the linked lists page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user navigates to practice questions and then to homepage and back to linked lists	PASSED	0.643 s

#	Step / Hook Details	Status	Duration
			


user navigates to queue page through tree page from array page

FAILED	DURATION - 3.454 s		Steps Total - 17 Pass - 7 Fail - 1 Skip - 9	
/ 4:28:56.096 PM // 4:28:59.550 PM /				
array				
@TC_array_12 @array				


#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.000 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.745 s
3	When user Navigate to Sign in button	PASSED	0.122 s
4	When user enters the Valid Username	PASSED	0.177 s
5	And enter Valid Password	PASSED	0.100 s
6	And user click the login button	PASSED	0.366 s
7	Then user should successfully login into Homepage	PASSED	0.001 s
8	When user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:153) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
9	And user navigates to array page	SKIPPED	0.000 s
10	When user clicks on applications of array link	SKIPPED	0.000 s
11	Then user lands on the applications of array page	SKIPPED	0.000 s
12	When user clicks data structures	SKIPPED	0.000 s
13	And user clicks queue	SKIPPED	0.000 s
14	Then user lands on queue page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
15	When user clicks data structures	SKIPPED	0.001 s
16	And user clicks on tree	SKIPPED	0.001 s
17	Then user lands on tree page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user navigates to queue page through tree page from array page	PASSED	0.808 s
			

user navigates to applications of array page and then logs out



#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.004 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.835 s
3	When user Navigate to Sign in button	PASSED	0.150 s
4	When user enters the Valid Username	PASSED	0.194 s
5	And enter Valid Password	PASSED	0.113 s
6	And user click the login button	PASSED	0.365 s
7	Then user should successfully login into Homepage	PASSED	0.000 s
8	When user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:97) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:166) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
9	And user navigates to array page	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
10	When user clicks on applications of array link	SKIPPED	0.001 s
11	Then user should be redirected to applications of array page	SKIPPED	0.002 s
12	When the user clicks the sign out link	SKIPPED	0.001 s
13	Then user should be logged out and navigated to the homepage	SKIPPED	0.000 s
	<p>AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>user navigates to applications of array page and then logs out</p> 	PASSED	0.711 s