Cucumber Report

| Start : Oct 10, 1:37:11.835 PM	End : Oct 10, 1:40:08.223 PM	Duration : 2 m 56.388 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 7 SKIPPED - 0	PASSED - 112 FAILED - 7 SKIPPED - 89

1

13

208

Pass %
0 %

Pass %
46 %

Pass %
53 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
array	2 m 56.388 s	13	6	7	0	208	112	7	89

#	Feature Name	Scenario Name
1	*array*	*user tries search the array practice question with code and run button*
2		*user tries to practice max consecutive ones code*
3		*user tries to get to the graph page through practice questions page*
4		*user navigates back to get started page from the basic lists page*
5		*user navigates to practice questions and then to homepage and back to linked lists*
6		*user navigates to queue page through tree page from array page*
7		*user navigates to applications of array page and then logs out*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TC_array_01	1	1	0	0	1	0	1	0
@array	13	6	7	0	1	0	1	0
@TC_array_02	1	1	0	0	1	0	1	0
@TC_array_03	1	1	0	0	1	0	1	0
@TC_array_04	1	1	0	0	1	0	1	0
@TC_array_05	1	1	0	0	1	0	1	0
@TC_array_06	1	1	0	0	1	0	1	0
@TC_array_07	1	0	1	0	1	0	1	0
@TC_array_08	1	0	1	0	1	0	1	0
@TC_array_09	1	0	1	0	1	0	1	0
@TC_array_10	1	0	1	0	1	0	1	0
@TC_array_11	1	0	1	0	1	0	1	0
@TC_array_12	1	0	1	0	1	0	1	0
@TC_array_13	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	array	13	6	7	0	2 m 56.388 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	array	user navigates to arrays in python page and tries to run code	15	15	0	0	9.774 s
2		user navigates to arrays in python page and tries to run without code	15	15	0	0	4.918 s
3		user navigates to get started page from arrays using list page	13	13	0	0	5.239 s
4		user navigates to stack page through basic operations in lists page	14	14	0	0	4.276 s
5		user tries search the array practice question using code and submit button	17	17	0	0	5.551 s
6		user tries search the array practice question without code and submit button	17	17	0	0	2 m 21.392 s
7		user tries search the array practice question with code and run button	17	15	1	1	4.363 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8		user tries to practice max consecutive ones code	17	1	1	15	0.076 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
9	array	user tries to get to the graph page through practice questions page	19	1	1	17	0.068 s
10		user navigates back to get started page from the basic lists page	15	1	1	13	0.060 s
11		user navigates to practice questions and then to homepage and back to linked lists	19	1	1	17	0.054 s
12		user navigates to queue page through tree page from array page	17	1	1	15	0.059 s
13		user navigates to applications of array page and then logs out	13	1	1	11	0.044 s

array

FAILED	DURATION - 2 m 56.388 s		Scenarios		Steps	
/ 1:37:11.835 PM // 1:40:08.223 PM /			Total - 13 Pass - 6 Fail - 7 Skip - 0	13	Total - 208 Pass - 112 Fail - 7 Skip - 89	208

user navigates to arrays in python page and tries to run code

PASSED	DURATION - 9.774 s			Steps	
/ 1:37:11.844 PM // 1:37:21.618 PM /				Total - 15 Pass - 15 Fail - 0 Skip - 0	15
array					
@TC_array_01 @array					

#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.013 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.910 s
3	When user Navigate to Sign in button	PASSED	0.166 s
4	When user enters the Valid Username	PASSED	0.275 s
5	And enter Valid Password	PASSED	0.135 s
6	And user click the login button	PASSED	0.412 s
7	Then user should successfully login into Homepage	PASSED	0.001 s
8	When user clicks array get started button	PASSED	0.301 s
9	And user navigates to array page	PASSED	0.004 s
10	When user clicks arrays in python link	PASSED	0.445 s
11	Then user should be redirected to arrays in python page	PASSED	0.001 s
12	When user clicks try here button	PASSED	0.536 s
13	And user should be redirected to page with run button	PASSED	0.000 s
14	When user enters code in the text editor and clicks the run button	PASSED	0.283 s
15	Then the user gets an alert and accepts it	PASSED	0.018 s

user navigates to arrays in python page and tries to run without code

PASSED	DURATION - 4.918 s

/ 1:37:21.739 PM // 1:37:26.657 PM /

array

@TC_array_02 @array

Steps
Total - 15
Pass - 15
Fail - 0
Skip - 0

15

#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.769 s
3	When user Navigate to Sign in button	PASSED	0.169 s
4	When user enters the Valid Username	PASSED	0.225 s
5	And enter Valid Password	PASSED	0.177 s
6	And user click the login button	PASSED	0.363 s
7	Then user should successfully login into Homepage	PASSED	0.003 s
8	When user clicks array get started button	PASSED	0.388 s
9	And user navigates to array page	PASSED	0.002 s
10	When user clicks arrays in python link	PASSED	0.466 s
11	Then user should be redirected to arrays in python page	PASSED	0.001 s
12	When user clicks try here button	PASSED	0.515 s
13	And user should be redirected to page with run button	PASSED	0.001 s
14	When user clicks the run button	PASSED	0.112 s
15	Then user should check if there is an alert	PASSED	0.016 s

user navigates to get started page from arrays using list page

PASSED	DURATION - 5.239 s

/ 1:37:26.684 PM // 1:37:31.923 PM /

array

@TC_array_03 @array

Steps
Total - 13
Pass - 13
Fail - 0
Skip - 0

13

#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.000 s
2	When user open the Homepage of dsportal and click get started button	PASSED	1.823 s
3	When user Navigate to Sign in button	PASSED	0.156 s
4	When user enters the Valid Username	PASSED	0.290 s
5	And enter Valid Password	PASSED	0.157 s
6	And user click the login button	PASSED	0.393 s
7	Then user should successfully login into Homepage	PASSED	0.001 s
8	When user clicks array get started button	PASSED	0.320 s
9	And user navigates to array page	PASSED	0.003 s
10	When user clicks arrays using list link	PASSED	0.286 s
11	Then user should be redirected to arrays using list page	PASSED	0.001 s
12	When user clicks numpyninja tab	PASSED	0.249 s
13	Then user gets redirected to the get started page	PASSED	0.002 s

user navigates to stack page through basic operations in lists page

PASSED	DURATION - 4.276 s

/ 1:37:31.946 PM // 1:37:36.222 PM /

array

@TC_array_04 @array

Steps
Total - 14
Pass - 14
Fail - 0
Skip - 0

14

#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.765 s
3	When user Navigate to Sign in button	PASSED	0.152 s
4	When user enters the Valid Username	PASSED	0.225 s
5	And enter Valid Password	PASSED	0.153 s
6	And user click the login button	PASSED	0.439 s
7	Then user should successfully login into Homepage	PASSED	0.002 s
8	When user clicks array get started button	PASSED	0.273 s
9	And user navigates to array page	PASSED	0.000 s
10	When user clicks basic operations in lists link	PASSED	0.287 s
11	Then user should be redirected to basic operations in lists page	PASSED	0.002 s
12	When user clicks data structures	PASSED	0.101 s
13	And user clicks stack	PASSED	0.269 s
14	Then user should be redirected to stack page	PASSED	0.002 s

user tries search the array practice question using code and submit button

PASSED	DURATION - 5.551 s
/ 1:37:36.234 PM // 1:37:41.785 PM /	
array	
@array @TC_array_05	

Steps
Total - 17
Pass - 17
Fail - 0
Skip - 0

17

#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.739 s
3	When user Navigate to Sign in button	PASSED	0.187 s
4	When user enters the Valid Username	PASSED	0.235 s
5	And enter Valid Password	PASSED	0.174 s
6	And user click the login button	PASSED	0.314 s
7	Then user should successfully login into Homepage	PASSED	0.003 s
8	When user clicks array get started button	PASSED	0.427 s

| #	Step / Hook Details	Status	Duration
9	And user navigates to array page	PASSED	0.001 s
10	When user clicks arrays in python link	PASSED	0.405 s
11	Then user should be redirected to arrays in python page	PASSED	0.001 s
12	When user clicks practice questions link	PASSED	0.256 s
13	Then user should be redirected to practice questions page	PASSED	0.001 s
14	When user clicks search the array link	PASSED	0.553 s
15	Then user should be redirected to question page	PASSED	0.001 s
16	When user enters code in the text editor and clicks the submit button	PASSED	0.616 s
17	Then user should see an error message	PASSED	0.046 s

user tries search the array practice question without code and submit button

PASSED	DURATION - 2 m 21.392 s

/ 1:37:41.802 PM // 1:40:03.194 PM /

array

@array @TC_array_06

Steps
Total - 17
Pass - 17
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.000 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.730 s
3	When user Navigate to Sign in button	PASSED	0.160 s
4	When user enters the Valid Username	PASSED	0.279 s
5	And enter Valid Password	PASSED	0.231 s
6	And user click the login button	PASSED	2 m 15.838 s
7	Then user should successfully login into Homepage	PASSED	0.002 s
8	When user clicks array get started button	PASSED	0.444 s
9	And user navigates to array page	PASSED	0.004 s
10	When user clicks arrays in python link	PASSED	0.460 s
11	Then user should be redirected to arrays in python page	PASSED	0.002 s
12	When user clicks practice questions link	PASSED	0.344 s
13	Then user should be redirected to practice questions page	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
14	When user clicks search the array link	PASSED	0.730 s
15	Then user should be redirected to question page	PASSED	0.001 s
16	When user clicks the submit button	PASSED	0.179 s
17	Then user should see an error message	PASSED	0.097 s

user tries search the array practice question with code and run button

FAILED	DURATION - 4.363 s
/ 1:40:03.217 PM // 1:40:07.580 PM /	
array	
@array @TC_array_07	

Steps
Total - 17
Pass - 15
Fail - 1
Skip - 1

17

#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.000 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.725 s
3	When user Navigate to Sign in button	PASSED	0.152 s
4	When user enters the Valid Username	PASSED	0.315 s
5	And enter Valid Password	PASSED	0.224 s
6	And user click the login button	PASSED	0.478 s
7	Then user should successfully login into Homepage	PASSED	0.001 s
8	When user clicks array get started button	PASSED	0.289 s
9	And user navigates to array page	PASSED	0.000 s
10	When user clicks arrays in python link	PASSED	0.337 s
11	Then user should be redirected to arrays in python page	PASSED	0.001 s
12	When user clicks practice questions link	PASSED	0.287 s
13	Then user should be redirected to practice questions page	PASSED	0.014 s
14	When user clicks search the array link	PASSED	0.128 s
15	Then user should be redirected to question page	PASSED	0.001 s
16	When user clicks the run button	FAILED	0.044 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.150) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch:		

#	Step / Hook Details	Status	Duration

	'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [041c54053613737a739bcff73eb619ae, findElement {using=xpath, value=//button[@type='button']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\indu2\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59757}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59757/devtoo..., se:cdpVersion: 117.0.5938.150, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 041c54053613737a739bcff73eb619ae
	
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	   at pageObjects.ArrayPage.runBtn(ArrayPage.java:251)
	   at stepDefinitions.ArraySteps.user_clicks_the_run_button(ArraySteps.java:110)
	   at ?.user clicks the run button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:92)
	* Not displayable characters are replaced by '?'.		

17	Then the user gets an alert and accepts it	SKIPPED	0.004 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.023 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.150) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [041c54053613737a739bcff73eb619ae, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\indu2\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59757}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59757/devtoo..., se:cdpVersion: 117.0.5938.150, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 041c54053613737a739bcff73eb619ae		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at stepDefinitions.Hooks.tearDown(Hooks.java:23)		

user tries to practice max consecutive ones code

FAILED	DURATION - 0.076 s
/ 1:40:07.676 PM // 1:40:07.752 PM /	
array	
@array @TC_array_08	

Steps
Total - 17
Pass - 1
Fail - 1
Skip - 15

17

#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.003 s
2	When user open the Homepage of dsportal and click get started button	FAILED	0.017 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.150) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [041c54053613737a739bcff73eb619ae, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\indu2\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59757}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59757/devtoo..., se:cdpVersion: 117.0.5938.150, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

#	Step / Hook Details	Status	Duration

	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 041c54053613737a739bcff73eb619ae
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304)
	  at Utilities.Helper.openPage(Helper.java:23)
	  at stepDefinitions.HomepageSteps.the_open_the_dsportal_application(HomepageSteps.java:25)
	  at ?.user open the Homepage of dsportal and click get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:8)
	* Not displayable characters are replaced by '?'.		

3	When user Navigate to Sign in button	SKIPPED	0.001 s
4	When user enters the Valid Username	SKIPPED	0.001 s
5	And enter Valid Password	SKIPPED	0.002 s
6	And user click the login button	SKIPPED	0.001 s
7	Then user should successfully login into Homepage	SKIPPED	0.001 s
8	When user clicks array get started button	SKIPPED	0.001 s
9	And user navigates to array page	SKIPPED	0.001 s
10	When user clicks arrays in python link	SKIPPED	0.001 s
11	Then user should be redirected to arrays in python page	SKIPPED	0.001 s
12	When user clicks practice questions link	SKIPPED	0.001 s
13	Then user should be redirected to practice questions page	SKIPPED	0.001 s
14	When user clicks max executive ones link	SKIPPED	0.001 s
15	Then user should be redirected to question page	SKIPPED	0.002 s
16	When user enters code in the text editor and clicks the submit button	SKIPPED	0.001 s
17	Then user should see an error message	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.009 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.150) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [041c54053613737a739bcff73eb619ae, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\indu2\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59757}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59757/devtoo..., se:cdpVersion: 117.0.5938.150, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 041c54053613737a739bcff73eb619ae
	
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)
	   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325)
	   at stepDefinitions.Hooks.tearDown(Hooks.java:23)		

user tries to get to the graph page through practice questions page

FAILED	DURATION - 0.068 s
/ 1:40:07.790 PM // 1:40:07.858 PM /	
array	
@array @TC_array_09	

Steps
Total - 19
Pass - 1
Fail - 1
Skip - 17

19

#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	FAILED	0.013 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.150) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [041c54053613737a739bcff73eb619ae, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\indu2\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59757}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59757/devtoo..., se:cdpVersion: 117.0.5938.150, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 041c54053613737a739bcff73eb619ae
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304)
	    at Utilities.Helper.openPage(Helper.java:23)
	    at stepDefinitions.HomepageSteps.the_open_the_dsportal_application(HomepageSteps.java:25)
	    at ?.user open the Homepage of dsportal and click get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:8)
	* Not displayable characters are replaced by '?'.		

3	When user Navigate to Sign in button	SKIPPED	0.001 s
4	When user enters the Valid Username	SKIPPED	0.001 s
5	And enter Valid Password	SKIPPED	0.000 s
6	And user click the login button	SKIPPED	0.001 s
7	Then user should successfully login into Homepage	SKIPPED	0.001 s
8	When user clicks array get started button	SKIPPED	0.001 s
9	And user navigates to array page	SKIPPED	0.000 s
10	When user clicks arrays in python link	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
11	Then user should be redirected to arrays in python page	SKIPPED	0.001 s
12	When user clicks practice questions link	SKIPPED	0.001 s
13	Then user should be redirected to practice questions page	SKIPPED	0.001 s
14	When user clicks squares of a sorted array link	SKIPPED	0.001 s
15	Then user should be redirected to question page	SKIPPED	0.001 s
16	When the user clicks the back arrow button	SKIPPED	0.001 s
17	And user clicks data structures	SKIPPED	0.001 s
18	And user clicks graph	SKIPPED	0.001 s
19	Then user should be redirected to the graph page	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.012 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.150) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [041c54053613737a739bcff73eb619ae, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\indu2\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59757}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59757/devtoo..., se:cdpVersion: 117.0.5938.150, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 041c54053613737a739bcff73eb619ae
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325)
	  at stepDefinitions.Hooks.tearDown(Hooks.java:23)		

**user navigates back to get started page from the basic lists page**

FAILED	DURATION - 0.060 s
/ 1:40:07.899 PM // 1:40:07.959 PM /	
array	
@TC_array_10 @array	

Steps
Total - 15
Pass - 1
Fail - 1
Skip - 13

15

#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	FAILED	0.014 s

org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.150) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [041c54053613737a739bcff73eb619ae, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\indu2\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59757}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59757/devtoo..., se:cdpVersion: 117.0.5938.150, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 041c54053613737a739bcff73eb619ae
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304)
   at Utilities.Helper.openPage(Helper.java:23)
   at stepDefinitions.HomepageSteps.the_open_the_dsportal_application(HomepageSteps.java:25)
   at ?.user open the Homepage of dsportal and click get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:8)
* Not displayable characters are replaced by '?'.

#	Step / Hook Details	Status	Duration
3	When user Navigate to Sign in button	SKIPPED	0.001 s
4	When user enters the Valid Username	SKIPPED	0.002 s
5	And enter Valid Password	SKIPPED	0.001 s
6	And user click the login button	SKIPPED	0.001 s
7	Then user should successfully login into Homepage	SKIPPED	0.001 s
8	When user clicks array get started button	SKIPPED	0.001 s
9	And user navigates to array page	SKIPPED	0.000 s
10	When user clicks basic operations in lists link	SKIPPED	0.000 s
11	Then user should be redirected to basic operations in lists page	SKIPPED	0.000 s
12	When user clicks try here button	SKIPPED	0.001 s
13	Then user should be redirected to page with run button	SKIPPED	0.000 s
14	When user enters code in the text editor and clicks the run button	SKIPPED	0.001 s
15	Then the user gets an alert and accepts it	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.010 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.150) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [041c54053613737a739bcff73eb619ae, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\indu2\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59757}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59757/devtoo..., se:cdpVersion: 117.0.5938.150, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 041c54053613737a739bcff73eb619ae
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at stepDefinitions.Hooks.tearDown(Hooks.java:23)		

user navigates to practice questions and then to homepage and back to linked lists

FAILED	DURATION - 0.054 s
/ 1:40:07.996 PM // 1:40:08.050 PM /	
array	
@TC_array_11 @array	

Steps
Total - 19
Pass - 1
Fail - 1
Skip - 17

19

#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	FAILED	0.011 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.150) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [041c54053613737a739bcff73eb619ae, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\indu2\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59757}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59757/devtoo..., se:cdpVersion: 117.0.5938.150, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 041c54053613737a739bcff73eb619ae
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at Utilities.Helper.openPage(Helper.java:23) at stepDefinitions.HomepageSteps.the_open_the_dsportal_application(HomepageSteps.java:25) at ?.user open the Homepage of dsportal and click get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:8) * Not displayable characters are replaced by '?'.		
3	When user Navigate to Sign in button	SKIPPED	0.001 s
4	When user enters the Valid Username	SKIPPED	0.001 s
5	And enter Valid Password	SKIPPED	0.001 s
6	And user click the login button	SKIPPED	0.000 s
7	Then user should successfully login into Homepage	SKIPPED	0.001 s
8	When user clicks array get started button	SKIPPED	0.001 s
9	And user navigates to array page	SKIPPED	0.001 s
10	When user clicks arrays using list link	SKIPPED	0.001 s
11	Then user should be redirected to arrays using list page	SKIPPED	0.001 s
12	When user clicks practice questions link	SKIPPED	0.001 s
13	Then user should be redirected to practice questions page	SKIPPED	0.001 s
14	When user clicks numpyninja tab	SKIPPED	0.001 s
15	Then user gets redirected to the get started page	SKIPPED	0.000 s
16	When the user clicks get started button	SKIPPED	0.000 s
17	Then the user lands on the homepage	SKIPPED	0.001 s
18	When user clicks linked lists get started button	SKIPPED	0.001 s
19	Then user lands on the linked lists page	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.012 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.150) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [041c54053613737a739bcff73eb619ae, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\indu2\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59757}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59757/devtoo..., se:cdpVersion: 117.0.5938.150, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 041c54053613737a739bcff73eb619ae at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at stepDefinitions.Hooks.tearDown(Hooks.java:23)		

## user navigates to queue page through tree page from array page

FAILED	DURATION - 0.059 s
/ 1:40:08.086 PM // 1:40:08.145 PM /	
array	
@TC_array_12 @array	

Steps
Total - 17
Pass - 1
Fail - 1
Skip - 15

#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.002 s
2	When user open the Homepage of dsportal and click get started button	FAILED	0.013 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.150) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [041c54053613737a739bcff73eb619ae, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\indu2\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59757}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59757/devtoo..., se:cdpVersion: 117.0.5938.150, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	041c54053613737a739bcff73eb619ae at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at Utilities.Helper.openPage(Helper.java:23) at stepDefinitions.HomepageSteps.the_open_the_dsportal_application(HomepageSteps.java:25) at ?.user open the Homepage of dsportal and click get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:8) * Not displayable characters are replaced by '?'.		
3	When user Navigate to Sign in button	SKIPPED	0.001 s
4	When user enters the Valid Username	SKIPPED	0.001 s
5	And enter Valid Password	SKIPPED	0.001 s
6	And user click the login button	SKIPPED	0.001 s
7	Then user should successfully login into Homepage	SKIPPED	0.000 s
8	When user clicks array get started button	SKIPPED	0.001 s
9	And user navigates to array page	SKIPPED	0.001 s
10	When user clicks on applications of array link	SKIPPED	0.001 s
11	Then user lands on the applications of array page	SKIPPED	0.001 s
12	When user clicks data structures	SKIPPED	0.001 s
13	And user clicks queue	SKIPPED	0.002 s
14	Then user lands on queue page	SKIPPED	0.000 s
15	When user clicks data structures	SKIPPED	0.001 s
16	And user clicks on tree	SKIPPED	0.001 s
17	Then user lands on tree page	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.010 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.150) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch:		

#	Step / Hook Details	Status	Duration

	'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [041c54053613737a739bcff73eb619ae, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\indu2\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59757}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59757/devtoo..., se:cdpVersion: 117.0.5938.150, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 041c54053613737a739bcff73eb619ae
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325)
	  at stepDefinitions.Hooks.tearDown(Hooks.java:23)		

user navigates to applications of array page and then logs out

FAILED	DURATION - 0.044 s		Steps
/ 1:40:08.179 PM // 1:40:08.223 PM /			Total - 13
			Pass - 1
array			Fail - 1
@TC_array_13 @array			Skip - 11

#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.001 s
2	When user open the Homepage of dsportal and click get started button	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.150) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [041c54053613737a739bcff73eb619ae, get {url=https://dsportalapp.herokuapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\indu2\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59757}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59757/devtoo..., se:cdpVersion: 117.0.5938.150, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 041c54053613737a739bcff73eb619ae at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at Utilities.Helper.openPage(Helper.java:23) at stepDefinitions.HomepageSteps.the_open_the_dsportal_application(HomepageSteps.java:25) at ?.user open the Homepage of dsportal and click get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:8) * Not displayable characters are replaced by '?'.		
3	When user Navigate to Sign in button	SKIPPED	0.001 s
4	When user enters the Valid Username	SKIPPED	0.000 s
5	And enter Valid Password	SKIPPED	0.001 s
6	And user click the login button	SKIPPED	0.000 s
7	Then user should successfully login into Homepage	SKIPPED	0.001 s
8	When user clicks array get started button	SKIPPED	0.000 s
9	And user navigates to array page	SKIPPED	0.001 s
10	When user clicks on applications of array link	SKIPPED	0.001 s
11	Then user should be redirected to applications of array page	SKIPPED	0.001 s
12	When the user clicks the sign out link	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
13	Then user should be logged out and navigated to the homepage	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.010 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.150) Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [041c54053613737a739bcff73eb619ae, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\indu2\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59757}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59757/devtoo..., se:cdpVersion: 117.0.5938.150, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 041c54053613737a739bcff73eb619ae at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at stepDefinitions.Hooks.tearDown(Hooks.java:23)		