Cucumber Report

| Start : Oct 09, 5:07:42.745 PM	End : Oct 09, 5:07:49.792 PM	Duration : 7.047 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 7

Features: 1

Scenarios: 1

Steps: 17

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 52 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
array	7.047 s	1	0	1	0	17	9	1	7

#	Feature Name	Scenario Name
1	*array*	*user navigates to arrays in python page and tries to run without code*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TC_array_02	1	0	1	0	1	0	1	0
@array	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	array	1	0	1	0	7.047 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*array*	*user navigates to arrays in python page and tries to run without code*	*17*	*9*	*1*	*7*	*7.043 s*

array

FAILED	DURATION - 7.047 s	Scenarios		Steps	
/ 5:07:42.745 PM // 5:07:49.792 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 17 Pass - 9 Fail - 1 Skip - 7	17

user navigates to arrays in python page and tries to run without code

FAILED	DURATION - 7.043 s		Steps	
/ 5:07:42.749 PM // 5:07:49.792 PM /			Total - 17	
array			Pass - 9 Fail - 1	17
@TC_array_02 @array			Skip - 7	

#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.011 s
2	When user open the Homepage of dsportal and click get started button	PASSED	0.714 s
3	When user Navigate to Sign in button	PASSED	0.138 s
4	When user enters the Valid Username	PASSED	0.173 s
5	And enter Valid Password	PASSED	0.101 s
6	And user click the login button	PASSED	0.390 s
7	Then user should successfully login into Homepage	PASSED	0.006 s
8	When user clicks array get started button	PASSED	0.259 s
9	And user navigates to array page	PASSED	0.001 s
10	When user clicks array get started button	FAILED	2.042 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='array']"} (Session info: chrome=117.0.5938.150) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [62b89fa44f4735664d6ee4248eaac3f3, findElement {using=xpath, value=//a[@href='array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.150, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir:		

#	Step / Hook Details	Status	Duration
	C:\Users\indu2\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53673}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53673/devtoo..., se:cdpVersion: 117.0.5938.150, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 62b89fa44f4735664d6ee4248eaac3f3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at pageObjects.ArrayPage.arrayGetStartedBtn(ArrayPage.java:151) at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:33) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSAlgoProj/src/test/resource/features/Array.feature:30) * Not displayable characters are replaced by '?'.		
11	Then user navigates to array page	SKIPPED	0.004 s
12	When user clicks arrays in python link	SKIPPED	0.001 s
13	Then user should be redirected to arrays in python page	SKIPPED	0.001 s
14	When user clicks try here button	SKIPPED	0.000 s
15	And user should be redirected to page with run button	SKIPPED	0.003 s
16	When user clicks the run button	SKIPPED	0.001 s
17	Then user should check if there is an alert	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) user navigates to arrays in python page and tries to run without code	PASSED	0.605 s

#	Step / Hook Details	Status	Duration