

Cucumber Report

Oct 9, 2023, 4:44:51 PM

Start : Oct 09, 4:44:44.621 PM

End : Oct 09, 4:44:50.518 PM

Duration : 5.897 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 7




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>array</u>	5.897 s	1	0	1	0	15	7	1	7

#	Feature Name	Scenario Name
1	<u>array</u>	<u>user navigates to arrays in python page and tries to run code</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@TC_array_01	1	0	1	0	1	0	1	0
@array	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>array</u>	1	0	1	0	5.897 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>array</u>	<u>user navigates to arrays in python page and tries to run code</u>	15	7	1	7	5.893 s

array

FAILED	DURATION - 5.897 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 7 Fail - 1 Skip - 7	
/ 4:44:44.621 PM // 4:44:50.518 PM /					

user navigates to arrays in python page and tries to run code

<div>FAILED</div> <div>DURATION - 5.893 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
/ 4:44:44.625 PM // 4:44:50.518 PM /				
array				
@TC_array_01 @array				

#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.008 s
2	When user open the Homepage of dsportal and click get started button	PASSED	1.705 s
3	When user Navigate to Sign in button	PASSED	0.130 s
4	When user enters the Valid Username	PASSED	0.167 s
5	And enter Valid Password	PASSED	0.098 s
6	And user click the login button	PASSED	0.309 s
7	Then user should successfully login into Homepage	PASSED	0.001 s
8	When user clicks array get started button java.lang.NullPointerException: Cannot invoke "pageObjects.ArrayPage.arrayGetStartedBtn()" because "this.ArrayPage" is null at stepDefinitions.ArraySteps.user_clicks_array_get_started_button(ArraySteps.java:73) at ?.user clicks array get started button(file:///C:/Users/indu2/git/repository/DSEAlgoProj/src/test/resource/features/Array.feature:17) * Not displayable characters are replaced by '?'. 	FAILED	0.029 s
9	And user navigates to array page	SKIPPED	0.007 s
10	When user clicks arrays in python link	SKIPPED	0.003 s
11	Then user should be redirected to arrays in python page	SKIPPED	0.003 s

#	Step / Hook Details	Status	Duration
12	When user clicks try here button	SKIPPED	0.004 s
13	And user should be redirected to page with run button	SKIPPED	0.002 s
14	When user enters code in the text editor and clicks the run button	SKIPPED	0.002 s
15	Then the user gets an alert and accepts it	SKIPPED	0.004 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.648 s
	user navigates to arrays in python page and tries to run code		
	