

On Dealing with Uncertainties from Kriging
Models in Offline Data-driven Evolutionary
Multiobjective Optimization (Supplementary
Material)

Atanu Mazumdar, Tinkle Chugh, Kaisa Miettinen

Manuel López-Ibáñez

October 16, 2018

List of Figures

1	Box plot of IGD for 11 runs for two objective problems. "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively.(Opt.Rand is optimal-random sampling)	3
2	Box plot of IGD for 11 runs for three objective problems. "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively.(Opt.Rand is optimal-random sampling)	3
3	Box plot of IGD for 11 runs for five objective problems. "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively.(Opt.Rand is optimal-random sampling)	4
4	Final solutions obtained of the run with the median IGD value using different approaches for LHS sampling for DTLZ4 Problem.	4
5	Final solutions obtained of the run with the median IGD value using different approaches for optimal-random sampling for DTLZ4 Problem.	5
6	Final solutions obtained of the run with the median IGD value using different approaches for LHS sampling for DTLZ5 Problem.	5
7	Final solutions obtained of the run with the median IGD value using different approaches for optimal-random sampling for DTLZ5 Problem.	6
8	Final solutions obtained of the run with the median IGD value using different approaches for LHS sampling for DTLZ6 Problem.	6

9	Final solutions obtained of the run with the median IGD value using different approaches for optimal-random sampling for DTLZ6 Problem.	7
10	Final solutions obtained of the run with the median IGD value using different approaches for LHS sampling for DTLZ7 Problem.	7
11	Final solutions obtained of the run with the median IGD value using different approaches for optimal-random sampling for DTLZ7 Problem.	8
12	RMSE of the final solutions for three objective problems, LHS sampling. Here f1 and f2 are the objectives and "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively.	9
13	RMSE of the final solutions for three objective problems, Random sampling. Here f1 and f2 are the objectives and "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively.	10
14	RMSE of the final solutions for three objective problems, optimal-random sampling. Here f1 and f2 are the objectives and "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively.	11
15	IGD variation with function evaluations for two objective problems. Here "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively.	12
16	IGD variation with function evaluations for three objective problems. Here "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively.	12
17	IGD variation with function evaluations for five objective problems. Here "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively.	13




Figure 1: Box plot of IGD for 11 runs for two objective problems. "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively.(Opt.Rand is optimal-random sampling)




Figure 2: Box plot of IGD for 11 runs for three objective problems. "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively.(Opt.Rand is optimal-random sampling)




Figure 3: Box plot of IGD for 11 runs for five objective problems. "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively. (Opt.Rand is optimal-random sampling)




Figure 4: Final solutions obtained of the run with the median IGD value using different approaches for LHS sampling for DTLZ4 Problem.




Figure 5: Final solutions obtained of the run with the median IGD value using different approaches for optimal-random sampling for DTLZ4 Problem.




Figure 6: Final solutions obtained of the run with the median IGD value using different approaches for LHS sampling for DTLZ5 Problem.




Figure 7: Final solutions obtained of the run with the median IGD value using different approaches for optimal-random sampling for DTLZ5 Problem.




Figure 8: Final solutions obtained of the run with the median IGD value using different approaches for LHS sampling for DTLZ6 Problem.




Figure 9: Final solutions obtained of the run with the median IGD value using different approaches for optimal-random sampling for DTLZ6 Problem.




Figure 10: Final solutions obtained of the run with the median IGD value using different approaches for LHS sampling for DTLZ7 Problem.




Figure 11: Final solutions obtained of the run with the median IGD value using different approaches for optimal-random sampling for DTLZ7 Problem.




Figure 12: RMSE of the final solutions for three objective problems, LHS sampling. Here f1 and f2 are the objectives and "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively.




Figure 13: RMSE of the final solutions for three objective problems, Random sampling. Here f1 and f2 are the objectives and "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively.




Figure 14: RMSE of the final solutions for three objective problems, optimal-random sampling. Here f1 and f2 are the objectives and "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively.




Figure 15: IGD variation with function evaluations for two objective problems. Here "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively.




Figure 16: IGD variation with function evaluations for three objective problems. Here "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively.




Figure 17: IGD variation with function evaluations for five objective problems. Here "Gen", "Appr1", "Appr2" and "Appr3" are the Generic, Approach 1, Approach 2 and Approach 3 respectively.