



CERTIFICATE *of* COMPLIANCE



[Certificate Validation](#)

CERTIFICATE OF COMPLIANCE

R210-260324 / 22 Jan 2026 / Rev A

for Radio Equipment in JAPAN

MiCOM Labs Inc. declares, on the basis of the assessment of the tests and the technical documentation provided by the applicant that the following product complies with the requirements of the above noted regulator.

Product Name:

**IEEE 802.11 a/b/g/n/ac/ax 1T1R USB+SDIO Wi-Fi Integrated Bluetooth 2.1
+EDR/3.0/4.x/5.2/5.3**

Approval Holder Name:

Guangzhou Shikun Electronics Co., Ltd




Gordon Hurst, Product Certifier

This Certificate is Issued under the Authority of:

MiCOM Labs Inc., 575 Boulder Court, Pleasanton, California 94566, USA

Registered Certification Body ID Number: 210



CERTIFICATE OF

R210-260324 / 22 Jan 2026 / Rev A

for Radio Equipment in JAPAN

Product Name:

IEEE 802.11 a/b/g/n/ac/ax 1T1R USB+SDIO Wi-Fi Integrated Bluetooth 2.1+EDR/3.0/4.x/5.2/5.3

Product Model Numbers: **SKI.WB800D80S.1**

Approval Holder: Guangzhou Shikun Electronics Co., Ltd, No.6,Liankun Road,Huangpu District, Guangzhou, China

Test Lab: Guangzhou Jingce Testing Technology Co., Ltd., No.10, Hefeng No.1 street, Huangpu District, Guangzhou, Guangdong, People's Republic of China

Standards

Group

Article 2 paragraph 1 item (19)

Article 2 paragraph 1 item (19)-3

Description of Apparatus

Company Name

Guangzhou Shikun Electronics Co., Ltd

Certification No.

R210-260324

Issue Date / Rev

22 Jan 2026 / Rev A

Equipment Description

IEEE 802.11 a/b/g/n/ac/ax 1T1R USB+SDIO Wi-Fi Integrated Bluetooth 2.1+EDR/3.0/4.x/5.2/5.3

Emission Information

Technology	Frequency Range		Emission Designator	Channel Separation kHz (Number of Channels)	Antenna Power
	From	To			
Bluetooth BDR	2402MHz	2480MHz	78M2F1D	1000kHz (79)	0.0592mW/MHz
Bluetooth EDR	2402MHz	2480MHz	78M5G1D	1000kHz (79)	0.0281mW/MHz
Bluetooth 1M	2402MHz	2480MHz	1M23F1D	1000kHz (40)	2.8840mW/MHz
Bluetooth 2M	2402MHz	2480MHz	2M16F1D	2000kHz (40)	2.7925mW/MHz
802.11b	2412MHz	2472MHz	13M2G1D	5000kHz (13)	7.2778mW/MHz
802.11g	2412MHz	2472MHz	16M6D1D	5000kHz (13)	3.9902mW/MHz
802.11n20	2412MHz	2472MHz	17M7D1D	5000kHz (13)	3.6644mW/MHz
802.11ax20	2412MHz	2472MHz	18M9D1D	5000kHz (13)	3.7931mW/MHz
802.11n40	2422MHz	2462MHz	36M1D1D	5000kHz (9)	1.6749mW/MHz
802.11ax40	2422MHz	2462MHz	37M6D1D	5000kHz (9)	1.8793mW/MHz
802.11a	5180MHz	5240MHz	16M9D1D	20000kHz (4)	2.9174mW/MHz
802.11n20	5180MHz	5240MHz	18M1D1D	20000kHz (4)	1.9320mW/MHz
802.11ac20	5180MHz	5240MHz	18M0D1D	20000kHz (4)	1.9543mW/MHz
802.11ax20	5180MHz	5240MHz	19M0D1D	20000kHz (4)	1.2764mW/MHz



CERTIFICATE OF

R210-260324 / 22 Jan 2026 / Rev A

for Radio Equipment in JAPAN

Emission Information - Continued

Technology	Frequency Range		Emission Designator	Channel Separation kHz (Number of Channels)	Antenna Power
	From	To			
802.11n40	5190MHz	5230MHz	36M2D1D	40000kHz (2)	0.9057mW/MHz
802.11ac40	5190MHz	5230MHz	36M3D1D	40000kHz (2)	0.4227mW/MHz
802.11ax40	5190MHz	5230MHz	37M8D1D	40000kHz (2)	0.7112mW/MHz
802.11ac80	5210MHz	5210MHz	75M6D1D	80000kHz (1)	0.3357mW/MHz
802.11ax80	5210MHz	5210MHz	76M9D1D	80000kHz (1)	0.2904mW/MHz
802.11a	5260MHz	5320MHz	16M7D1D	20000kHz (4)	1.7458mW/MHz
802.11n20	5260MHz	5320MHz	18M0D1D	20000kHz (4)	1.2106mW/MHz
802.11ac20	5260MHz	5320MHz	18M1D1D	20000kHz (4)	0.7129mW/MHz
802.11ax20	5260MHz	5320MHz	19M0D1D	20000kHz (4)	1.1350mW/MHz
802.11n40	5270MHz	5310MHz	36M2D1D	40000kHz (2)	0.6653mW/MHz
802.11ac40	5270MHz	5310MHz	36M3D1D	40000kHz (2)	0.4571mW/MHz
802.11ax40	5270MHz	5310MHz	37M7D1D	40000kHz (2)	0.3192mW/MHz
802.11ac80	5290MHz	5290MHz	75M5D1D	80000kHz (1)	0.2415mW/MHz
802.11ax80	5290MHz	5290MHz	77M2D1D	80000kHz (1)	0.2570mW/MHz
802.11a	5500MHz	5700MHz	16M8D1D	20000kHz (11)	1.9634mW/MHz
802.11n20	5500MHz	5700MHz	18M0D1D	20000kHz (11)	1.4093mW/MHz
802.11ac20	5500MHz	5700MHz	18M0D1D	20000kHz (11)	0.8492mW/MHz
802.11ax20	5500MHz	5700MHz	19M1D1D	20000kHz (11)	1.5740mW/MHz
802.11n40	5510MHz	5670MHz	36M6D1D	40000kHz (5)	0.7691mW/MHz
802.11ac40	5510MHz	5670MHz	36M4D1D	40000kHz (5)	0.7798mW/MHz
802.11ax40	5510MHz	5670MHz	38M0D1D	40000kHz (5)	0.5284mW/MHz
802.11ac80	5530MHz	5610MHz	76M1D1D	80000kHz (2)	0.3436mW/MHz
802.11ax80	5530MHz	5610MHz	77M6D1D	80000kHz (2)	0.2559mW/MHz

Antennas

Antenna Type	Manufacturer	Model/Part No.	Gain (dBi)	Frequency Range (MHz)
FPC	N/A	N/A	2.9	2402-2480
FPC	N/A	N/A	1.4	2412-2472
FPC	N/A	N/A	4	5180-5700



CERTIFICATE OF

R210-260324 / 22 Jan 2026 / Rev A

for Radio Equipment in JAPAN

Technical Construction File Details: (Documents Reviewed)

Technical Report(s):

Article 2 paragraph 1 item (19):
JCF251201101-007
JCF251201101-008
JCF251201101-009
Article 2 paragraph 1 item (19)-3:
JCF251201101-010

Supporting Documentation:

Service Agreement
Letter of Authorization
ISO 9001 Cert and/or Japan Product Quality
Japan Application
Japan Radio Protection Declaration
Antenna Specifications
Block Diagram
BOM or Parts List
External Photographs (MIC Reported)
Internal Photographs (MIC Reported)
Label and its Location
Operational Description
PCB Layout
Schematics
Test Setup - Japan
User Manual

Type Marking

The validity of this Certificate is limited to products, which are equal to the one examined in the type - examination.

- When the manufacturer(or holder of this certificate) is placing the product on the Japanese market, the product must be affixed with the following Specified Radio Equipment marking:

