DIGITAL SIGNAGE | 数字标牌

QUICK REFERENCE GUIDE | 产品目录

INTERACTIVE DIGITAL SIGNAGE
智能交互型数字标牌

Room Interactive Digital Signage
会议室智能交互数字标牌



Bar-Type Screen Digital Signage
条型屏数字标牌

MEETING ROOM INTERACTIVE DIGITAL SIGNAGE | 会议室智能交互数字标牌

C-SERIES
C 系列



Model Number/ 型号	C1012C	C1332C	C1562C
Screen size/尺寸	10.1"	13.3"	15.6"
Panel Type/屏类型	IPS	IPS	IPS
Resolution/分辨率	800x1280	1920x1080	1920x1080
Interactive Touch Display/触控技术	10 point Capacitive	10 point Capacitive	10 point Capacitive
Brightness/亮度	300cd/m2	300 cd/m2	300 cd/m2
View Angle/可视角	85/85/85/85	80/80/80/80	85/85/85/85
OS Support/系统	Android 6.0	Android 6.0	Android 6.0
Speaker/喇叭	2x2 W	2x2 W	2x2W
Camera/摄像头	2M/P front Camera	2M/P front Camera	2M/P front Camera
Chipset/主芯片	Quad-core Cortex-A17 1.8GHz,RockChip RK3288	Quad-core Cortex-A17 1.8GHz,RockChip RK3288	Quad-core Cortex-A17 1.8GHz,RockChip RK3288
System Memory/内存	2GB	2GB	2GB
Flash Memory/存储	8GB	8GB	8GB
Communication/通信	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n.Bluetooth 4.0,NFC (Optional)	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n.Bluetooth 4.0,NFC (Optional)	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n.Bluetooth 4.0,NFC (Optional)
Input/Output/输入输出口	DC In,Micro USB OTG,RJ45(PoE optional),USB 2.0 host ,Serial port,3.5mm Audio Jack Output,SD Card Slot,Microphone	DC In,Micro USB OTG,RJ45(PoE optional),USB 2.0 host ,Serial port,3.5mm Audio Jack Output,SD Card Slot,Microphone	DC In,Micro USB OTG,RJ45(PoE optional),USB 2.0 host ,Serial port,3.5mm Audio Jack Output,SD Card Slot,Microphone
LED light Bar/灯带	Red/Blue/Green	Red/Blue/Green	Red/Blue/Green
VESA Mount/VESA孔	75x75mm	75x75mm	100x100mm
PoE (power over ethernet)	Support (Optional)	Support (Optional)	Support (Optional)
Power Input/电源输入	12V/1.5A	12V/1.5A	12V/2A
Contrast Ratio/对比度	800:1	700:1	700:1
Aspect Ratio/长宽比	16:10	16:9	16:9
Active Area Size(WxH)/可视区	216.96x135.6mm	293x165.24mm	344.16x193.59mm
Color/颜色	Black/White/Customized Color	Black/White/Customized Color	Black/White/Customized Color
Accessories/配件	Power Adapter,Bracket,User Manual	Power Adapter,Bracket,User Manual	Power Adapter,Stand,User Manual
Product Size (LxWxH)/产品尺寸	273.7x189.7x30.2mm	348.56x223.74x30.2mm	401.81x252.91x30.2mm
Product Weight/产品重量	0.7kg	0.72kg	0.75kg
Gift Box Size/白盒尺寸	320x228x50mm	440x275x70mm	493x303x79mm
Master Carton Size/外箱尺寸	530x243x320mm	455x372x297mm	508x372x323mm
Master Carton Weight/整箱重量	8.5kg	TBD	TBD
Units per Master Carton/装箱数量	10pcs	5 pcs	5pcs

L-TYPE SERIES INTERACTIVE DIGITAL SIGNAGE | L型智能交互数字标牌

L-SERIES
L 系列





Model Number/ 型号	L7008C	L1008C	L1303C
Screen size/尺寸	7"	10.1"	13.3"
Panel Type/屏类型	IPS	IPS	IPS
Resolution/分辨率	1024x600	800x1280	1920x1080
Interactive Touch Display/触控技术	5 point Capacitive touch	5 point Capacitive touch	10 point Capacitive touch
Brightness/亮度	300 cd/m2	300 cd/m2	300 cd/m2
OS Support/系统	Android 6.0	Android 6.0	Android 6.0
View Angle/可视角	85/85/85/85	85/85/85/85	85/85/85/85
Input/Output/输入输出口	DC In,HDMI output,Micro SD,Micro USB, USB 2.0 ,3.5mm Audio Jack,Extend Port 1 (Serial Port). Extend Port	DC In,HDMI output,Micro SD,Micro USB, USB 2.0 ,3.5mm Audio Jack,Extend Port 1 (Serial Port). Extend Port	DC In,HDMI output,Micro SD,Micro USB,USB 2.0 Host, 3.5mm Audio Jack,Serial port,RJ45,Microphone
Speaker/喇叭	2x1W	2x1W	2x1.5W
Chipset/主芯片	Quad-Core cortex-A7,1.2GHz,RockChip RK3128	Quad-core cortex-A7, 1.2GHz,RockChip RK3128	Octa-core cortex-A53,1.5GHz,RockChip RK3368
System Memory/内存	1GB	1GB	1GB
Flash Memory/存储	8GB	8GB	8GB
Camera/摄像头	2M/P front Camera	2M/P front Camera	2M/P front Camera
Communication/通信	Wi-Fi 802.11 b/g/n ,Bluetooth 4.0,RJ45(Via extend port)	Wi-Fi 802.11 b/g/n ,Bluetooth4.0,RJ45(Via extend port)	Ethernet RJ45,Wi-Fi 802.11 b/g/n ,Bluetooth 4.0,NFC (optional)
Battery/电池	2200mAh/3.7V	4500 mAh/3.7V	4500 mAh/7.4V
Power Input/电源输入	5V/2A	5V/2A	12V/1.5A
Contrast Ratio/对比度	500:1	700:1	800:1
Aspect Ratio/长宽比	16:9	16:10	16:9
Active Area Size(WxH)/可视区	153.6x90mm	216.57 x 135.36mm	293.76x165.24mm
Accessories/配件	Power Adapter,User Manual	Power Adapter,User Manual	Power Adapter,User Manual
Color/颜色	Black/White/Customized Color	Black/White/Customized Color	Black/White/Customized Color
Product Size (LxWxH)/产品尺寸	181x10.5x120.6mm	243x11.7x170mm	329.1x205.9x115.9mm
Product Weight/产品重量	0.38kg	0.66kg	0.97kg
Gift Box Size/白盒尺寸	225x157x119mm	288x206x119mm	393x270x138mm
Master Carton Size/外箱尺寸	615x330x470mm	615x303x437mm	570x408x290mm
Master Carton Weight/整箱重量	16.35kg	12.95kg	2.57kg
Units per Master Carton/装箱数量	20PCS	10PCS	2PCS

L-TYPE SERIES INTERACTIVE DIGITAL SIGNAGE | L型智能交互数字标牌

L-SERIES
L 系列



Model Number/ 型号	L1506C	L1703C
Screen size/尺寸	15.6"	17.3"
Panel Type/屏类型	IPS	IPS
Resolution/分辨率	1920x1080	1920x1080
Interactive Touch Display/触控技术	10 point Capacitive touch	10 point Capacitive touch
Brightness/亮度	300 cd/m2	300 cd/m2
OS/系统	Android 6.0	Android 6.0
View Angle/可视角	85/85/85/85	85/85/85/85
Input/Output/输入输出口	DC in,HDMI output,Micro SD,Micro USB,USB 2.0 Host, 3.5mm Audio Jack,Serial port,RJ45,Microphone.	DC in,HDMI output,Micro SD,Micro USB,USB 2.0 Host, 3.5mm Audio Jack,Serial port,RJ45,Microphone.
Speaker/喇叭	2x2W	2x2W
Chipset/主芯片	Octa-core cortex-A53,1.5GHz,RockChip RK3368	Octa-core cortex-A53,1.5GHz,RockChip RK3368
System Memory/内存	1GB	1GB
Flash Memory/存储	8GB	8GB
Camera/摄像头	2M/P front Camera	2M/P front Camera
Communication/通信	Ethernet RJ45,Wi-Fi 802.11 b/g/n ,Bluetooth 4.0,NFC (optional)	Ethernet RJ45,Wi-Fi 802.11 b/g/n ,Bluetooth 4.0,NFC (optional)
Battery/电池	4500 mAh/7.4V	4500 mAh/7.4V
Power Input/电源输入	12V/2A	12V/2A
Contrast Ratio/对比度	800:1	800:1
Aspect Ratio/长宽比	16:9	16:9
Active Area Size(WxH)/可视区	344.16x193.59mm	381.89x214.81mm
Accessories/配件	Black/White/Customized Color	Black/White/Customized Color
Color/颜色	Power Adapter,User Manual	Power Adapter,User Manual
Product Size (LxWxH)/产品尺寸	389.16x242.9x142.3mm	427.76x268.03x152.95mm
Product Weight/产品重量	1.56kg	2.14kg
Gift Box Size/白盒尺寸	452x305x158mm	492x330x170mm
Master Carton Size/外箱尺寸	467x332x325mm	507x358x350mm
Master Carton Weight/整箱重量	3.67kg	4.2kg
Units per Master Carton/装箱数量	2 PCS	2 PCS

TM-SERIES
TM 系列



Model Number/ 型号	TM1020C	TM1332C	TM1562C
Screen size/尺寸	10.1"	13.3"	15.6"
Panel Type/屏类型	IPS	IPS	IPS
Resolution/分辨率	800x1280	1920x1080	1920x1080
Interactive Touch Display/触控技术	10 point Capacitive	10 point Capacitive	10 point Capacitive
Brightness/亮度	300cd/m2	300 cd/m2	300 cd/m2
View Angle/可视角	85/85/85/85	80/80/80/80	85/85/85/85
OS Support/系统	Android 6.0	Android 6.0	Android 6.0
Speaker/喇叭	2x1.5W	2x2W	2x2W
Camera/摄像头	2M/P front Camera	No Camera	2M/P Front Camera
Chipset/主芯片	Octa-core cortex A53 1.5GHz,RockChip,RK3368	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional 2)	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional 2)
System Memory/内存	1GB	2GB	2GB
Flash Memory/存储	8GB	16GB	16GB
Communication/通信	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n.Bluetooth 4.0	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n.Bluetooth 4.0	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n.Bluetooth 4.0
Input/Output/输入输出口	DC In,HDMI output,3.5mm Audio Jack,Micro USB OTG,USB 2.0	DC In,HDMI output,3.5mm audio jack output,Mini USB OTG,USB 2.0 host	DC In,HDMI output,3.5mm Audio Jack,Mini USB OTG,USB 2.0
VESA Mount(mm)/VESA孔	75x75	100x100	100x100
Battery/电池	5000 mAh/3.7V	No Battery	No Battery
Power Input/电源输入	12V/2A	12V/3A	12V/3A
Contrast Ratio/对比度	800:1	700:1	700:1
Aspect Ratio/长宽比	16:10	16:9	16:9
Active Area mmSize(WxH)/可视区	216.96x135.6mm	293x165.24mm	344.16x193.59mm
Color/颜色	Black/White/Customized Color	Black/White/Customized Color	Black/White/Customized Color
Accessories/配件	Power Adapter,Stand,User Manual	Power Adapter,Stand,User Manual	Power Adapter,Stand,User Manual
Product Size (LxWxH)/产品尺寸	255x172x29mm	342.7x220x27.5mm	388x245x27mm
Product Weight/产品重量	0.89kg	0.96kg	1.3kg
Gift Box Size/白盒尺寸	398x68x223mm	372x80x330mm	475x295x85mm
Master Carton Size/外箱尺寸	416x358x243mm	422x387x350mm	490x360x313mm
Master Carton Weight/整箱重量	10.1kg	10.5kg	9.8kg
Units per Master Carton/装箱数量	5pcs	5pcs	4pcs

TM-SERIES
TM 系列





Model Number/ 型号	TC1564C	TM1732C	TM1852C
Screen size/尺寸	15.6"	17.3"	18.5"
Panel Type/屏类型	IPS	IPS	IPS
Resolution/分辨率	1920x1080	1920x1080	1366x768
Interactive Touch Display/触控技术	10 point Capacitive touch	10 point Capacitive touch	10 point Capacitive touch
Brightness/亮度	300cd/m2	300cd/m2	300cd/m2
View Angle/可视角	85/85/85/85	85/85/85/85	89/89/89/89
OS Support/系统	Android 4.4	Android 6.0	Android 6.0
Speaker/喇叭	2x2W	2x2W	2x3W
Camera/摄像头	2M/P front Camera	2M/P front Camera	2M/P front camera
Chipset/主芯片	Quad-core cortex-A9 1.6GHz,RockChip RK3188	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399
System Memory/内存	1GB	2GB	2GB
Flash Memory/存储	8GB	16GB	16GB
Communication/通信	Ethernet RJ45 with PoE,Wi-Fi 802.11 b/g/n,Bluetooth 4.0	Ethernet RJ45,Wi-Fi 802.11 b/g/n,Bluetooth 4.0	Ethernet RJ45,Wi-Fi 802.11 b/g/n,Bluetooth 4.0
Input/Output/输入输出口	DC In,Mini USB OTG,USB 2.0 Host,3.5mm Audio Jack,SD Card Slot,RJ45 with PoE,Microphone	DC In,Mini USB OTG,USB 2.0 Host,3.5mm Audio Jack,SD Card Slot,RJ45,Serial Port,Microphone	DC In, HDMI output,USB2.0 Host, Mini USB OTG, 3.5mm Audio Jack,RJ45,Microphone
VESA Mount/VESA孔	100x100mm	100x100mm	75x75mm
Battery/电池	No Battery	No Battery	No Battery
Power Input/电源输入	12V/3A	12V/3A	12V/3A
Contrast Ratio/对比度	700:1	800:1	1000:1
Aspect Ratio/长宽比	16:9	16:9	16:9
Active Area Size(WxH)/可视区	344.16x193.59mm	381.89x214.8mm	409.8x230.4mm
Color/颜色	Black/White/Customized Color	Black/White/Customized Color	Black/White/Customized Color
Accessories/配件	Power Adapter,Stand,User Manual	Power Adapter,Stand,User Manual	Power Adapter,Stand,User Manual
Product Size (LxWxH)/产品尺寸	386.9x243.8x29.1mm	417.9x262.8x26mm	468x288x38mm
Product Weight/产品重量	1.38kg	1.61kg	2.7kg
Gift Box Size/白盒尺寸	475x85X295mm	453x87x360mm	528x110x395mm
Master Carton Size/外箱尺寸	500x455x315mm	468x455x380mm	545x350x415mm
Master Carton Weight/整箱重量	10.4kg	12.55kg	13kg
Units per Master Carton/装箱数量	5 pcs	5 pcs	3pcs

TM-SERIES
TM 系列



Model Number/ 型号	TM2152C	TM2402C	TM2702C
Screen size/尺寸	21.5"	24"	27"
Panel Type/屏类型	IPS	IPS	IPS
Resolution/分辨率	1920x1080	1920x1080	1920x1080
Interactive Touch Display/触控技术	10 point Capacitive touch	10 point Capacitive touch	10 point Capacitive touch
Brightness/亮度	300 cd/m2	300 cd/m2	300 cd/m2
View Angle/可视角	89/89/89/89	89/89/89/89	89/89/89/89
OS Support/系统	Android 6.0	Android 6.0	Android 6.0
Speaker/喇叭	2x3W	2x3W	2x3W
Camera/摄像头	2M/P front camera	No Camera	No Camera
Chipset/主芯片	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399
System Memory/内存	2GB	2GB	2GB
Flash Memory/存储	16GB	16GB	16GB
Communication/通信	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0
Input/Output/输入输出口	DC In, HDMI output,Mini USB OTG, USB 2.0 Host, 3.5mm Audio Jack,SD Card slot,RJ45, Microphone	DC In, HDMI output,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot,RJ45,	DC In, HDMI output,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot,RJ45,
VESA Mount(mm)/VESA孔	100x100mm	100x100mm	100x100mm
Battery/电池	No Battery	No Battery	No Battery
Power Input/电源输入	12V/3A	12V/4A	12V/4A
Contrast Ratio/对比度	1000:1	1000:1	1000:1
Aspect Ratio/长宽比	16:9	16:9	16:9
Active Area Size(WxH)/可视区	474.64x268.11mm	527.04x296.46mm	597.6x336.15mm
Color/颜色	Black/White/Customized Color	Black/White/Customized Color	Black/White/Customized Color
Accessories/配件	Power Adapter,Stand,Screws,User Manual	Power Adapter,Stand,Screws,User Manual	Power Adapter,Stand,Screws,User Manual
Product Size (LxWxH)/产品尺寸	538x331x37mm	580x349.2x32.5mm	654x394.2x32.5mm
Product Weight/产品重量	3.6kg	4.8kg	6.5kg
Gift Box Size/白盒尺寸	600x120x425mm	655x115x455mm	725x115x490mm
Master Carton Size/外箱尺寸	617x2600x445mm	670x250x480mm	740x250x515mm
Master Carton Weight/整箱重量	11.6kg	14.2kg	18.5kg
Units per Master Carton/装箱数量	2 pcs	2pcs	2pcs

TM-SERIES
TM 系列





Model Number/ 型号	TM3202C	TM4302C	TM5502C
Screen size/尺寸	32"	43"	55"
Panel Type/屏类型	IPS	IPS	IPS
Resolution/分辨率	1920x1080	1920x1080	1920x1080/3840x2160(optional)
Interactive Touch Display/触控技术	10 point Capacitive touch	10 point Capacitive touch	10 point Capacitive touch
Brightness/亮度	300 cd/m2	300 cd/m2	300 cd/m2
View Angle/可视角	89/89/89/89	89/89/89/89	89/89/89/89
OS Support/系统	Android 6.0	Android 6.0	Android 6.0
Speaker/喇叭	2x3W	2x5W	2x5W
Camera/摄像头	No Camera	No Camera	No Camera
Chipset/主芯片	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399
System Memory/内存	2GB	2GB	2GB
Flash Memory/存储	16GB	16GB	16GB
Communication/通信	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0
Input/Output/输入输出口	DC In, HDMI output,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot,RJ45,	AC In, HDMI output,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot,RJ45,	AC In, HDMI output,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot,RJ45
VESA Mount/VESA孔	100x100mm	400x400mm	400x400mm
Battery/电池	No Battery	No Battery	No Battery
Power Input/电源输入	12V/5A	AC 100~240V Input	AC 100~240V Input
Contrast Ratio/对比度	3000:1	1200:1	1200:1
Aspect Ratio/长宽比	16:9	16:9	16:9
Active Area mmSize(WxH)/可视区	698.4x392.85mm	1209.6x680.4mm	1428.48x803.52mm
Color/颜色	Black/White/Customized Color	Black/White/Customized Color	Black/White/Customized Color
Accessories/配件	Power Adapter,Stand,Screws,User Manual	AC Cable,User Manual	AC Cable,User Manual
Product Size (LxWxH)/产品尺寸	750.4x449.7x42mm	995.28x592.14x55.6mm	1263.18x747.28x56.5mm
Product Weight/产品重量	8.5kg	17.85kg	31.45kg
Gift Box Size/白盒尺寸	862x135x555mm	1156x169x792mm	No Gift Box
Master Carton Size/外箱尺寸	880x150x575mm	1180x178x817mm	1435x175x1020mm
Master Carton Weight/整箱重量	12.85kg	23.8	39.75kg
Units per Master Carton/装箱数量	1pcs	1pcs	1pcs

M-SERIES
M 系列





Model Number/ 型号	M4302I	M4902I
Screen size/尺寸	43"	49"
Panel Type/屏类型	IPS	IPS
Resolution/分辨率	1920x1080	1920x1080
Interactive Touch Display/触控技术	10 point Infrared Touch	10 point Infrared Touch
Brightness/亮度	400cd/m2	400cd/m2
View Angle/可视角	89/89/89/89	89/89/89/89
OS Support/系统	Android 4.4+	Android 4.4+
Speaker/喇叭	2x5W	2x5W
Chipset/主芯片	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional 2)	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional 2)
System Memory/内存	1GB	1GB
Flash Memory/存储	8GB	8GB
Communication/通信	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0,IR Receiver	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0,IR Receiver
Input/Output/输入输出口	AC In,RJ45, HDMI output,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot	AC In,RJ45, HDMI output,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot
VESA Mount(mm)/VESA孔	400x400	400x400
Power Input/电源输入	AC90V~AC264V,50/60Hz	AC90V~AC264V,50/60Hz
Contrast Ratio/对比度	1200:1	1200:1
Aspect Ratio/长宽比	16:9	16:9
Active Area Size(WxH)/可视区	940.89x529.25mm	1073.8x604mm
Accessories/配件	AC Cable,User manual	AC Cable,User manual
Color/颜色	Black/Silver/Customized Color	Black/Silver/Customized Color
Product Size (LxWxH)/产品尺寸	599.44x941.2x73mm	692.94x1173.45x74.1mm

M-SERIES
M 系列





Model Number/ 型号	M5502I	M6502I
Screen size/尺寸	55"	65"
Panel Type/屏类型	IPS	IPS
Resolution/分辨率	1920x1080	1920x1080
Interactive Touch Display/触控技术	10 point Infrared Touch	10 point Infrared Touch
Brightness/亮度	400cd/m2	350cd/m2
View Angle/可视角	89/89/89/89	89/89/89/89
OS Support/系统	Android 4.4+	Android 4.4+
Speaker/喇叭	2x5W	2x5W
Chipset/主芯片	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional 2)	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional 2)
System Memory/内存	1GB	1GB
Flash Memory/存储	8GB	8GB
Communication/通信	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0,IR Receiver	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0,IR Receiver
Input/Output/输入输出口	AC In,RJ45, HDMI output,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot	AC In,RJ45, HDMI output,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot
VESA Mount(mm)/VESA孔	400x400	400x400
Power Input/电源输入	AC90V~AC264V,50/60Hz	AC90V~AC264V,50/60Hz
Contrast Ratio/对比度	1200:1	1200:1
Aspect Ratio/长宽比	16:9	16:9
Active Area Size(WxH)/可视区	1209.6x680.4mm	1428.48x803.52mmmm
Accessories/配件	AC Cable,User manual	AC Cable,User manual
Color/颜色	Black/Silver/Customized Color	Black/Silver/Customized Color
Product Size (LxWxH)/产品尺寸	757.44x1210x72mm	875.94x1430.5x74.1mm

S-SERIES
S 系列





	S4342I	S4942I
Model Number/ 型号	S4342I	S4942I
Screen size/尺寸	43"	49"
Panel Type/屏类型	IPS	IPS
Resolution/分辨率	1920x1080	1920x1080
Interactive Touch Display/触控技术	10 point Infrared Touch	10 point Infrared Touch
Brightness/亮度	400cd/m2	400cd/m2
View Angle/可视角	89/89/89/89	89/89/89/89
OS Support/系统	Android 4.4+	Android 4.4+
Speaker/喇叭	2x5W	2x5W
Chipset/主芯片	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional 2)	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional 2)
System Memory/内存	1GB	1GB
Flash Memory/存储	8GB	8GB
Communication/通信	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0,IR Receiver	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0,IR Receiver
Input/Output/输入输出口	AC In,RJ45,USB	AC In,RJ45,USB
Power Input/电源输入	AC90V~AC264V,50/60Hz	AC90V~AC264V,50/60Hz
Contrast Ratio/对比度	1200:1	1200:1
Aspect Ratio/长宽比	16:9	16:9
Active Area Size(WxH)/可视区	940.89x529.25mm	1073.8x604mm
Accessories/配件	AC Cable,User manual	AC Cable,User manual
Color/颜色	Black/Silver/Customized Color	Black/Silver/Customized Color
Product Size (LxWxH)/产品尺寸	1842x609.6x55mm	1842x701.5x55mm
Product Weight/产品重量	46kg	53kg
Master Carton Size/外箱尺寸	1962x224x750mm	1962x224x842mm
Master Carton Weight/整箱重量	57.25kg	65.45 kg
Units per Master Carton/装箱数量	1 PCS	1 PCS

S-SERIES
S 系列





Model Number/ 型号	S5542I	S6542I
Screen size/尺寸	55"	65"
Panel Type/屏类型	IPS	IPS
Resolution/分辨率	1920x1080	1920x1080
Interactive Touch Display/触控技术	10 point Infrared Touch	10 point Infrared Touch
Brightness/亮度	400cd/m2	350cd/m2
View Angle/可视角	89/89/89/89	89/89/89/89
OS Support/系统	Android 4.4+	Android 4.4+
Speaker/喇叭	2x5W	2x5W
Chipset/主芯片	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional 2)	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional 2)
System Memory/内存	1GB	1GB
Flash Memory/存储	8GB	8GB
Communication/通信	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0,IR Receiver	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0,IR Receiver
Input/Output/输入输出口	AC In,RJ45,USB	AC In,RJ45,USB
Power Input/电源输入	AC90V~AC264V,50/60Hz	AC90V~AC264V,50/60Hz
Contrast Ratio/对比度	1200:1	1200:1
Aspect Ratio/长宽比	16:9	16:9
Active Area Size(WxH)/可视区	1209.6x680.4mm	1428.48x803.52mm
Accessories/配件	AC Cable,User manual	AC Cable,User manual
Color/颜色	Black/Silver/Customized Color	Black/Silver/Customized Color
Product Size (LxWxH)/产品尺寸	1930x766.4x55mm	2022x.885.5x55mm
Product Weight/产品重量	60kg	79kg
Master Carton Size/外箱尺寸	2050x224x906mm	2170x224x1026mm
Master Carton Weight/整箱重量	73.9kg	94.25kg
Units per Master Carton/装箱数量	1 PCS	1 PCS

BM-SERIES
BM 系列

Model Number/ 型号	BM1901A	BM2101A	BM2401A
Screen size/尺寸	19"	21"	24"
Panel Type/屏类型	IPS	IPS	IPS
Resolution/分辨率	1920x360	1920x132	1920x360
Brightness/亮度	300 cd/m2	300cd/m2	300cd/m2
View Angle/可视角	89/89/89/89	89/89/89/89	89/89/89/89
OS Support/系统	Android 4.4+	Android 4.4+	Android 4.4+
Input/Output/输入输出口	DC In,Mini USB OTG ,USB 2.0 Host ,SD Card Slot,RJ45	DC In,Mini USB OTG,USB2.0 Host,SD Card Slot,RJ45	DC In,Mini USB OTG,USB2.0 Host,SD Card Slot,RJ45
Chipset/主芯片	Quad-core cortex-A9,1.6G,RockChip RK3188	Quad-core cortex-A9,1.6G,RockChip RK3188	Quad-core cortex-A9,1.6G,RockChip RK3188
System Memory/内存	1GB	1GB	1GB
Flash Memory/存储	8GB	8GB	8GB
Communication/通信	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n,Bluetooth 4.0	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n,Bluetooth 4.0	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n,Bluetooth 4.0
Power Input/电源输入	12V/3A	12V/3A	12V/3A
Contrast Ratio/对比度	1200:1	1200:1	1200:1
Aspect Ratio/长宽比	16:3	160:11	16:3
Active Area mmSize(WxH)/可视区	476.64(H)× 89.37(V)	529.41(H) x36.39(V)	597.888(H)× 112.104(V)
Accessories/配件	Power Adapter,Wallboard Bracket,Screws,User Manual	Power Adapter,Wallboard Bracket,Screws,User Manual	Power Adapter,Wallboard Bracket,Screws,User Manual
VESA Mount(mm)/VESA孔	Yes	Yes	Yes
Product Size (LxWxH)/产品尺寸	494.5x117.4x30mm	545.5x63x28mm	615.7x140x29mm
Product Weight/产品重量	1.92kg	1.49kg	2.7kg
Master Carton Size/外箱尺寸	640x95x185mm	600x120x180mm（TBD）	755x95x210mm
Master Carton Weight/整箱重量	3kg	4kg(TBD)	3.87kg
Units per Master Carton/装箱数量	1 PCS	1 PCS	1 PCS

BM-SERIES
BM 系列

Model Number/ 型号	BM2801A	BM3701A
Screen size/尺寸	28"	37"
Panel Type/屏类型	IPS	IPS
Resolution/分辨率	1920x360	1920x540
Brightness/亮度	700cd/m2	700 cd/m2
View Angle/可视角	89/89/89/89	89/89/89/89
OS Support/系统	Android 4.4+	Android 4.4+
Input/Output/输入输出口	DC IN,Mini USB OTG,USB 2.0 Host,SD Card Slot,RJ45	DC IN,Mini USB OTG,USB Host,SD Card,RJ45
Chipset/主芯片	Quad-Core,Cortex-A9,1.6GHz,RockChip RK3188	Quad-Core,Cortex-A9,1.6GHz,RockChip RK3188
System Memory/内存	1GB	1GB
Flash Memory/存储	8GB	8GB
Communication/通信	Ethernet RJ45 ,Wi-Fi 802.11 b/g/n ,Bluetooth 4.0	Ethernet RJ45,Wi-Fi 802.11 b/g/n 2.4GHz ,Bluetooth 4.0
Power Input/电源输入	12V/4A	AC 100V~240V
Contrast Ratio/对比度	1200:1	4000:1
Aspect Ratio/长宽比	16:3	32:9
Active Area mmSize(WxH)/可视区	699.84x131.22	899.712 x 253.044
VESA Mount(mm)/VESA孔	Yes	Yes
Accessories/配件	Power Adapter,Wallboard Bracket,Screws,User Manual	Wallboard Bracket,Screws,User Manual
Product Size (LxWxH)/产品尺寸	735.1x168x29.5mm	902.11x284.4x39mm
Product Weight/产品重量	4.21kg	9.8kg
Master Carton Size/外箱尺寸	875x95x240mm	11.05 kg
Master Carton Weight/整箱重量	5.54 kg	1035x105x360mm
Units per Master Carton/装箱数量	1 pcs	1pcs

OM-SERIES
OM 系列







Model Number/ 型号	OM1001A	OM1301A	OM1501A
Screen size/尺寸	10.1	13.3	15.6
Panel Type/屏类型	IPS	IPS	IPS
Resolution/分辨率	800x1280	1920x1080	1920x1080
Brightness/亮度	300cd/m2	300 cd/m2	300 cd/m2
View Angle/可视角	85/85/85/85	80/80/80/80	85/85/85/85
Speaker/喇叭	2x3W	2x3W	2x3W
Chipset/主芯片	Quad-core cortex-A9 1.6GHz,RockChip RK3188 Quad-core Cortex-A17 1.8GHz,RockChip RK3288 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399	Quad-core cortex-A9 1.6GHz,RockChip RK3188 Quad-core Cortex-A17 1.8GHz,RockChip RK3288 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399	Quad-core cortex-A9 1.6GHz,RockChip RK3188 Quad-core Cortex-A17 1.8GHz,RockChip RK3288 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399
System Memory/内存	1GB	1GB	1GB
Flash Memory/存储	8GB	8GB	8GB
Communication/通信	IR Receiver	IR Receiver	IR Receiver
Input/Output/输入输出口	DC In,HDMI Output, 3.5mm Audio Jack,Mini USB,SD Card Slot.	DC In,HDMI Output, 3.5mm Audio Jack,Mini USB,SD Card Slot.	DC In,HDMI Output, 3.5mm Audio Jack,Mini USB,SD Card Slot.
VESA Mount(mm)/VESA孔	75x75	75x75	75x75
Power Input/电源输入	12V/2A	12V/2A	12V/3A
Contrast Ratio/对比度	800:1	700:1	700:1
Aspect Ratio/长宽比	16:10	16:9	16:9
Active AreaSize(WxH)/可视区	216.96x135.6mm	293x165.24mm	344.16x193.59mm
Color/颜色	Black/Customized Color	Black/Customized Color	Black/Customized Color
Accessories/配件	Power Adapter,User Manual	Power Adapter,User Manual	Power Adapter,User Manual
Product Size (LxWxH)/产品尺寸	232.4x145.8x27.8mm	303.26x191.1x27.5mm	353.66x219.24x27.5mm
Product Weight/产品重量	0.9kg	1.58kg	1.83kg

OM-SERIES
OM 系列





Model Number/ 型号	OM1801A	OM2101A
Screen size/尺寸	18.5	21.5
Panel Type/屏类型	IPS	IPS
Resolution/分辨率	1366x768	1920x1080
Brightness/亮度	300cd/m2	300 cd/m2
View Angle/可视角	89/89/89/89	89/89/89/89
Speaker/喇叭	2x3W	2x3W
Chipset/主芯片	Quad-core cortex-A9 1.6GHz,RockChip RK3188 Quad-core Cortex-A17 1.8GHz,RockChip RK3288 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional 2)	Quad-core cortex-A9 1.6GHz,RockChip RK3188 Quad-core Cortex-A17 1.8GHz,RockChip RK3288 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional 2)
System Memory/内存	1GB	1GB
Flash Memory/存储	8GB	8GB
Communication/通信	IR Receiver	IR Receiver
Input/Output/输入输出口	DC In,HDMI Output, 3.5mm Audio Jack,Mini USB,SD Card Slot	DC In,HDMI Output, 3.5mm Audio Jack,Mini USB,SD Card Slot.
VESA Mount(mm)/VESA孔	100x100/75x75	100x100/75x75
Power Input/电源输入	12V/3A	12V/3A
Contrast Ratio/对比度	1000:1	1000:1
Aspect Ratio/长宽比	16:9	16:9
Active AreaSize(WxH)/可视区	409.8x230.4mm	474.64x268.11mm
Color/颜色	Black/Customized Color	Black/Customized Color
Accessories/配件	Power Adapter,User Manual	Power Adapter,User Manual
Product Size (LxWxH)/产品尺寸	413.4x257.4x32.5mm	498.6x295.2x33.3mm
Product Weight/产品重量	2.65kg	3.49kg

OPEN FRAME DIGITAL SIGNAGE | 开放式数字标牌

OM-SERIES
OM 系列



Model Number/ 型号	WO1000A	WO1305A	WO1505A
Screen size/尺寸	10.1	13.3	15.6
Panel Type/屏类型	IPS	IPS	IPS
Resolution/分辨率	800x1280	1920x1080	1920x1080
Brightness/亮度	300cd/m2	300 cd/m2	300 cd/m2
View Angle/可视角	85/85/85/85	80/80/80/80	85/85/85/85
Speaker/喇叭	2x3W	2x3W	2x3W
Chipset/主芯片	F1C100A	MSTV59 TV Controller	MSTV59 TV Controller
Communication/通信	IR Receiver	IR Receiver	IR Receiver
Input/Output/输入输出口	DC In,HDMI Input, 3.5mm Audio Jack,Mini USB,SD Card Slot.	DC In,HDMI Input, 3.5mm Audio Jack,Mini USB,SD Card Slot.	DC In,HDMI Input, 3.5mm Audio Jack,Mini USB,SD Card Slot.
VESA Mount(mm)/VESA孔	75x75	75x75	75x75
Power Input/电源输入	12V/2A	12V/2A	12V/3A
Contrast Ratio/对比度	800:1	700:1	700:1
Aspect Ratio/长宽比	16:10	16:9	16:9
Active Area Size(WxH)/可视区	216.96x135.6mm	293x16524V)	344.16x193.59
Color/颜色	Black/Customized Color	Black/Customized Color	Black/Customized Color
Accessories/配件	Power Adapter,User Manual	Power Adapter,User Manual	Power Adapter,User Manual
Product Size (LxWxH)/产品尺寸	232.4x145.8x27.8mm	303.26x191.1x27.5mm	353.66x219.24x27.5mm
Product Weight/产品重量	0.9kg	1.58kg	1.83kg

OM-SERIES
OM 系列





Model Number/ 型号	OM1805A	OM2105A
Screen size/尺寸	18.5	21.5
Panel Type/屏类型	IPS	IPS
Resolution/分辨率	1366x768	1920x1080
Brightness/亮度	300cd/m2	300 cd/m2
View Angle/可视角	89/89/89/89	89/89/89/89
Speaker/喇叭	2x3W	2x3W
Chipset/主芯片	MSTV59 TV Controller	MSTV59 TV Controller
Communication/通信	IR Receiver	IR Receiver
Input/Output/输入输出口	DC In,HDMI Input, 3.5mm Audio Jack,Mini USB,SD Card Slot	DC In,HDMI Input, 3.5mm Audio Jack,Mini USB,SD Card Slot.
VESA Mount(mm)/VESA孔	100x100/75x75	100x100/75x75
Power Input/电源输入	12V/3A	12V/3A
Contrast Ratio/对比度	1000:1	1000:1
Aspect Ratio/长宽比	16:9	16:9
Active Area Size(WxH)/可视区	409.8x230.4mm	474.64x268.11mm
Color/颜色	Black/Customized Color	Black/Customized Color
Accessories/配件	Power Adapter,User Manual	Power Adapter,User Manual
Product Size (LxWxH)/产品尺寸	413.4x257.4x32.5mm	498.6x295.2x33.3mm
Product Weight/产品重量	2.65kg	3.49kg

HM-SERIES
HM 系列









Model Number/ 型号	HM4312A	HM4912A
Screen size/尺寸	43"	49"
Panel Type/屏类型	IPS	IPS
Resolution/分辨率	1920x1080	1920x1080
Interactive Touch Display/触控技术	No Touch	No Touch
Brightness/亮度	400cd/m2	400cd/m2
View Angle/可视角	89/89/89/89	89/89/89/89
Speaker/喇叭	2x5W	2x5W
Chipset/主芯片	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional 2)	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional 2)
System Memory/内存	2GB	2GB
Flash Memory/存储	16GB	16GB
Communication/通信	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0,IR Receiver	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0,IR Receiver
Input/Output/输入输出口	AC In,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot,RJ45,	AC In,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot,RJ45,
VESA Mount(mm)/VESA孔	400x400	400x400
Power Input/电源输入	AC90V~AC264V,50/60Hz	AC90V~AC264V,50/60Hz
Contrast Ratio/对比度	1200:1	1200:1
Aspect Ratio/长宽比	16:9	16:9
Active Area mmSize(WxH)/可视区	940.89x529.25mm	1073.8x604mm
Accessories/配件	AC Cable,User manual	AC Cable,User manual
Color/颜色	Black/Customized Color	Black/Customized Color
Product Size (LxWxH)/产品尺寸	943.9x550.65x37mm	1078.6x609.5x38.4mm

OM-SERIES
OM 系列





Model Number/ 型号	HM5512A	HM6512A
Screen size/尺寸	55"	65"
Panel Type/屏类型	IPS	IPS
Resolution/分辨率	1920x1080	1920x1080
Interactive Touch Display/触控技术	No Touch	No Touch
Brightness/亮度	400cd/m2	350cd/m2
View Angle/可视角	89/89/89/89	89/89/89/89
Speaker/喇叭	No Speaker	No Speaker
Chipset/主芯片	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional 2)	Quad-core Cortex-A17 1.8GHz,RockChip RK3288 Quad-core cortex-A9 1.6GHz,RockChip RK3188 (Optional 1) Dual-core Cortex-A72 &Quad-core Cortex-A53 RK3399 (Optional 2)
System Memory/内存	2GB	2GB
Flash Memory/存储	16GB	16GB
Communication/通信	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0,IR Receiver	Ethernet RJ45,Wi-Fi 802.11 b/g/n, Bluetooth 4.0,IR Receiver
Input/Output/输入输出口	AC In,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot,RJ45,	AC In,Mini USB OTG, USB 2.0 Host,3.5mm Audio Jack, SD Card slot,RJ45,
VESA Mount(mm)/VESA孔	400x400	400x400
Power Input/电源输入	AC90V~AC264V,50/60Hz	AC90V~AC264V,50/60Hz
Contrast Ratio/对比度	1200:1	1200:1
Aspect Ratio/长宽比	16:9	16:9
Active Area mmSize(WxH)/可视区	1209.6x680.4mm	1428.48x803.52mm
Accessories/配件	AC Cable,User manual	AC Cable,User manual
Color/颜色	Black/Customized Color	Black/Customized Color
Product Size (LxWxH)/产品尺寸	1214.6x685.9x41.3mm	TBD

HM-SERIES
HM 系列









Model Number/ 型号	HM4315A	HM4915A
Screen size/尺寸	43"	49"
Panel Type/屏类型	IPS	IPS
Resolution/分辨率	1920x1080	1920x1080
Interactive Touch Display/触控技术	No Touch	No Touch
Brightness/亮度	400cd/m2	400cd/m2
View Angle/可视角	89/89/89/89	89/89/89/89
Speaker/喇叭	No Speaker	No Speaker
Chipset/主芯片	MSTV59 TV Controller	MSTV59 TV Controller
Communication/通信	IR Receiver	IR Receiver
Input/Output/输入输出口	AC In,HDMI Input, 3.5mm Audio Jack,Mini USB,SD Card Slot.	AC In,HDMI Input, 3.5mm Audio Jack,Mini USB,SD Card Slot.
VESA Mount(mm)/VESA孔	400x400	400x400
Power Input/电源输入	AC90V~AC264V,50/60Hz	AC90V~AC264V,50/60Hz
Contrast Ratio/对比度	1200:1	1200:1
Aspect Ratio/长宽比	16:9	16:9
Active Area Size(WxH)/可视区	940.89x529.25mm	1073.8x604mm
Accessories/配件	AC Cable,User manual	AC Cable,User manual
Color/颜色	Black/Customized Color	Black/Customized Color
Product Size (LxWxH)/产品尺寸	943.9x550.65x37mm	1078.6x609.5x38.4mm

WALL MOUNT DIGITAL SIGNAGE | 壁挂式/吊式数字标牌

HM-SERIES
HM 系列





Model Number/ 型号	HM5515A	HM6515A
Screen size/尺寸	55"	65"
Panel Type/屏类型	IPS	IPS
Resolution/分辨率	1920x1080	1920x1080
Interactive Touch Display/触控技术	No Touch	No Touch
Brightness/亮度	400cd/m2	350cd/m2
View Angle/可视角	89/89/89/89	89/89/89/89
Speaker/喇叭	2x5W	2x5W
Chipset/主芯片	MSTV59 TV Controller	MSTV59 TV Controller
Communication/通信	IR Receiver	IR Receiver
Input/Output/输入输出口	AC In,HDMI Input, 3.5mm Audio Jack,Mini USB,SD Card Slot.	AC In,HDMI Input, 3.5mm Audio Jack,Mini USB,SD Card Slot.
VESA Mount(mm)/VESA孔	400x400	400x400
Power Input/电源输入	AC90V~AC264V,50/60Hz	AC90V~AC264V,50/60Hz
Contrast Ratio/对比度	1200:1	1200:1
Aspect Ratio/长宽比	16:9	16:9
Active Area Size(WxH)/可视区	1209.6x680.4mm	1428.48x803.52mm
Accessories/配件	AC Cable,User manual	AC Cable,User manual
Color/颜色	Black/Customized Color	Black/Customized Color
Product Size (LxWxH)/产品尺寸	1214.6x685.9x41.3mm	TBD

43" 49" 55" 65"

KIOSK INTERACTIVE DIGITAL SIGNAGE
立式智能交互型数字标牌

WALLBOARD DIGITAL SIGNAGE
挂式/吊式智能数字标牌

43" 49" 55" 65"



43" 49" 55" 65" 75"

WALL BOARD INTERACTIVE DIGITAL SIGNAGE
壁挂式智能交互型数字标牌

OPEN FRAME DIGITAL SIGNAGE
开放式智能数字标牌

10.1" 13.3" 15.6" 18.5" 21.5" 24" 27" 32"

Website: www.we-signage.com
Website on alibaba.com : https://wesignage.en.alibaba.com
Introduction Video:https://youtu.be/HqK2d7GyeqI
E-mail: dennis@we-signage.com
MP/Whatsapp/Wechat: + 86 13349909990
Skype: solled686

Linkedin

WeChat

WebSite

HYY Technology Co.,Ltd .
深圳市恒耀源科技有限公司