Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input	
Show source outline image report	
Options	
check error pages	
User-Agent	
Validator.nu/LV http://validator.w3.org/services	
Accept-Language	
Check by text input ▼	
Enter the URL for an HTML, CSS, or SVG document	
Check	

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Warning The type attribute is unnecessary for JavaScript resources.

From line 35, column 3; to line 35, column 75

ipt -->e <script type="text/javascript"

src=http://localhost:8000/js/app.js defer>e </s
```

```
2. Warning The date input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

From line 173, column 15; to line 173, column 86

<input type="date" name="date1" class="form-control" value="1990-01-01">

value="1990-01-01">

e
```

```
3. Warning The date input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

From line 178, column 15; to line 178, column 86

<input type="date" name="date2" class="form-control" value="2018-03-15">e
```

Document checking completed.

Source

```
<!DOCTYPE html>↔
 3. <html lang="en">

 4.
 5.
   <head>↩
      <meta charset="utf-8">↔
 6.
      <meta http-equiv="X-UA-Compatible" content="IE=edge">←
 7.
      <!-- <meta name="viewport" content="width=device-width, initial-
 8.
    scale=1"> -->↔
 9.
      <!-- CSRF Token -->₽
10.
      <meta name="csrf-token"</pre>
11.
    content="feJv7cap21IjVHb8KF7aNXI1Vh8BKkfpTI5onzfv">↔
      <title>Homepage</title>↔
<meta name="viewport" content="width=device-width, initial-scale=1,
12
13.
    shrink-to-fit=no">↔
4. ب
15.
      <!-- Font Awesome CSS -->↩
      <link href="https://use.fontawesome.com/releases/v5.0.13/css/all.css"</pre>
16.
    rel="stylesheet">⊷
17.
18.
      <!-- Bootstrap CSS -->↔
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.</pre>
19.
    css" integrity="sha384-
    Gn5384xqQlaoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"↔
      crossorigin="anonymous">↔
<link rel="stylesheet"
20.
21
    href="http://localhost:8000/css/bootswatch.css">↔
      <link rel="stylesheet" href="http://localhost:8000/css/style.css">→
22.
23. ↩
24.
      <!-- Optional JavaScript -->↔
25. ↩
26.
      <!-- jQuery first, then Popper.js, then Bootstrap JS -->↔
    <script src="https://code.jquery.com/jquery-3.3.1.min.js"
integrity="sha256-FgpCb/KJQlLNf0u91ta32o/NMZxltwRo8QtmkMRdAu8="↩</pre>
27.
28.
        crossorigin="anonymous"></script>↔
29.
    src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.
    min.js" integrity="sha384-
    ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"↔
30.
        crossorigin="anonymous"></script>↩
31.
      <script
    src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js
      integrity="sha384-
    JZR6Spĕjh4Ú02d8j0t6vLEHfe/J0GiRRS00xSfFWpi1MquVdAyjUar5+76PVCmYl"↔
        crossorigin="anonymous"></script>↩
32.
33. ↔
34.
      <!-- event handler script -->↔
      <script type="text/javascript" src=http://localhost:8000/js/app.js</pre>
35.
   defer>↩
36.
      </script>↩
37. ↩
38.
      <!-- END OUR -->↔
39. ↔
40.
41. </head>↔
42. م
43. <body>↩
44.
      <main>↩
45.
        <header class="container-fluid px-0">←
46.
47.
           <!-- NAVBAR -->↔
           <nav class="row navbar navbar-expand-lg navbar-dark bg-primary mx-</pre>
48.
    ب<" 0
49.
             <div class="col-12 col-md-3">↔
               <a class="navbar-brand" href="http://localhost:8000">Photon
50.
    News</a>↔
51.
               <a class="screen-reader-only" href="#content">Jump to
    content</a>↩
52.
             </div>↔
53.
54.
             <div class="col-12 col-md-5">↔
               <div class="container ml-0 d-flex flex-column px-0">

55.
```

\$('form.logout').click(function() {↔

\$('form.logout').submit();

});↩

</script>↩

110.

111. 112.

113.

```
5/30/2018
                                  Showing results for contents of text-input area - Nu Html Checker
    114
                               </form>↔
    115.
                             </div>↩
                          ↩
    116.
    117.
                        118.
                                    </div>↔
    119.
                   </div>↔
    120.
                </nav>↩
    121.
    122. ↩
    123.
    124.
    125. </header>₽
    126.
          <!-- ADVANCED SEARCH MODAL -->↔
    127.
    128. <div class="modal fade" id="searchModal" tabindex="-1" role="dialog"
         aria-labelledby="searchModalLabel" aria-hidden="true">↔
            <div class="modal-dialog" role="document">↔
    129.
    130.
              <div class="modal-content">↔
                 <div class="modal-header">↔
  <br/> <h5 class="modal-title" id="searchModalLabel">Advanced
    131.
    132.
         Search</h5>↔
                   <button type="button" class="close" data-dismiss="modal" aria-
    133.
         label="Close">↔
    134.
                      <span aria-hidden="true">&times;</span>↔
    135.
                   </button>↩
                 </div>↩
    136.
                 <div class="modal-body">↔
    137.
    138.
                   <form action="http://localhost:8000/advanced search"</pre>
         method="get">↩
    139.
                     <div class="form-group">↔
                        <input type="text" class="form-control" placeholder="Search"</pre>
    140.
         name="searchText">↩
    141.
                     </div>↩
                     <div class="form-group my-1">↔
    142.
                        <select class="custom-select" name="elementToSearch">
  <option value="titleAndBody" selected>Search for...
    143.
    144.
         </option>↩
                          <option value="onlyTitle">Only title</option>↔
    145.
                          <option value="onlyBody">Only body</option>↔
<option value="titleAndBody">Title and body</option>↔
    146.
    147.
                          <option value="username">Username</option>↔
    148.
    149.
                        </select>↔
    150.
                     </div>↩
    151.
                     <div class="form-group my-1">↔
                        <select name="sĕctionSéarch" class="custom-select">↔
    152.
                                           <option value="1">Travel</option>↔
<option value="2">Sport</option>↔
    153.
    154.
                                           <option value="3">Culture</option>↔
    155.
                                           <option value="4">Food</option>↔
<option value="5">Nature</option>↔
    156.
    157.
                                           <option value="6">Weather</option>↔
<option value="7">Future</option>↔
    158.
    159.
                                           <option value="8">Shop</option>↔
    160.
                                           <option value="9">TV</option>↔
    161.
                                           <option value="10">Music</option>↔
    162.
                                           <option value="11">Arts
    163.
                                           <option value="12">Science</option>↔
    164.
                                           <option value="13">Health</option>↔
    165.
    166.
                                         </select>↩
    167.
                     </div>↔
         <input type="text" name="authorSearch" class="form-control mb-
2 mr-sm-2 mb-sm-0" id="inlineFormInput" placeholder="News' Author...">←
    168.
                     <div class="d-flex">↔
    169.
                        <div class="form-group">↩
    170.
                                <time></time> -->↔
    171.
                          <label class="col-form-label">Begin:</label>↔
    172.
                          <input type="date" name="date1" class="form-control"</pre>
    173.
         value="1990-01-01">↩
    174.
                        </div>
    175.
                        <div class="form-group">↩
                                <time> - ->↔
    176.
                          <label class="col-form-label">End:</label>↔
    177.
                          <input type="date" name="date2" class="form-control"</pre>
    178.
         value="2018-03-15">↩
    179.
                        </div>↩
    180.
                     </div>↩
```

239.

240.

241.

toggle="tab" class="nav-link section item">↔

<i class="far fa-clock fa-fw fa-fw"></i> Future↔

class="nav-item">↔

```
5/30/2018
                             Showing results for contents of text-input area - Nu Html Checker
                         <a href="#" data-name="Shop" role="button" data-
   242.
                     class="nav-link section_item">↔
  <i class="fas fa-shopping-cart fa-fw fa-fw"></i>
        toggle="tab"
   243.
        Shop</a>↔
   244.
                      245.
                                   ↩
                         <a href="#" data-name="TV" role="button" data-
   246.
                     class="nav-link section_item">↔
<i class="fas fa-tv fa-fw fa-fw"></i> TV</a>↔
   247.
   248.
                       ↩
   249.
                                   class="nav-item">↔
   250.
                         <a href="#" data-name="Music" role="button" data-
        toggle="tab"
                     class="nav-link section item">↩
                           <i class="fas fa-music fa-fw fa-fw"></i> Music</a>↔
   251.
   252.
                      253.
                                   class="nav-item">↔
                         <a href="#" data-name="Arts" role="button" data-
   254.
                     class="nav-link section_item">↩
                           <i class="fas fa-paint-brush fa-fw fa-fw"></i></i>
   255.
        Arts</a>↔
   256.
                      257.
                                   class="nav-item">↩
   258.
                         <a href="#" data-name="Science" role="button" data-
        toggle="tab"
                     class="nav-link section item">↩
                           <i class="fas fa-fTask fa-fw fa-fw"></i> Science</a>↔
   259.
   260.
                      ↔
                                   class="nav-item">↩
   261.
                         <a href="#" data-name="Health" role="button" data-
   262.
        toggle="tab" class="nav-link section_item">↔
   263.
                           <i class="fas fa-user-md fa-fw fa-fw"></i> Health</a>↔
   264.
                      265.
                               266.
                </div>↩
              </div>↩
   267.
   268. </div>↔
   269.
            <!-- MAIN CONTENT
            <div class="col-lg-8 col-md-9 col-12">↔
   270.
              <div id="myTabContent" class="tab-content">↩
   271.
   272.
                <div class="tab-pane fade active show" id="allNews">←
   273.
                  <!-- NEWS -->
                  <!-- News Header -->↔
   274.
                  <div class="row">↔
   275.
   276.
                    <div class="container ml-0 d-flex justify-content-between">↔
   277.
                      <h1 class="current_section">↔
                                           <i class="fas fa-heart fa-fw"></i> For
   278.
        You↩
   279.
                                       </h1>↔
                      <!-- Sort News Dropdown -->↔
   280.
   281.
                      <div class="btn-group d-flex align-items-center"</pre>
        role="group">↩
   282.
        283.
        expanded="false">↔
                <span id="sort-option" data-name="POPULAR" >Popularity <i</pre>
   284.
        class="fas fa-chevron-down ml-2 mt-1"></i></span>
   285.
            </button>↩
   286.
            <div class="dropdown-menu order" aria-</pre>
   287.
        labelledby="criteriaDropdown">↩
                <a class="dropdown-item order-criteria" data-name="POPULAR"
   288.
        href="#">Popularity</a>↔
   289.
                <a class="dropdown-item order-criteria" data-name="VOTED"
        href="#">Votes</a>↔
   290.
                <a class="dropdown-item order-criteria" data-name="RECENT"
        href="#">Date</a>↔
   291.
   292.
            <button id="reverseOrderButton" title="Reverse Order" type="button"</pre>
   293.
        class="coolBtn"><i class="fas fa-retweet fa-fw"></i></button>↔
   294.
   295. </div>
                           </div>↔
   296.
                  </div>↩
                  <div id="news_item_preview_list" class="d-flex flex-column">→
   297.
   298.
                    <div class="container ml-0">↩
```

Used the HTML parser.

Total execution time 182 milliseconds.

About this checker • Report an issue • Version: 18.5.21