


Creating an n8n-based Telegram Bot for Task Management

Objective

This doc outlines the steps to create a Telegram bot using n8n that can process voice and text messages to extract tasks and store them in Airtable.


Key Steps

1. Overview of the Bot Functionality 0:00



- The bot can be triggered by voice or text messages.
- It extracts tasks from the messages and adds them to an Airtable table.

2. Setting Up the Telegram Bot 1:44




- Search for 'BotFather' in Telegram.
- Start a new bot by sending the command `/newbot`.
- Provide a name and a unique username ending with 'bot'.
- Save the provided token for later use.

3. Configuring n8n Workflow 3:21


- Open n8n and create a new workflow.
- Add a trigger node for Telegram and select 'on message'.
- Create new credentials using the saved token.

4. Handling Voice and Text Messages 5:17




- Add an 'If' node to differentiate between voice and text messages.
- For voice messages, ensure to extract the file type and file ID.

5. Downloading Audio Files 7:01




- Use the Telegram node to download the audio file using the file ID.

6. Transcribing Audio with OpenAI Whisper 8:12




- Add the OpenAI Whisper node to transcribe the audio file.
- Ensure your OpenAI API key is set up correctly.

7. Preparing Data for AI Agent 9:04




- Rename the transcript field to a consistent variable name for both text and audio inputs.
- Use a data transformation node to standardize the input.

8. Configuring the AI Agent 11:45




- Define the AI agent's role and the fields it needs to extract (title, description, due date, priority).
- Ensure the agent's prompt includes necessary instructions and examples.

9. Setting Up Airtable Integration 16:01




- Create a personal access token in Airtable with read and write permissions.
- Set up the Airtable node in n8n to create records.

10. Sending Responses Back to Telegram 19:03



- Add a Telegram action node to send a response back to the user.
- Map the output from the AI agent to the message text.

11. Testing the Workflow 20:15



- Switch the workflow from inactive to active.
- Test the bot by sending a voice message and checking Airtable for added tasks.

Cautionary Notes

- Ensure that the API keys and tokens are kept secure and not shared publicly.
- Test each step thoroughly to avoid errors in the workflow.

Tips for Efficiency

- Use consistent naming conventions for variables to avoid confusion.
- Regularly check for updates in n8n and Telegram API documentation for new features or changes.

Link to Loom

<https://loom.com/share/42a6a8786b224b19ad95b2bdeba5c37e>