
## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

## Document checking completed. No errors or warnings to show.

## **Source**

```
1. ←
 2. <!DOCTYPE html>←
 3. <html lang="en">↔
 4. ←
 5. <head>←
6.
        <meta charset="utf-8">←
7.
        <meta name="viewport" content="width=device-width, initial-scale=1">↔
8. ←
9.
        <link rel="stylesheet"</pre>
    href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/css/bootstrap.min.css"↔
10.
            integrity="sha384-
    B0vP5xmATw1+K9KRQjQERJvTumQW0nPEzvF6L/Z6nronJ3oU0FUFpCjEUQouq2+1"
    crossorigin="anonymous">←
        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-</pre>
11.
    icons@1.4.1/font/bootstrap-icons.css">↔
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
12.
    awesome/5.15.3/css/all.min.css"↔
```

```
13.
            integrity="sha512-
    iBBXm8fW90+nuLcSKlbmrPcLa00T92x01BIsZ+ywDWZCvqsWgccV3gFoRBv0z+8dLJgyAHIhR35VZc
    2oM/gI1w=="↔
14.
            crossorigin="anonymous" />↩
15.
        <link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">↔
16. ←
17.
        <link rel="stylesheet" href="http://test.local/css/app.css">←
18. ←
19.
        <title>Iot - Smart Home</title>↔
20. ←
21. ←
22. </head>↔
23. ←
24. <body class="d-flex flex-column">↔
25. ←
26.
        <header>←
27.
                    <nav class="navbar navbar-expand-lg navbar-dark fixed-top bg-</pre>
   dark">↩
28.
        <a class="navbar-brand" href="/">SmartHome</a>↔
29.
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-</pre>
    target="#navbarSupportedContent"↔
30.
            aria-controls="navbarSupportedContent" aria-expanded="false" aria-
    label="Toggle navigation">↔
31.
            <span class="navbar-toggler-icon"></span>↔
32.
        </button>↔
33. ←
34.
        <div class="collapse navbar-collapse" id="navbarSupportedContent">←
35.
            ←
36.
                ←
                    <a class="nav-link" href="/dashboard">Dashboard <span</pre>
37.
    class="sr-only">(current)</span></a>↔
38.
                ↩
39.
                ←
40.
                    <a class="nav-link dropdown-toggle" href="#"</pre>
    id="navbarDropdown" role="button" data-toggle="dropdown" ↔
41.
                        aria-haspopup="true" aria-expanded="false">↔
42.
                        Equipamentos↔
43.
44.
                    <div class="dropdown-menu" aria-labelledby="navbarDropdown">←
                        <a class="dropdown-item"</pre>
45.
   href="/actuators/blinds">Persiana</a>↔
46.
                        <a class="dropdown-item" href="/actuators/air-</pre>
    conditioners">Ar Condicionado</a>↔
47.
                        <a class="dropdown-item"</pre>
   href="/actuators/sprinklers">Aspersor</a>↔
48.
                        <a class="dropdown-item"</pre>
   href="/actuators/doors">Porta</a>↔
                        <a class="dropdown-item"</pre>
49.
   href="/actuators/lamps">Lâmpada</a>↔
50.
                    </div>↩
51.
                ←
52.
            ←
            <span class="mr-3" style="color: #ffffff80;">←
53.
54.
                admin@test.com↔
55.
            </span>←
56.
            <form class="form-inline my-2 my-lg-0" action="/logout"</pre>
   method="POST">←
                <input type="hidden" name="_token"</pre>
57.
   value="Uygs3P4Cg0kl0wQIc4MdfpGvo61566ccw7YkkyTG">
                                                                  <button
    type="submit" class="btn btn-outline-light" title="Sair da aplicação">↔
58.
                    <i class="bi bi-box-arrow-right"></i></i>
59.
                </button>←
60.
            </form>←
61.
        </div>←
62. </nav>↔
63.
64.
65.
            <div class="row d-flex justify-content-end m-3">←
66.
   ←
                            <span id="fire-alarm-icon">←
67.
```

```
68.
                                         <button type="button" class="btn btn-</pre>
     danger">Ligar 112</button>↔
 69.
 70.
                       \hookrightarrow
 71.
                       <a class="btn btn-outline-danger" href="/actuators/fire-</pre>
     alarms/turn-off/1"↔
 72.
                           role="button">Desligar↔
 73.
                           Alarme</a>↔
 74.
 75.
                       <span class="text-muted ml-4 mr-2 ">Alarme de↔
 76.
                           incêndio</span>↔
 77.
                       <i class="far fa-bell text-danger on"></i></i>
 78.
                  </span>↔
 79.
 80.
              </div>↩
 81.
     \leftarrow
          </header>↩
 82.
 83. ←
 84.
          <main class="d-flex flex-column flex-grow-1 justify-content-center">↔
 85.
              <div class="container">←
 86.
                           </div>↩
 87.
              <div class="container">←
 88.
 89.
                  <div class="row d-flex justify-content-center align-items-</pre>
     center">↔
 90.
          <div>←
 91.
              <form action="/actuators/sprinklers/1" method="POST">←
                  <input type="hidden" name="_token"</pre>
 92.
     value="Uygs3P4Cg0kl0wQIc4MdfpGvo61566ccw7YkkyTG">
                                                                         <input</pre>
     type="hidden" name="_method" value="PUT">
                                                                <div class="mb-3">←
                       <label for="name" class="form-label">Designação</label>←
 93.
                       <input type="text" class="form-control" id="name" name="name"</pre>
 94.
     value="Relvado frente">↔
 95.
                  </div>←
 96.
 97.
                  <div class="mb-3">↔
 98.
                       <label for="timer" class="form-label" style="display:</pre>
     block;">Temporizador (min)</label>↔
 99.
                       <div class="d-flex align-items-center justify-content-</pre>
     between">↔
100.
                           <input type="text" class="form-control" id="timer"</pre>
     name="timer"↔
101.
                                value="30">↔
102.
                       </div>←
103.
                  </div>←
104.
                   <div class="mb-3">↔
105.
                       <span class="form-label" style="display:</pre>
106.
     block;">Ligar/Desligar</span>↔
107.
                       <div class="d-flex align-items-center justify-content-</pre>
     center">↩
108.
                           <button id="button-switch" type="button"</pre>
     onclick="toggleState()"></button>↔
109.
                            <input type="hidden" id="state" name="state" value="1">←
110.
                       </div>↩
111.
                   </div>←
112. ←
113.
                  <div class="form-buttons">←
                       <button type="submit" class="btn btn-</pre>
114.
     primary">Guardar</button>↔
115.
                       <a class="btn btn-outline-secondary"</pre>
     href="/actuators/sprinklers" role="button">Cancelar</a>↔
                   </div>←
116.
117.
              </form>←
118.
          </div>←
119.
     </div>↩
120.
              </div>←
121. ←
122.
          </main>↩
123.
```

```
124.
         <footer class="footer py-3 bg-dark">←
         %copy;2021 Grupo 128↔
125.
126.
         Projeto desenvolvido pelo grupo 128 da UC IoT 2º S 2021
     ESTG/Leiria↔
127.
     </footer>↩
128.
129.
         <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"←</pre>
130.
             integrity="sha384-
     DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
     crossorigin="anonymous">↔
131.
         </script>↩
132.
         <script
     src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.bundle.min
     .js"←
133.
             integrity="sha384-
     Piv4xVNRyMGpqkS2by6br4gNJ7DXjqk09RmUpJ8jgGtD7zP9yug3goQfGII0yAns"
     crossorigin="anonymous">←
134.
         </script>↔
135. ←
136.
         <script>←
137.
         const inputElement = document.getElementById('state');
138.
         const buttonElement = document.getElementById('button-switch'); ←
139.
         buttonElement.innerHTML = inputElement.value === '1' ?←
140.
         '<i class="bi bi-toggle-on text-success" title="Desligar"></i>' :↔
141.
         '<i class="bi bi-toggle-off text-danger" title="Ligar"></i>';↔
142. ←
143.
         function toggleState() {

144.
             inputElement.value = inputElement.value == '0' ? 1 : 0; ↔
145.
             buttonElement.innerHTML = inputElement.value === '1' ?↔
             '<i class="bi bi-toggle-on text-success" title="Desligar"></i>' :↔
146.
             '<i class="bi bi-toggle-off text-danger" title="Ligar"></i>'; ↔
147.
148.
149. </script>↔
150. ←
151.
         <!--Chart.js-->↔
152.
         <script
     src="https://cdn.jsdelivr.net/npm/chart.js@3.2.0/dist/chart.min.js">
     </script>↔
153.
         \leftarrow
154. ←
155.
             <!-- For demonstration purpose -->↔
156.
         <noscript>↔
157.
             You need to enable JavaScript to run this demonstration. ↔
158.
         </noscript>↔
         <div id="app-demo"></div>↔
159.
160.
         <script src=http://test.local/demo/app.js></script>←
161.
         </body>←
162. ←
163. </html>
```

Used the HTML parser.

Total execution time 21 milliseconds.

About this checker • Report an issue • Version: 21.4.30