
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. ←
 2. <!DOCTYPE html>←
 3. <html lang="en">↔
 4. ←
 5. <head>←
6.
        <meta charset="utf-8">←
7.
        <meta name="viewport" content="width=device-width, initial-scale=1">↔
8. ←
9.
        <link rel="stylesheet"</pre>
    href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/css/bootstrap.min.css"↔
10.
            integrity="sha384-
    B0vP5xmATw1+K9KRQjQERJvTumQW0nPEzvF6L/Z6nronJ3oU0FUFpCjEUQouq2+1"
    crossorigin="anonymous">←
        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-</pre>
11.
    icons@1.4.1/font/bootstrap-icons.css">↔
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
12.
    awesome/5.15.3/css/all.min.css"↔
```

```
13.
            integrity="sha512-
    iBBXm8fW90+nuLcSKlbmrPcLa00T92x01BIsZ+ywDWZCvqsWgccV3gFoRBv0z+8dLJgyAHIhR35VZc
    2oM/gI1w=="↔
14.
            crossorigin="anonymous" />↩
15.
        <link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">↔
16. ←
17.
        <link rel="stylesheet" href="http://test.local/css/app.css">←
18. ←
19.
        <title>Iot - Smart Home</title>↔
20. ←
21. ←
22. </head>↔
23. ←
24. <body class="d-flex flex-column">↔
25. ←
26.
        <header>←
27.
                    <nav class="navbar navbar-expand-lg navbar-dark fixed-top bg-</pre>
   dark">↩
28.
        <a class="navbar-brand" href="/">SmartHome</a>↔
29.
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-</pre>
    target="#navbarSupportedContent"↔
            aria-controls="navbarSupportedContent" aria-expanded="false" aria-
30.
    label="Toggle navigation">↔
31.
            <span class="navbar-toggler-icon"></span>↔
32.
        </button>←
33. ←
34.
        <div class="collapse navbar-collapse" id="navbarSupportedContent">←
35.
            ←
36.
                ←
                    <a class="nav-link" href="/dashboard">Dashboard <span</pre>
37.
    class="sr-only">(current)</span></a>↔
38.
                ↩
39.
                ←
40.
                    <a class="nav-link dropdown-toggle" href="#"</pre>
    id="navbarDropdown" role="button" data-toggle="dropdown" ↔
41.
                        aria-haspopup="true" aria-expanded="false">↔
42.
                        Equipamentos↔
43.
44.
                    <div class="dropdown-menu" aria-labelledby="navbarDropdown">←
                        <a class="dropdown-item"</pre>
45.
   href="/actuators/blinds">Persiana</a>↔
46.
                        <a class="dropdown-item" href="/actuators/air-</pre>
    conditioners">Ar Condicionado</a>↔
47.
                        <a class="dropdown-item"</pre>
   href="/actuators/sprinklers">Aspersor</a>↔
48.
                        <a class="dropdown-item"</pre>
   href="/actuators/doors">Porta</a>↔
                        <a class="dropdown-item"</pre>
49.
   href="/actuators/lamps">Lâmpada</a>↔
50.
                    </div>↩
51.
                ←
52.
            ←
            <span class="mr-3" style="color: #ffffff80;">←
53.
54.
                admin@test.com↔
55.
            </span>←
56.
            <form class="form-inline my-2 my-lg-0" action="/logout"</pre>
   method="POST">←
                <input type="hidden" name="_token"</pre>
57.
   value="Uygs3P4Cg0kl0wQIc4MdfpGvo61566ccw7YkkyTG">
                                                                  <button
    type="submit" class="btn btn-outline-light" title="Sair da aplicação">↔
58.
                    <i class="bi bi-box-arrow-right"></i>
                </button>↔
59.
60.
            </form>←
61.
        </div>←
62. </nav>↔
63.
64.
65.
            <div class="row d-flex justify-content-end m-3">←
66.
   ←
                            <span id="fire-alarm-icon">←
67.
```

```
68.
                                        <button type="button" class="btn btn-</pre>
     danger">Ligar 112</button>↔
 69.
 70.
                      \hookrightarrow
 71.
                      <a class="btn btn-outline-danger" href="/actuators/fire-</pre>
     alarms/turn-off/1"↔
 72.
                           role="button">Desligar↔
 73.
                           Alarme</a>↔
 74.
 75.
                      <span class="text-muted ml-4 mr-2 ">Alarme de↔
 76.
                           incêndio</span>↔
 77.
                      <i class="far fa-bell text-danger on"></i></i>
 78.
                  </span>↔
 79.
 80.
              </div>↩
 81.
     \leftarrow
         </header>↩
 82.
 83. ←
 84.
         <main class="d-flex flex-column flex-grow-1 justify-content-center">↔
 85.
              <div class="container">←
 86.
                           </div>↩
 87.
              <div class="container">←
 88.
 89.
                  <div class="row d-flex justify-content-center align-items-</pre>
     center">↔
 90.
         <div>←
 91.
              <form action="/actuators/doors/1" method="POST">←
 92.
                  <input type="hidden" name="_token"</pre>
     value="Uygs3P4Cg0kl0wQIc4MdfpGvo61566ccw7YkkyTG">
                                                                       <input</pre>
                                                               <div class="mb-3">↔
     type="hidden" name=" method" value="PUT">
                      <label for="name" class="form-label">Designação</label>←
 93.
                      <input type="text" class="form-control" id="name" name="name"</pre>
 94.
     value="Porta principal">↔
 95.
                  </div>↩
    \leftarrow
 96.
 97.
                  <div class="mb-3 text-center">←
 98.
                      Fecho Central←
 99.
                      <div class="form-check form-check-inline">←
100.
                           <input class="form-check-input" type="radio" name="locked"</pre>
     id="locked" value="1" title="Ativar"↔
                               checked="" />↔
101.
                           <label class="form-check-label" for="locked"><i class="bi</pre>
102.
     bi-lock"></i></label>↔
103.
                      </div>←
104.
105.
                      <div class="form-check form-check-inline">←
                           <input class="form-check-input" type="radio" name="locked"</pre>
106.
     id="unlocked" value="0" title="Desativar"↔
                               checked="" />↔
107.
                           <label class="form-check-label" for="unlocked"><i</pre>
108.
     class="bi bi-unlock"></i></label>↔
109.
                      </div>←
                  </div>↔
110.
111.
                  <div class="mb-3">↔
112
113.
                      <span class="form-label" style="display:</pre>
     block;">Abrir/Fechar</span>↔
114.
                      <div class="d-flex align-items-center justify-content-</pre>
     center">↩
115.
                           <button id="button-switch" type="button"</pre>
     onclick="toggleState()"></button>↔
116.
                           <input type="hidden" id="state" name="state" value="0">←
                      </div>←
117.
118.
                  </div>←
119. ←
120.
                  <div class="form-buttons">←
121.
                      <button type="submit" class="btn btn-</pre>
     primary">Guardar</button>↔
122.
                      <a class="btn btn-outline-secondary" href="/actuators/doors"</pre>
     role="button">Cancelar</a>↔
```

```
123.
                 </div>↩
             </form>↩
124.
125.
         </div>←
126. </div>↔
127.
             </div>←
128. ←
129.
         </main>↩
130. ←
131.
         <footer class="footer py-3 bg-dark">←
132.
         © 2021 Grupo 128
133.
         Projeto desenvolvido pelo grupo 128 da UC IoT 2º S 2021
     ESTG/Leiria↔
134.
     </footer>↩
135.
136.
         <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"←</pre>
137.
             integrity="sha384-
     DfXdz2htPH01sSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
     crossorigin="anonymous"> പ്
138.
         </script>↩
139.
         <script
     src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.bundle.min
     .js"←
140.
             integrity="sha384-
     Piv4xVNRyMGpqkS2by6br4gNJ7DXjqk09RmUpJ8jgGtD7zP9yug3goQfGII0yAns"
     crossorigin="anonymous">↔
141.
         </script>↔
142. ←
143.
         <script>↩
144.
         const inputElement = document.getElementById('state');
145.
         const buttonElement = document.getElementById('button-switch'); ←
146.
         buttonElement.innerHTML = inputElement.value === '1' ?↔
147.
         '<i class="bi bi-toggle-on text-success" title="Fechar"></i>' :↔
148.
         '<i class="bi bi-toggle-off text-danger" title="Abrir"></i>';↔
149. ←
150.
         function toggleState() {

151.
             inputElement.value = inputElement.value == '0' ? 1 : 0; ↔
152.
             buttonElement.innerHTML = inputElement.value === '1' ?↔
153.
             '<i class="bi bi-toggle-on text-success" title="Fechar"></i>' :↔
             '<i class="bi bi-toggle-off text-danger" title="Abrir"></i>';↔
154.
155.
         }←
156. </script>↔
157.
158.
         <!--Chart.is-->↔
159.
         <script
     src="https://cdn.jsdelivr.net/npm/chart.js@3.2.0/dist/chart.min.js">
     </script>↔
160.
         \leftarrow
161. ←
162.
             <!-- For demonstration purpose -->↔
163.
         <noscript>↔
164.
             You need to enable JavaScript to run this demonstration. ↔
165.
         </noscript>↩
         <div id="app-demo"></div>↔
166.
167.
         <script src=http://test.local/demo/app.js></script>←
168.
         </body>←
169. ←
170. </html>
```

Used the HTML parser.

Total execution time 28 milliseconds.

About this checker • Report an issue • Version: 21.4.24