## Report

|                             | final.contigs |
|-----------------------------|---------------|
| # contigs (>= 1000 bp)      | 1             |
| # contigs (>= 5000 bp)      | 0             |
| # contigs (>= 10000 bp)     | 0             |
| # contigs (>= 25000 bp)     | 0             |
| # contigs (>= 50000 bp)     | 0             |
| Total length (>= 1000 bp)   | 2922          |
| Total length (>= 5000 bp)   | 0             |
| Total length (>= 10000 bp)  | 0             |
| Total length (>= 25000 bp)  | 0             |
| Total length (>= 50000 bp)  | 0             |
| # contigs                   | 2             |
| Largest contig              | 2922          |
| Total length                | 3762          |
| Reference length            | 6006602       |
| GC (%)                      | 53.67         |
| Reference GC (%)            | 56.45         |
| N50                         | 2922          |
| N75                         | 2922          |
| L50                         | 1             |
| L75                         | 1             |
| # misassemblies             | 0             |
| # misassembled contigs      | 0             |
| Misassembled contigs length | 0             |
| # local misassemblies       | 0             |
| # unaligned mis. contigs    | 0             |
| # unaligned contigs         | 0 + 1 part    |
| Unaligned length            | 2845          |
| Genome fraction (%)         | 0.003         |
| Duplication ratio           | 5.993         |
| # N's per 100 kbp           | 0.00          |
| # mismatches per 100 kbp    | 0.00          |
| # indels per 100 kbp        | 0.00          |
| Largest alignment           | 77            |
| Total aligned length        | 153           |
| NGA50                       | -             |

All statistics are based on contigs of size >= 500 bp, unless otherwise noted (e.g., "# contigs (>= 0 bp)" and "Total length (>= 0 bp)" include all contigs).

## Misassemblies report

|                                 | final.contigs |
|---------------------------------|---------------|
| # misassemblies                 | 0             |
| # relocations                   | 0             |
| # translocations                | 0             |
| # inversions                    | 0             |
| # interspecies translocations   | 0             |
| # misassembled contigs          | 0             |
| Misassembled contigs length     | 0             |
| # possibly misassembled contigs | 0             |
| # possible misassemblies        | 0             |
| # local misassemblies           | 0             |
| # unaligned mis. contigs        | 0             |
| # mismatches                    | 0             |
| # indels                        | 0             |
| # indels (<= 5 bp)              | 0             |
| # indels (> 5 bp)               | 0             |
| Indels length                   | 0             |

All statistics are based on contigs of size >= 500 bp, unless otherwise noted (e.g., "# contigs (>= 0 bp)" and "Total length (>= 0 bp)" include all contigs).

## Unaligned report

|                               | final.contigs |
|-------------------------------|---------------|
| # fully unaligned contigs     | 0             |
| Fully unaligned length        | 0             |
| # partially unaligned contigs | 1             |
| Partially unaligned length    | 2845          |
| # N's                         | 0             |

All statistics are based on contigs of size >= 500 bp, unless otherwise noted (e.g., "# contigs (>= 0 bp)" and "Total length (>= 0 bp)" include all contigs).



















