ReaBl

The professional scoring and synchronization workflow for Blender studios

Quick User Guide

Once `ReaBL` has been installed and configured correctly, using it is straightforward. Enable the Sync checkbox in the ReaBL panel, and Blender will begin listening for transport and timeline data coming from Reaper.

If the setup is correct, ReaBL allows Blender to follow Reaper for timeline-accurate work such as scoring, Foley spotting, sync checking, and general audio refinement. The included ReaBL.ReaperOSC profile is intentionally minimal, focusing on transport and timeline communication through Play, Stop, Pause, and time messages.



Audio Export from Blender

As part of the workflow, the ReaBL package also includes an additional add-on: VSE Stem Exporter. This tool makes it easier to export audio tracks from Blender and bring previously synchronized audio work into Reaper, helping maintain continuity between editorial work in Blender and final audio work in Reaper.

:



Enabling Sync

After installation and setup, using ReaBL is essentially a matter of enabling synchronization. Once the Sync option is checked, Blender begins receiving timeline and transport information from Reaper.

At that point, the workflow becomes simple: sync the scene, work on timing, score, Foley, and audio refinement, and move between Blender and Reaper as needed.

:



Playback Modes

ReaBL provides two playback modes: Push Playback and Blender Playback.

Push Playback is the recommended mode for most users. In practice, it tends to provide a more stable synchronization experience, especially in demanding production scenarios.

If your chosen playback mode is Blender Playback, the recommended sync mode is Play Every Frame. This generally provides the most reliable behavior when working with ReaBL, as it avoids playback-side synchronization artifacts from Blender that could interfere with ReaBL.

That said, in heavier scenes, Play Every Frame may run below real time. When this happens, ReaBL continues pushing Blender toward the target timeline in order to maintain synchronization as closely as possible, even if playback is no longer visually smooth.

.



Performance Notes

For the most reliable experience:

- Keep the scene as light as possible during sync work
- Use Simplify Scene
- Prefer Push Playback for most scoring and synchronization tasks



ReaBI

File
Edit
Render
Window
Help
Video Editing
Rendering
Edit
ViewLayer
Preview
View
Select
Strip
Image
Search
ReaBl
Scene
Camera
Cam...
Backgro...
Scene
Active C...
Movie Clip
Units
Gravity
Simulation
Keying Sets
Audio
Rigid Body World
Light Probes
Animation
Custom Properties
Sequencer
View
Select
Marker
Add
Strip
Image
Edit
Shuffle
Channel 7
Channel 6
Channel 5
Channel 4
Channel 3
Channel 2
00:01:31
00:08:00
00:16:00
00:24:00
00:32:00
00:40:00
00:48:00
00:56:00
01:04:00
01:12:00
Text.
Color.001 | 868
2026-03-15
2026-03-15 13-16-17.01
2026-03-15 13-16-17.020 | //202
2026-03-15 13
Delete Strips
F_3408
ReaBL
Sync Enabled
OSC Port
9000
Overlay
Thresholds
Signal Timeout
0.50
Performance
Simplify Scene
Tool
Cache
Proxy
VSE Export
Playback
Keying
Sync Scene Time
91
Start
1
E...
5074
Resize
Options
Collection 1 | Verts:0 | Faces:0 | Tris:0 | Objects:0/1 | VRAM: 0.4/6.0 GiB | 5.0.0

ReaBl