

Understanding Fundamental and Derived Units of Measurement

Latest Updates

► Book Free Demo : [1 Teacher, 1 Student, 100% Attention \(Classes start from ₹800 per hour\)](#)

What Is the Difference Between Basic and Derived Units?

Understanding the distinction between Fundamental And Derived Units Of Measurement is crucial for mastering Physics, as all physical quantities are measured using either basic or combinations of units. This page explains these concepts clearly, covers SI units, and illustrates their differences and applications—read on to enhance your measurement skills.

Fundamental and Derived Units: Definition and Meaning

In Physics, every quantity is described with a numerical value and a **unit of measurement**. To bring order and accuracy to these measurements, scientists established systems that distinguish between **fundamental units** (also called basic units) and **derived units**. Fundamental units measure independent physical quantities, while derived units express quantities created by algebraic combinations of fundamental units. If you've wondered about the difference between basic and derived units of measurement, the answer lies in this essential distinction.

What Are Fundamental Units?

Fundamental units are the standardized measures for core physical quantities that cannot be broken down or defined in terms of other units. Each fundamental physical quantity—like length, mass, or time—has one corresponding fundamental unit. In the SI system of measurement, fundamental and derived units form the basis for all scientific calculations.

The **seven SI fundamental units** are:

- Length — meter (m)
- Mass — kilogram (kg)
- Time — second (s)
- Electric current — ampere (A)
- Thermodynamic temperature — kelvin (K)
- Amount of substance — mole (mol)
- Luminous intensity — candela (cd)

In addition, for measuring angles, the radian (plane angle) and steradian (solid angle) are considered supplementary units in the SI system. These provide the foundation for all other measurements in Physics.

What Are Derived Units?

Derived units are units for physical quantities that can be expressed as products, quotients, or other algebraic combinations of the SI fundamental units. Unlike fundamental quantities, derived quantities—like speed, force, or energy—do not have independent definitions. Instead, their units are computed using the fundamental units. This distinction is critical when you need to differentiate between basic and derived units of measurement.

For example:

- Velocity (speed) is measured in meters per second ().
- Force is measured in newtons (N), where .
- Density is measured in kilograms per cubic meter ().

Such units are fundamental and derived SI units in action—understanding how to identify the basic and derived unit of measurement is key for both calculations and conceptual clarity.

Difference Between Fundamental and Derived Units

To distinguish between fundamental and derived units of measurement, consider these key points:

- Fundamental units are independent; derived units depend on fundamental units.
- There are only seven SI fundamental units, but countless derived units.
- Derived units are constructed by multiplying and/or dividing fundamental units, sometimes with numerical factors.
- Examples: Meter (m) is a fundamental unit; newton (N) is a derived unit.

If you want to state the fundamental and derived quantities of measurement in any field, just look for what can and cannot be broken down further by unit analysis.

Key Formulas: Fundamental and Derived Units in Practice

In Physics, derived units are established through mathematical relations. Here are some classic **derived unit examples**:

- **Velocity:** —; Unit:
- **Force:** ; Unit: (newton)
- **Density:** —; Unit:
- **Work/Energy:** ; Unit: (joule)
- **Pressure:** —; Unit: (pascal)

The SI system of measurement organizes these relationships, using prefixes to manage very large or very small numbers, as explained further in [this SI units resource](#).

Example: Derived Unit Conversion

Force in SI units: N , with m in kilograms and a in meters per second squared.

$$F = m \cdot a = \text{kg} \cdot \text{m} / \text{s}^2 = \text{N}$$

Derivation Example: From Basic to Derived Units

Let's derive the unit of kinetic energy to see how derived units in Physics are constructed from fundamental ones:

1. Kinetic energy is $\frac{1}{2}mv^2$ —
2. Mass (m): measured in kilograms (kg)
3. Velocity (v): measured in meters per second (m/s)
4. So, KE has units
5. Thus, KE unit: $\text{kg} \cdot \text{m}^2 / \text{s}^2$, which is called the joule (J)

This stepwise approach helps in quickly identifying the basic and derived unit of measurement for any physical law.

Table: Fundamental and Derived Quantities & Units

Physical Quantity	Type	SI Unit
Length	Fundamental	meter (m)
Mass	Fundamental	kilogram (kg)
Time	Fundamental	second (s)
Temperature	Fundamental	kelvin (K)
Electric Current	Fundamental	ampere (A)
Amount of Substance	Fundamental	mole (mol)
Luminous Intensity	Fundamental	candela (cd)
Force	Derived	newton (N)
Frequency	Derived	hertz (Hz)
Power	Derived	watt (W)
Pressure	Derived	pascal (Pa)
Velocity	Derived	meter per second (m/s)

This classification further strengthens your understanding when you need to find out what are fundamental and derived units, or when asked the difference between fundamental units and derived units in competitive exams or assignments.

Applications and Examples: Everyday Physics

The correct use of fundamental and derived units ensures meaningful measurement and clear scientific communication. For instance, while you might use the fundamental unit meter to record a length, speed limits are given in derived units like kilometers per hour or meters per second. When learning about forces or motion, as detailed on our [forces in Physics page](#), newtons and joules are derived units. Exploring [velocity and speed concepts](#) also relies on the understanding of how basic units combine to form derived ones.

You'll encounter both types of units when working with graphs or data in Physics, such as on a [distance-time graph](#) where derived units reveal relationships between fundamental quantities.

For advanced topics, recognizing the correct classification enables you to solve challenging problems in mechanics, electromagnetism, or thermodynamics using the right measurement foundation. Additional practice with unit conversions and applications can be found in our [units and measurements question sets](#).

Summary: Why Fundamental And Derived Units Of Measurement Matter

To summarize: fundamental units represent the bedrock of measurement in Physics, while derived units help us describe more complex realities by combining those basic measures. A strong grasp of the fundamental and derived SI units is not only necessary for clear calculations but also lays the foundation for exploring advanced scientific concepts. Dive into related Physics concepts and measurement systems at Vedantu to further polish your understanding and ace your next exam or experiment!

Courses (Class 3 - 12)



NEET Crash



JEE



NEET




**JEE/NEET
Foundation**



CBSE



ICSE



Olympiad

Book your **Free Demo** session

Get a flavour of LIVE classes here at Vedantu

[Book a free demo](#)



Vedantu Improvement Promise

We promise improvement in marks or get your fees back. T&C Apply*