
Complete List of Vaccine Names and CPT/CVX Codes



A list that matches the vaccine name or codes in VacTrAK with the brand name or other common names of the vaccines you use most often.

| Vaccine trade name or | Best VacTrAK | State | Age (Range) | Dose | Route | Manufacturer | CPT | CVX |
|---|---------------------------|----------|-----------------|--------|-------|-----------------------|-------|--------------|
| common name | Selection | Supplied | rige (Range) | | | | code | code |
| Combination Vaccines | | | | | | | | |
| Pediarix® | DTaP/HepB/IPV | ✓ | 6 weeks + | 0.5 ml | IM | GlaxoSmithKline - SKB | 90723 | 110 |
| ProQuad® | MMR/Varicella | | 1 yr + | 0.5 ml | SQ | Merck- MSD | 90710 | 94 |
| Pentacel® | DTaP/HIB/IPV | | 6 weeks - 5 yrs | 0.5 ml | IM | Sanofi Pasteur - PMC | 90698 | 120 |
| Kinrix® | DTaP/IPV | | 4 - 6 yrs | 0.5 ml | IM | GlaxoSmithKline - SKB | 90696 | 130 |
| Comvax® | Нер В/НІВ | | 6 weeks + | 0.5 ml | IM | Merck- MSD | 90748 | 51 |
| Twinrix® | HepA/HepB - Adult | | 18 + yrs | 1.0 ml | IM | GlaxoSmithKline - SKB | 90636 | 104 |
| Diphtheria, Tetanus and Pertuss | sis | | | | | | | |
| Daptacel | | | 6 weeks + | 0.5 ml | IM | Sanofi Pasteur - PMC | 90700 | |
| Tripedia | DTaP | | 6 weeks + | 0.5 ml | IM | Sanofi Pasteur - PMC | | 20 |
| Infanrix | | ✓ | 6 weeks + | 0.5 ml | IM | GlaxoSmithKline - SKB | | <u> </u> |
| Decavac™ Tetanus and Diphtheria Toxoids Adsorbed Preservative Free | Td Adult, Preserv Free | ✓ | 7+ yrs | 0.5 ml | IM | Sanofi Pasteur - PMC | 90714 | 113 |
| Adacel Tetanus Diphtheria and Acellular Pertussis | Tdap | ~ | 11-64 yr | 0.5 ml | IM | Sanofi Pasteur - PMC | 90715 | 115 |
| Diphtheria and tetanus toxoids adsorbed | DT (Pediatric) | ✓ | 6 weeks + | 0.5 ml | IM | Sanofi Pasteur - PMC | 90702 | 28 |
| Tetanus and diphtheria toxoids adsorbed | Td - Adult | | 7+ yrs | 0.5 ml | IM | Sanofi Pasteur - PMC | 90718 | 09 |
| Boostrix Tetanus Diphtheria & Acellular Pertsussis | Tdap | | 10-18 yrs | 0.5 ml | IM | GlaxoSmithKline - SKB | 90715 | 115 |
| If DTaP was given and the brand name is unknown | DTaP | | | | | | 90700 | 20 |
| Diphtheria, tetanus toxoids, & whole cell pertussis vaccine (will be from historical records) | DTP | | | | | | 90701 | 01 |


Questions? Contact VacTrAK Support: 866-702-8725 or 907-269-0312 or email: vactrak@alaska.gov - https://vactrak.alaska.gov - Rev 8 April 2010






| Vaccine trade name or common name | Best VacTrAK Selection | State Supplied | Age (Range) | Dose | Route | Manufacturer | CPT code | CVX code |
|--|---|-------------------|-----------------------|--------------------------|-------|-----------------------|-------------|-------------|
| Hepatitis A | | | | • | | | • | |
| Vaqta® (2 doses for pediatric/adolescents) | - Hep A 2 dose - Ped/Adol | | 12 months - 18 yrs | 0.5 ml (25 U) | IM | Merck- MSD | 90633 | |
| Havrix® (2 doses for pediatric/adolescent) | | ✓ | 12 months - 18 yrs | 0.5 ml (720 EL.U) | IM | GlaxoSmithKline - SKB | | 83 |
| Vaqta® (2 doses for adults) | Hep A 2 dose - Adult | | 19+ yrs | 1.0 ml (50u) | IM | Merck- MSD | 90632 | |
| Havrix® (2 doses for adults) | | ~ | 19+ yrs | 1.0 ml (1440 EL.U) | IM | GlaxoSmithKline - SKB | | 52 |
| Havrix® (3 doses for pediatric/adolescent) | Hep A 3 dose - Ped/Adol | | 12 months - 18 yrs | 0.5 ml (360 EL.U) | IM | GlaxoSmithKline - SKB | 90634 | 84 |
| Hepatitis B | | | | | | | | |
| Engerix-B® Ped/Adol | HepB Ped/Adol | | Birth - 19 yrs | 0.5 ml 10μg | IM | GlaxoSmithKline - SKB | 90744 | 08 |
| Recombivax HB® (state supplied ped/adol formulation) | Preserv. Free | ✓ | Birth - 19 yrs | 0.5 ml 5μg | IM | Merck- MSD | 90744 | 08 |
| Engerix-B® for adults | Hepatitis B– | | 20 + yrs | 1.0 ml 20μg | IM | GlaxoSmithKline - SKB | 90746 | 43 |
| Recombivax HB® for adults | Adult | ✓ | 20 + yrs | 1.0 ml 10μg | IM | Merck- MSD | | 43 |
| Various dosages depending on specific individual cases, such as high risk or dialysis. | Note: there are vari available to reflect t situation | | | | | | | |
| HIB | | | | | | | | |
| ActHib ® | Hib-PRP-T | | 2 months - 5 yrs | 0.5 ml | IM | Sanofi Pasteur - PMC | 90648 | 48 |
| OmniHib® | Hib-PRP-T | | | 0.5 ml | IM | GlaxoSmithKline - SKB | | |
| PedvaxHib® | Hib-PRP-OMP | ✓ | | 0.5ml | IM | Merck- MSD | 90647 | 49 |
| HibTITER® | Hib-Hboc | | - | 0.5ml | IM | Wyeth Ayerst - WAL | 90645 | 47 |
| ProHIBit® (discontinued) | Hib-PRP-D | | | | | | | |

Questions? Contact VacTrAK Support: 866-702-8725 or 907-269-0312 or email: vactrak@alaska.gov - https://vactrak.alaska.gov - Rev 8 April 2010






| Vaccine trade name or | Best VacTrAK | State | Age (Range) | D | Route | Manufacturer | CPT | CVX | | |
|---|--|----------|---------------|----------------------|-------|----------------------------------|-------|------|--|--|
| common name | Selection | Supplied | | Dose | | | code | code | | |
| Human Papilloma Virus | | | | | | | | | | |
| Gardasil® | HPV, quadrivalent | ✓ | 9 - 26 yrs | 0.5ml | IM | Merck- MSD | 90649 | 62 | | |
| Cervarix TM | HPV, bivalent | | | | IM | GlaxoSmithKline - SKB | 90650 | 118 | | |
| Influenza | | | | | | | | | | |
| Fluzone PF® Preservative Free (state supplied) | Influenza split 6- 35 mos pres free | ✓ | 6-35 mos | 0.25 ml PFS | IM | Sanofi Pasteur - PMC | 90655 | | | |
| Fluzone® | 55 mos pres free | | | 0.25 ml | | | | | | |
| (contains preservative) | T (1 C 1') | | 6-35 mos | MDV | IM | Sanofi Pasteur - PMC | 90657 | 15 | | |
| Fluzone® (contains preservative) | Influenza Split | ✓ | 3+ yrs | 0.5ml MDV | IM | Sanofi Pasteur - PMC | 90658 | | | |
| Flumist® - Live Attenuated Influenza Vaccine | Influenza Nasal Spray | ✓ | 2-49 yrs | 0.2 ml total | IM | MedImmune - MED | 90660 | 111 | | |
| FluzonePF® Preservative Free | Influenza split 36+ mos pres free | | 3+ yrs | 0.5ml SDV; PFS | IM | Sanofi Pasteur - PMC | 90656 | | | |
| Fluvirin® (contains preservative) | Influenza Split (Best choice) | | 4+ yrs | 0.5ml PFS | IM | Novartis - NOV (formerly Chiron) | 90658 | | | |
| Afluria® Preservative Free | Influenza split | | 10 2780 | 0.5ml PFS | IM | CSL Biotherapies, INC - CSL | 90656 | 15 | | |
| FLUARIX® | 18+ yrs pres free | | 18+ yrs | 0.5ml PFS | IM | GlaxoSmithKline - SKB | 90030 | | | |
| Afluria® (contains preservative) | I (I () () () | | | 0.5ml MDV | IM | CSL Biotherapies, INC - CSL | 00/50 | | | |
| FluLaval® | Influenza Split | | | 0.5 ml MDV | IM | GlaxoSmithKline - SKB | 90658 | | | |
| Japanese Encephalitis | | | | | | | | | | |
| Japanese Encephalitis | Japanese | | 12- 35 mos 0. | 0.5ml | SQ | Carra C. Dantaum DMC | 00725 | 39 | | |
| | Encephalitis | | 3 yrs+ | 1.0 ml | SQ | Sanofi Pasteur - PMC | 90735 | 39 | | |
| Measles, Mumps & Rubella | | | | | | | | | | |
| Measles, Mumps & Rubella | MMR | ✓ | 1+ yrs | 0.5ml | SQ | Merck- MSD | 90707 | 03 | | |





| Vaccine trade name or common name | Best VacTrAK Selection | State Supplied | Age (Range) | Dose | Route | Manufacturer | CPT code | CVX code |
|---|-------------------------------|-------------------|--|--------|-------|-----------------------|-------------|-------------|
| Meningococcal | | | | | | | | |
| Menactra® Meningococcal Conjugate vaccine (Serogroups A, C, Y, W-135) | Meningococcal (MCV) | ✓ | 2-55 yr | 0.5 ml | IM | Sanofi Pasteur - PMC | 90734 | 114 |
| Menomune® A/C/Y/W-135 Meningococcal Polysaccharide vaccine | Meningococcal (MPSV) | | 19+ mo (1 dose) 3-18 mo (2 doses) | 0.5 ml | SQ | Sanofi Pasteur - PMC | 90733 | 32 |
| Pneumonia | | | | | | | | |
| Prevnar® Pneumococcal Conjugate, 7 valent | Pneumococcal (PCV) | | 2 - 59 months | 0.5ml | IM | Wyeth Ayerst - WAL | 90669 | 100 |
| Prevnar® Pneumococcal Conjugate, 13 valent | Pneumococcal, PCV-13 | ✓ | 2 - 59 months | 0.5ml | IM | Wyeth Ayerst - WAL | 90670 | 133 |
| Pneumovax® 23 Pneumococcal, polyvalent | Pneumococcal (PPSV) | ✓ | 65+ yrs, ≥2 yrs w/health risks | 0.5ml | SQ/IM | Merck- MSD | 0.0722 | 22 |
| Pnu-Imune® 23 | Pneumococcal (PPSV) | | 65+ yrs, ≥2 yrs w/health risks | 0.5ml | SQ/IM | GlaxoSmithKline - SKB | 90732 | 33 |
| Polio | | | | | | | | |
| IPOL® Polioviurs vaccine, inactivated | IPV | ✓ | 6 weeks + | 0.5 ml | SQ | Sanofi Pasteur - PMC | 90713 | 10 |
| Poliovirus vaccine, live oral | OPV | | | | | | | 02 |
| Rabies | | | | | | | | |
| Imovax® | Rabies | | | 1.0 ml | IM | Sanofi Pasteur - PMC | 00675 | 10 |
| Rabavert® | Rabies | | | 1.0 ml | IM | Novartis - NOV | 90675 | 18 |
| Rabies, ID | Rabies Intradermal | | | | | | | |
| Rotavirus | | | | | | | | |
| Rotateq® | Rotavirus, pentavalent RV5 | ✓ | 2-32 months | 2.0 ml | ORAL | Merck- MSD | 90680 | 116 |
| Rotarix® | Rotavirus, monovalent RV1 | | 6-24 weeks | 1.0 ml | ORAL | GlaxoSmithKline - SKB | 90681 | 119 |





| Vaccine trade name or common name | Best VacTrAK Selection | State Supplied | Age (Range) | Dose | Route | Manufacturer | CPT code | CVX code |
|-----------------------------------|---------------------------|-------------------|-------------|---------|-------|----------------------------------|-------------|-------------|
| TB test | | | | | | | | |
| Purified Protein Derivative (PPD) | PPD Test | | | 0.1 ml | ID | Parkdale Pharmaceuticals - PD | 86580 | 96 |
| Typhoid | | | | | | | | |
| Typhoid ViCPs | Typhoid, ViCPs | | 2 yr + | 0.5 ml | IM | Sanofi Pasteur - PMC | 90691 | 101 |
| Typhoid, Oral | Typhoid, oral | | 6 yr + | 4 tabs | ORAL | Berna Products Corp BPC | 90690 | 25 |
| Typhoid, parenteral | Typhoid, parenteral | | | | | | | |
| Varicella | | | | | | | | |
| Varivax® Chicken Pox Vaccine | Varicella | ✓ | 1+ yrs | 0.5 ml | SQ | Merck- MSD | 90716 | 21 |
| Yellow Fever | | | | | | | | |
| Yellow Fever | Yellow Fever | | 9+ months | 0.5ml | SQ | Sanofi Pasteur - PMC | 90717 | 37 |
| Zoster ("Shingles") | | | | | | | | |
| Zostavax® | Zoster, Live | | 60 + yrs | 0.65 ml | SQ | Merck- MSD | 90736 | 121 |

Notes

On the *Vaccination View/Add* screen, there are two places to look for the appropriate vaccine choice when entering a vaccination date. Look *FIRST* at the vaccine names that appear on the screen. *ALL* routine vaccines will appear. For less common vaccines not on this list, go to the select box at the bottom of the vaccine list, and choose your vaccine from the drop-down list and enter the date administered. *Note: Unspecified vaccines should only be used for entering historical vaccines when the specific vaccine type is unknown*.

If your practice manages vaccine inventory in VacTrAK, make sure the vaccine types you enter match the vaccine types your lot number manager has entered. If you don't see the correct lot number on your *Vaccination Detail* screen, you and your lot number manager may be entering different vaccines (i.e., DTaP vs. DTaP-5 pertussis antigen.) Be sure to speak with the person entering your lot numbers if you notice any issues/problems.

Flu notes to consider:

- > PFS = Prefilled Syringe; MDV = Multidose vial; SDV Single Dose vial
- ➤ VacTrAK staff discourage the use of the vaccine type "Influenza Whole". This vaccines type has not been used in the U.S. for some time