

Novetus on Linux

Bottles (Flatpak) — setup procedure. Novetus 1.3 v3.2024.1.

Install

1. Download Novetus from **bitl.itch.io/novetus** (Stable 1.3 v3.2024.1, ~742 MB). Snapshot builds add the 2012 clients.
2. Bottles > **New Bottle** > environment **Gaming** > name it **Novetus**.
3. Extract the zip to the bottle's C: drive:

```
~/ .var/app/com.usebottles.bottles/data/bottles/bottles/Novetus/  
drive_c/Novetus/
```

4. Bottle > **Dependencies** > install: corefonts gdiplus urlmon wininet winhttp wsh57, plus vcredist2005 and vcredist2008.
5. Skip .NET. Accept the Gecko prompt when it appears.
6. Apply the DLL overrides below — required, clients will not launch without them.
7. Bottle > **Add Shortcuts** > C:\Novetus\NovetusBootstrapper.exe.
8. First run: Novetus > **Options** > **Graphics Settings** > quality High or Ultra.

DLL overrides (required)

Registry Editor > HKEY_CURRENT_USER\Software\Wine\DllOverrides > add three String values:

```
wininet    = builtin  
urlmon     = builtin  
iertutil   = builtin
```

Or: Legacy Wine Tools > winecfg > **Libraries** tab > add each name > set to **Builtin (Wine)**.

The WINEDLLOVERRIDES environment variable does not work — Bottles' KEY=VALUE field rejects the second equals sign.

Optional settings

Setting	Action
Snapshot	Options > Snapshots > create one before changing anything else.
Sync method	Settings > Performance. Check availability first: uname -r (needs 6.14+), ls -l /dev/ntsync, sudo modprobe ntsync. Currently unavailable — using fsync.
DXVK	On by default. Toggle off only to test a misbehaving client.
Virtual desktop	winecfg > Graphics > Emulate a virtual desktop. Change 800x600 to your resolution (xrandr grep '*') or 1600x900 for a smaller window. Currently off.

Setting	Action
.NET	Not installed. Only if the launcher itself breaks: dotnet48 from Dependencies. Snapshot first.

Desktop entry

```
flatpak override --user --filesystem=xdg-data/applications:create \
  --filesystem=xdg-desktop:create com.usebottles.bottles
flatpak kill com.usebottles.bottles
flatpak override --user --show com.usebottles.bottles
```

Reopen Bottles, create the entry again, then:

```
update-desktop-database ~/.local/share/applications
chmod +x ~/Desktop/Novetus.desktop
gio set ~/Desktop/Novetus.desktop metadata::trusted true
```

Manual fallback:

```
cat > ~/.local/share/applications/Novetus.desktop << 'EOF'
[Desktop Entry]
Type=Application
Name=Novetus
Exec=flatpak run --command=bottles-cli com.usebottles.bottles run \
  -b Novetus -e "C:\Novetus\NovetusBootstrapper.exe"
Icon=applications-games
Categories=Game;
Terminal=false
StartupWMClass=Novetus.exe
EOF
update-desktop-database ~/.local/share/applications
```

Debug launch

```
flatpak run --command=bottles-cli com.usebottles.bottles run -b Novetus \
  -e "C:\Novetus\NovetusBootstrapper.exe"

flatpak run --command=bottles-cli com.usebottles.bottles programs -b Novetus
flatpak run --command=bottles-cli com.usebottles.bottles list bottles
```

Troubleshooting

Symptom	Fix
Play Solo does nothing	Apply the DLL overrides above.
Client dies instantly, no window	Install 32-bit graphics libs on the host: lib32-mesa (Arch), libgl1-mesa-dri:i386 (Debian/Ubuntu), mesa-dri-drivers.i686 (Fedora).

Symptom	Fix
"Graphics card is outdated" on 2010+	Confirm DXVK is on; else install d3dx9.
Missing / disappearing textures	Options > Graphics Settings > High or Ultra.
Cursor jitter on 2007–2009E	Use a 2008 or 2010 client instead.
"Not running as administrator"	Ignore.
DefaultFace.rbxm error	Click Continue.
Clients time out	Set ClientLaunchTimeOffset to 1.0 in config/config.json (max 2.0).
Read access denied for device D:\	Ignore.
Program Novetus not found	Use -e with the exe path instead of -p.

Paths

Bottle root	~/.var/app/com.usebottles.bottles/data/bottles/ bottles/Novetus/
Launcher	C:\Novetus\NovetusBootstrapper.exe
Real binary	C:\Novetus\bin\Novetus.exe or C:\Novetus\data\bin\Novetus.exe
Clients	C:\Novetus\clients\<version>\
Config	C:\Novetus\config\config.json

Novetus by Bitl, not affiliated with Roblox Corporation. Compiled August 2026.