

Prompts para Spritesheets em Pixel Art

Animações de personagens, inimigos, NPCs, efeitos e objetos. Frames de 32x32 px, visão top-down 2D RPG.

1. Como usar

Uma spritesheet é uma folha com os frames de animação organizados em grade. Os geradores de imagem não respeitam pixels exatos nem mantêm o personagem idêntico entre frames, então o prompt define o estilo e o resultado precisa de ajuste depois. Os prompts estão em inglês e pedem fundo magenta sólido (#FF00FF) para facilitar a remoção do fundo.

2. Prompt base (template)

Troque [PERSONAGEM/OBJETO], [ANIMAÇÃO] e a quantidade de frames e linhas.

pixel art sprite sheet, [PERSONAGEM/OBJETO], [ANIMAÇÃO], [N] frames per row, [N] rows, each frame 32x32 pixels, strict grid layout, equal spacing, same character design in every frame, consistent proportions and palette, top-down 2D RPG view, limited color palette of 8-12 colors, crisp hard pixel edges, no anti-aliasing, 1px dark outline, light from top-left, solid flat magenta background (#FF00FF), no text, no labels, no grid lines, 16-bit style

3. Personagem (herói)

Idle (parado), 4 direções

pixel art sprite sheet, wandering hero with a cloak and sword, idle animation, 2 frames per direction, 4 rows (down, left, right, up), each frame 32x32 pixels, strict grid layout, same character design in every frame, top-down 2D RPG view, limited palette, crisp pixels, no anti-aliasing, 1px dark outline, solid flat magenta background, no text, 16-bit style

Caminhada (walk cycle)

pixel art walk cycle sprite sheet, wandering hero with a cloak and sword, 4 frames per direction, 4 rows (down, left, right, up), each frame 32x32 pixels, strict grid layout, consistent character design and proportions in every frame, top-down 2D RPG view, limited palette, crisp pixels, no anti-aliasing, 1px dark outline, solid flat magenta background, no text, 16-bit style

Corrida (run)

pixel art run cycle sprite sheet, wandering hero with a cloak and sword, 6 frames per direction, 4 rows (down, left, right, up), each frame 32x32 pixels, strict grid layout, leaning forward, cloak flowing, consistent design in every frame, top-down 2D RPG view, limited palette, crisp pixels, no anti-aliasing, 1px dark outline, solid flat magenta background, 16-bit style

Ataque com espada

pixel art attack animation sprite sheet, hero swinging a sword, 5 frames per direction (windup, swing, impact, follow-through, recover), 4 rows (down, left, right, up), each frame 32x32 pixels, strict grid layout, consistent design, top-down 2D RPG view, limited palette, crisp pixels, no anti-aliasing, 1px dark outline, solid flat magenta background, 16-bit style

Dano e morte

pixel art sprite sheet, hero hurt and death animation, row 1: 2 frames hit flash and recoil, row 2: 5 frames falling and lying on the ground, each frame 32x32 pixels, strict grid layout, consistent design, top-down 2D RPG view, limited palette, crisp pixels, no anti-aliasing, 1px dark outline, solid flat magenta background, 16-bit style

4. Inimigos e NPCs

Slime (pulo)

pixel art sprite sheet, green slime enemy, idle bounce 4 frames in row 1, attack lunge 4 frames in row 2, death melt 4 frames in row 3, each frame 32x32 pixels, strict grid layout, consistent design, top-down 2D RPG view, limited palette, crisp pixels, no anti-aliasing, 1px dark outline, solid flat magenta background, 16-bit style

Esqueleto (caminhada + ataque)

pixel art sprite sheet, skeleton warrior enemy with rusty sword, walk 4 frames per direction in 4 rows, then attack 4 frames in a 5th row facing down, each frame 32x32 pixels, strict grid layout, consistent design, top-down 2D RPG view, limited palette, crisp pixels, no anti-aliasing, 1px dark outline, solid flat magenta background, 16-bit style

Criatura pós-apocalíptica

pixel art sprite sheet, ash-covered wasteland creature with glowing ember eyes, walk 4 frames per direction in 4 rows, each frame 32x32 pixels, strict grid layout, consistent design, top-down 2D RPG view, charcoal and orange palette, crisp pixels, no anti-aliasing, 1px dark outline, solid flat magenta background, 16-bit style

NPC (mercador parado)

pixel art sprite sheet, friendly merchant NPC with a backpack, idle breathing animation, 3 frames per direction, 4 rows (down, left, right, up), each frame 32x32 pixels, strict grid layout, consistent design, top-down 2D RPG view, limited palette, crisp pixels, no anti-aliasing, 1px dark outline, solid flat magenta background, 16-bit style

5. Efeitos e objetos animados

Fogueira

pixel art sprite sheet, campfire animation loop, 6 frames in a single horizontal row, each frame 32x32 pixels, orange and yellow flames flickering over dark logs, strict grid layout, top-down 2D RPG view, limited palette, crisp pixels, no anti-aliasing, solid flat magenta background, 16-bit style

Água / ondas (tile animado)

pixel art animated tile sprite sheet, water surface, 4 frames in a single row, each frame 32x32 pixels, seamless tileable, subtle moving wave highlights, top-down 2D RPG view, limited blue palette, crisp pixels, no anti-aliasing, no background, 16-bit style

Efeitos de combate

pixel art effects sprite sheet, row 1: sword slash 5 frames, row 2: fire explosion 6 frames, row 3: magic sparkle 5 frames, each frame 32x32 pixels, strict grid layout, limited palette, crisp pixels, no anti-aliasing, solid flat magenta background, 16-bit style

Baú abrindo

pixel art sprite sheet, wooden chest opening animation, 5 frames in a single row (closed, lid lifting, half open, open, glowing loot), each frame 32x32 pixels, strict grid layout, top-down 2D RPG view, limited palette, crisp pixels, no anti-aliasing, 1px dark outline, solid flat magenta background, 16-bit style

6. Negative prompt

Use se a ferramenta aceitar (Stable Diffusion, Leonardo, etc.).

blurry, anti-aliasing, gradients, 3D render, realistic, inconsistent character, different outfit between frames, missing frames, overlapping frames, text, labels, grid lines, watermark, noise

7. Convenção de linhas (padrão de RPG)

Use a mesma ordem em todas as folhas para facilitar o código na engine.

Linha	Direção
1	Baixo (down)
2	Esquerda (left)
3	Direita (right)
4	Cima (up)

Para folhas de 4 colunas por 4 linhas com frames de 32x32, o tamanho final é **128x128 px**. Para 6 colunas por 4 linhas, 192x128 px.

8. Dicas importantes

- **Consistência é o maior problema.** Geradores costumam mudar a roupa ou o corpo entre frames. Gere primeiro um frame aprovado do personagem e use como imagem de referência para a folha.
- **Peça poucas linhas por vez.** Uma folha de 4 frames por 1 direção sai bem melhor que uma de 8 por 8. Depois junte as linhas no editor.
- **Espelhe em vez de gerar.** Esquerda e direita são espelhos uma da outra. Gere só uma e use flip horizontal na outra (script abaixo, ou Aseprite, Photopea, GIMP).
- **Retoque à mão.** Corrija frames errados no Aseprite ou Pixelorama. A animação quase sempre precisa de ajuste fino.
- **Teste a animação.** Aseprite, Piskel e Pixelorama têm preview em loop. Use 8 a 12 FPS para caminhada.
- **Alinhamento.** Mantenha os pés do personagem na mesma posição em todos os frames, senão ele treme na tela.
- **Recorte.** Reduza com nearest neighbor e fatie em grade de 32x32, como nos tiles. As ferramentas são as mesmas do PDF de tiles (Aseprite, Pixelorama, Piskel, Photopea, GIMP, ezgif Sprite Cutter, Tiled e Godot 4).

9. Script Python: limpar, espelhar e gerar GIF de teste

Instale o Pillow (pip install pillow). O script remove o fundo magenta, reduz com nearest neighbor, cria a linha da direita espelhando a da esquerda, salva a folha final e gera um GIF de cada direção para você testar a animação.

```

from PIL import Image, ImageOps
import os

ARQUIVO = "sprites.png" # folha gerada (4 colunas x 4 linhas)
TILE = 32
COLUNAS, LINHAS = 4, 4
LARGURA, ALTURA = COLUNAS * TILE, LINHAS * TILE # 128 x 128

img = Image.open(ARQUIVO).convert("RGBA")
img = img.resize((LARGURA, ALTURA), Image.NEAREST)

# Magenta (#FF00FF) vira transparente
px = img.load()
for y in range(ALTURA):
    for x in range(LARGURA):
        r, g, b, a = px[x, y]
        if r > 220 and g < 60 and b > 220:
            px[x, y] = (0, 0, 0, 0)

# Linha 3 (direita) = espelho da linha 2 (esquerda)
linha_esq = img.crop((0, TILE, LARGURA, 2 * TILE))
linha_dir = ImageOps.mirror(linha_esq)
img.paste(linha_dir, (0, 2 * TILE))

img.save("spritesheet_final.png")

# GIF de teste de cada direcao (ampliado 4x, 8 FPS)
os.makedirs("preview", exist_ok=True)
nomes = ["baixo", "esquerda", "direita", "cima"]
for i, nome in enumerate(nomes):
    frames = []
    for c in range(COLUNAS):
        f = img.crop((c * TILE, i * TILE, (c + 1) * TILE, (i + 1) * TILE))
        frames.append(f.resize((TILE * 4, TILE * 4), Image.NEAREST))
    frames[0].save(f"preview/{nome}.gif", save_all=True,
                  append_images=frames[1:], duration=125,
                  loop=0, disposal=2, transparency=0)
print("Pronto: spritesheet_final.png e preview/*.gif")

```

10. Fluxo de trabalho recomendado

1. Gere e aprove um único frame do personagem (pose parada, olhando para baixo).
2. Use esse frame como referência e gere uma direção por vez (caminhada para baixo, esquerda e cima).
3. Remova o fundo magenta e reduza com nearest neighbor.
4. Gere a direita espelhando a esquerda (script da seção 9).
5. Teste o loop nos GIFs de preview e corrija frames quebrados no Aseprite ou Pixelorama.
6. Alinhe os pés em todos os frames e exporte a folha final.
7. Importe na engine (Godot AnimatedSprite2D/AtlasTexture, Phaser spritesheet) com frames de 32x32.