

Heritage Treasures: An In-Depth Analysis of UNESCO World Heritage Sites in Tableau

CHAPTER – XII

APPENDIX

12.1 – Source Code

App.py

```
from flask import Flask, render_template

app = Flask(__name__)

@app.route('/')
def index():
    return render_template('index.html')


@app.route('/about')
def about():
    return render_template('about.html')

@app.route('/dashboard01')
def dashboard01():
    return render_template('dashboard01.html')

@app.route('/dashboard02')
def dashboard02():
    return render_template('dashboard02.html')

@app.route('/story')
def story():
    return render_template('story.html')

if __name__ == '__main__':
    # debug=True automatically restarts the server when you make changes
    app.run(debug=True)
```



Heritage Treasures: An In-Depth Analysis of

UNESCO World Heritage Sites in Tableau

Navbar.html

```
<nav class="navbar navbar-expand-lg navbar-dark bg-dark mb-4 shadow">
  <div class="container">
    <a class="navbar-brand fw-bold" href="{{ url_for('index') }}">Heritage Treasures</a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNav">
      <ul class="navbar-nav ms-auto">
        <li class="nav-item"><a class="nav-link" href="{{ url_for('index') }}">Home</a></li>
        <li class="nav-item"><a class="nav-link"
href="{{ url_for('dashboard01') }}">Dashboard 01</a></li>
        <li class="nav-item"><a class="nav-link"
href="{{ url_for('dashboard02') }}">Dashboard 02</a></li>
        <li class="nav-item"><a class="nav-link" href="{{ url_for('story') }}">Data
Story</a></li>
        <li class="nav-item"><a class="nav-link" href="{{ url_for('about') }}">About</a></li>
      </ul>
    </div>
  </div>
</nav>
```

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Heritage Treasures | Home</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
  <style>body { background-color: #f8f9fa; }</style>
</head>
<body>
  {% include 'navbar.html' %}
```

Heritage Treasures: An In-Depth Analysis of UNESCO World Heritage Sites in Tableau

```
<div class="container mt-5">
  <div class="p-5 text-center bg-white rounded-3 shadow-sm border">
    <h1 class="display-4 fw-bold text-dark">Heritage Treasures</h1>
    <p class="lead text-secondary mt-3">An In-Depth Analysis of World Heritage Sites in
Tableau</p>
    <hr class="my-4">
    <p>Explore the cultural, natural, and mixed wonders of the world through interactive
data visualizations.</p>
    <div class="mt-4">
      <a class="btn btn-dark btn-lg px-4 me-2" href="{{ url_for('dashboard01') }}">View
Dashboards</a>
      <a class="btn btn-outline-secondary btn-lg px-4" href="{{ url_for('about') }}">Learn
More</a>
    </div>
  </div>
</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
>
</body>
</html>
```

Dashboard 01

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Heritage Treasures | Dashboard 01</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
  <style>
    body {
      background-color: #f8f9fa;
    }
  </style>
  /* Forces a stable container block so the Tableau JS engine doesn't read opx width */
```

Heritage Treasures: An In-Depth Analysis of UNESCO World Heritage Sites in Tableau

```
.tableau-responsive-container {  
  width: 100%;  
  max-width: 1000px;  
  margin: 0 auto;  
  overflow-x: auto;  
  -webkit-overflow-scrolling: touch;  
}  
</style>  
</head>  
<body>  
  {% include 'navbar.html' %}  
  
  <div class="container my-4">  
    <div class="mb-4">  
      <h2 class="fw-bold text-dark mb-1">Dashboard 01: Global Distribution</h2>  
      <p class="text-muted text-capitalize">Heritage treasures: an in-depth analysis of  
UNESCO world heritage sites in tableau</p>  
    </div>  
  
    <div class="card shadow-sm border-0">  
      <div class="card-body p-3 bg-white rounded">  
        <div class="tableau-responsive-container">  
  
          <div class='tableauPlaceholder' id='viz1782282524358' style='position: relative;  
width: 100%;>  
            <noscript>  
              <a href='#>  
                <img alt='Heritage treasures: an in-depth analysis of UNESCO world  
heritage sites in tableau '  
src='https://public.tableau.com/static/images/DA/DASHBOARD1-HeritageTreasuresanin-  
depthanalysisofUNESCOworldheritagesitesintableau&#47;Dashboard1&#47;1_rss.png'  
style='border: none' />  
              </a>  
            </noscript>  
            <object class='tableauViz' style='display:none;>  
              <param name='host_url' value='https%3A%2F%2Fpublic.tableau.com%2F' />  
              <param name='embed_code_version' value='3' />  
              <param name='site_root' value='' />  
              <param name='name' value='DASHBOARD1-HeritageTreasuresanin-  
depthanalysisofUNESCOworldheritagesitesintableau&#47;Dashboard1' />  
              <param name='tabs' value='no' />  
            </object>  
          </div>  
        </div>  
      </div>  
    </div>  
  </body>
```

Heritage Treasures: An In-Depth Analysis of UNESCO World Heritage Sites in Tableau

```
<param name='toolbar' value='yes' />
<param name='static_image' value='https://public.tableau.com/static/images/DA/DASHBOARD1-HeritageTreasuresAnIn-DepthAnalysisOfUNESCOWorldHeritageSitesInTableau/Dashboard1.png' />
<param name='animate_transition' value='yes' />
<param name='display_static_image' value='yes' />
<param name='display_spinner' value='yes' />
<param name='display_overlay' value='yes' />
<param name='display_count' value='yes' />
<param name='language' value='en-US' />
</object>
</div>

<script type='text/javascript'>
  // Wrapping inside window.onload prevents layout calculation errors
  window.onload = function() {
    var divElement = document.getElementById('viz1782282524358');
    var vizElement = divElement.getElementsByTagName('object')[0];

    // Safety check: if offsetWidth is 0, fall back to window width or a default
    1000px
    var calculatedWidth = divElement.offsetWidth || window.innerWidth || 1000;

    if (calculatedWidth > 800) {
      vizElement.style.width='1000px';
      vizElement.style.height='827px';
    } else if (calculatedWidth > 500) {
      vizElement.style.width='1000px';
      vizElement.style.height='827px';
    } else {
      vizElement.style.width='100%';
      vizElement.style.height='1577px';
    }

    var scriptElement = document.createElement('script');
    scriptElement.src = 'https://public.tableau.com/javascripts/api/viz_v1.js';
    vizElement.parentNode.insertBefore(scriptElement, vizElement);
  };
</script>
</div>
</div>
```

Heritage Treasures: An In-Depth Analysis of

UNESCO World Heritage Sites in Tableau

```
</div>
</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
>
</body>
</html>
```

Dashboard 02

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Heritage Treasures | Dashboard 02</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
  <style>
    body {
      background-color: #f8f9fa;
    }
    /* Forces a stable container block so the Tableau JS engine doesn't read opx width */
    .tableau-responsive-container {
      width: 100%;
      max-width: 1000px;
      margin: 0 auto;
      overflow-x: auto;
      -webkit-overflow-scrolling: touch;
    }
  </style>
</head>
<body>
  {% include 'navbar.html' %}

  <div class="container my-4">
    <div class="mb-4">
      <h2 class="fw-bold text-dark mb-1">Dashboard 02: Detailed Analysis</h2>
```

Heritage Treasures: An In-Depth Analysis of UNESCO World Heritage Sites in Tableau

```
<p class="text-muted text-capitalize">Heritage treasures: an in-depth analysis of  
UNESCO world heritage sites in tableau</p>
```

```
</div>
```

```
<div class="card shadow-sm border-0">  
  <div class="card-body p-3 bg-white rounded">  
    <div class="tableau-responsive-container">
```

```
      <div class='tableauPlaceholder' id='viz1782282637003' style='position: relative;  
width: 100%;>  
        <noscript>  
          <a href='#'>  
            <img alt='Heritage treasures: an in-depth analysis of UNESCO world  
heritage sites in tableau '  
src='https://public.tableau.com/static/images/DA/DASHBOARD2-HeritageTreasuresAnIn-  
depthAnalysisOfUNESCOWorldHeritageSitesInTableau/Dashboard2/1_rss.png'  
style='border: none' />  
          </a>
```

```
        </noscript>  
        <object class='tableauViz' style='display:none;'>  
          <param name='host_url' value='https%3A%2F%2Fpublic.tableau.com%2F' />  
          <param name='embed_code_version' value='3' />  
          <param name='site_root' value='' />  
          <param name='name' value='DASHBOARD2-HeritageTreasuresAnIn-  
depthAnalysisOfUNESCOWorldHeritageSitesInTableau/Dashboard2' />  
          <param name='tabs' value='no' />  
          <param name='toolbar' value='yes' />  
          <param name='static_image'  
value='https://public.tableau.com/static/images/DA/DASHBOARD2-HeritageTreasuresAnIn-  
depthAnalysisOfUNESCOWorldHeritageSitesInTableau/Dashboard2/1.png' />  
          <param name='animate_transition' value='yes' />  
          <param name='display_static_image' value='yes' />  
          <param name='display_spinner' value='yes' />  
          <param name='display_overlay' value='yes' />  
          <param name='display_count' value='yes' />  
          <param name='language' value='en-US' />  
        </object>  
      </div>  
    </div>
```

```
<script type='text/javascript'>
```

Heritage Treasures: An In-Depth Analysis of UNESCO World Heritage Sites in Tableau

```
// Wrapping inside window.onload prevents layout calculation errors
window.onload = function() {
    var divElement = document.getElementById('viz1782282637003');
    var vizElement = divElement.getElementsByTagName('object')[0];

    // Safety check: if offsetWidth is 0, fall back to window width or a default
    1000px
    var calculatedWidth = divElement.offsetWidth || window.innerWidth || 1000;

    if ( calculatedWidth > 800 ) {
        vizElement.style.width='1000px';
        vizElement.style.height='827px';
    } else if ( calculatedWidth > 500 ) {
        vizElement.style.width='1000px';
        vizElement.style.height='827px';
    } else {
        vizElement.style.width='100%';
        vizElement.style.height='977px';
    }

    var scriptElement = document.createElement('script');
    scriptElement.src = 'https://public.tableau.com/javascripts/api/viz_v1.js';
    vizElement.parentNode.insertBefore(scriptElement, vizElement);
};
</script>
</div>
</div>
</div>
</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
>
</body>
</html>
```

Story.html

Heritage Treasures: An In-Depth Analysis of UNESCO World Heritage Sites in Tableau

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Heritage Treasures | Data Story</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
  <style>
    body {
      background-color: #f8f9fa;
    }
    /* Forces a stable container block so the Tableau JS engine doesn't read opx width */
    .tableau-responsive-container {
      width: 100%;
      max-width: 1016px; /* Configured to match the story layout width */
      margin: 0 auto;
      overflow-x: auto;
      -webkit-overflow-scrolling: touch;
    }
  </style>
</head>
<body>
  {% include 'navbar.html' %}

  <div class="container my-4">
    <!-- Page Header -->
    <div class="mb-4">
      <h2 class="fw-bold text-dark mb-1">Data Story: Interactive Narrative</h2>
      <p class="text-muted text-capitalize">Heritage treasures: an in-depth analysis of
UNESCO world heritage sites in tableau</p>
    </div>

    <!-- Interactive Visualization Card Container -->
    <div class="card shadow-sm border-0">
      <div class="card-body p-3 bg-white rounded">
        <div class="tableau-responsive-container">

          <!-- Tableau Embed Section Start -->
          <div class='tableauPlaceholder' id='viz1782282706944' style='position: relative;
width: 100%;'>
            <noscript>
```

Heritage Treasures: An In-Depth Analysis of UNESCO World Heritage Sites in Tableau

```
<a href='#'>
  <img alt='Heritage treasures: an in-depth analysis of UNESCO world
heritage sites in tableau '
src='https://public.tableau.com/static/images/ST/STORY-
HeritageTreasuresAnIn-
depthAnalysisOfUNESCOWorldHeritageSitesInTableau/Story1/1_rss.png'
style='border: none' />
</a>
</noscript>
<object class='tableauViz' style='display:none;'>
  <param name='host_url' value='https://public.tableau.com/' />
  <param name='embed_code_version' value='3' />
  <param name='site_root' value='' />
  <param name='name' value='STORY-HeritageTreasuresAnIn-
depthAnalysisOfUNESCOWorldHeritageSitesInTableau/Story1' />
  <param name='tabs' value='no' />
  <param name='toolbar' value='yes' />
  <param name='static_image'
value='https://public.tableau.com/static/images/ST/STORY-
HeritageTreasuresAnIn-
depthAnalysisOfUNESCOWorldHeritageSitesInTableau/Story1/1.png' />
  <param name='animate_transition' value='yes' />
  <param name='display_static_image' value='yes' />
  <param name='display_spinner' value='yes' />
  <param name='display_overlay' value='yes' />
  <param name='display_count' value='yes' />
  <param name='language' value='en-US' />
</object>
</div>
```

```
<script type='text/javascript'>
  // Wrapping inside window.onload prevents layout calculation errors
  window.onload = function() {
    var divElement = document.getElementById('viz1782282706944');
    var vizElement = divElement.getElementsByTagName('object')[0];
```

```
    // Sets dimensions safely after the browser finishes painting the card layout
    vizElement.style.width='1016px';
    vizElement.style.height='991px';
```

```
    var scriptElement = document.createElement('script');
    scriptElement.src = 'https://public.tableau.com/javascripts/api/viz_v1.js';
```

Heritage Treasures: An In-Depth Analysis of

UNESCO World Heritage Sites in Tableau

```
vizElement.parentNode.insertBefore(scriptElement, vizElement);  
};  
</script>  
<!-- Tableau Embed Section End -->
```

```
</div>  
</div>  
</div>  
</div>
```

```
<!-- Bootstrap JS Bundle -->  
<script  
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>  
>  
</body>  
</html>
```

Style.css

```
body{  
background:#f5f5f5;  
font-family:Arial, Helvetica, sans-serif;  
}
```

```
.hero{  
padding:100px 20px;  
background:white;  
text-align:center;  
}
```

```
.hero h1{  
color:#198754;  
}
```

```
.hero h4{  
color:#555;  
}
```

```
footer{
```



BRAVO
— BUILDERS —



Heritage Treasures: An In-Depth Analysis of UNESCO World Heritage Sites in Tableau

```
margin-top:60px;  
}
```

```
iframe{  
border:none;  
width:100%;  
height:100%;  
border-radius:10px;  
box-shadow:0 0 10px rgba(0,0,0,.15);  
}
```

```
.container{  
max-width:1200px;  
}
```



BRAVO
— BUILDERS —
—

