

CHAPTER – XII

APPENDIX

12.1 – Source Code

app.html

```
from flask import Flask, render_template

app = Flask(__name__)

@app.route('/')
def home():
    return render_template('index.html')

@app.route('/about')
def about():
    return render_template('about.html')

@app.route('/dashboard01')
def dashboard01():
    return render_template('dashboard01.html')

@app.route('/dashboard02')
def dashboard02():
    return render_template('dashboard02.html')

@app.route('/story')
def story():
    return render_template('story.html')

if __name__ == "__main__":
    app.run(debug=True)
```

Nav.html

```
<nav class="navbar navbar-expand-lg custom-navbar">
```

```
<div class="container">

<a class="navbar-brand" href="/">
✧ Product Placement
</a>


<button class="navbar-toggler" data-bs-toggle="collapse" data-bs-
target="#menu">
<span class="navbar-toggler-icon"></span>
</button>

<div class="collapse navbar-collapse" id="menu">

<ul class="navbar-nav ms-auto">

<li class="nav-item"><a class="nav-link" href="/">Home</a></li>
<li class="nav-item"><a class="nav-link"
href="/about">About</a></li>
<li class="nav-item"><a class="nav-link"
href="/dashboard01">Dashboard 1</a></li>
```

ALPHA
— INNOVATORS —



Index.html

```
<!DOCTYPE html>
<html>

<head>
```

```
<title>Strategic Product Placement Analysis</title>

<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">

<link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;600;700&display=swap" rel="stylesheet">

<link rel="stylesheet"
href="{{url_for('static',filename='css/style.css')}}">

</head>

<body>

<nav class="navbar navbar-expand-lg custom-navbar">

<div class="container">

<a class="navbar-brand" href="/">
✦ Product Placement
</a>

<button class="navbar-toggler" data-bs-toggle="collapse" data-bs-target="#menu">
<span class="navbar-toggler-icon"></span>
</button>

<div class="collapse navbar-collapse" id="menu">

<ul class="navbar-nav ms-auto">

<li class="nav-item"><a class="nav-link" href="/">Home</a></li>
<li class="nav-item"><a class="nav-link" href="/about">About</a></li>
<li class="nav-item"><a class="nav-link" href="/dashboard01">Dashboard 1</a></li>
<li class="nav-item"><a class="nav-link" href="/dashboard02">Dashboard 2</a></li>
<li class="nav-item"><a class="nav-link" href="/story">Story</a></li>

</ul>

</div>
```

```
</div>

</nav>

<section class="hero">

<div class="container">

<div class="row align-items-center">

<div class="col-md-6">

<h1>
Strategic Product Placement Analysis
</h1>

<p class="mt-4">
Analyze consumer behavior, product placement,
sales volume and promotional impact through
interactive Tableau dashboards.
</p>

<a href="/dashboard01" class="btn btn-custom mt-3">
Explore Dashboard
</a>

</div>

<div class="col-md-6">



</div>

</div>

</div>

</div>

</div>

</section>

<div class="container">

<div class="row g-4">

<div class="col-md-4">

<div class="feature-card">
```

Dashboard Analytics</h4>

<p>
Interactive Tableau dashboards for business insights.
</p>

</div>

</div>

<div class="col-md-4">

<div class="feature-card">

Product Positioning</h4>

<p>
Analyze product placement effectiveness.
</p>

</div>

</div>

<div class="col-md-4">

<div class="feature-card">

Sales Performance</h4>

<p>
Track category-wise sales growth.
</p>

</div>

</div>

</div>

</div>

<footer>


Strategic Product Placement Analysis using Tableau © 2026

</footer>

```
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstr
ap.bundle.min.js"></script>

</body>

</html>
```



about.html

```
<!DOCTYPE html>
<html>
<head>
<title>About</title>

<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/boo
tstrap.min.css" rel="stylesheet">

<link rel="stylesheet"
href="{{ url_for('static', filename='css/style.css') }}">
</head>

<body>
{% include 'navbar.html' %}
<!-- Project Overview Section -->

<section class="container my-5">
```

```
<div class="glass-card text-center">

<h2 class="mb-4">📊 Project Overview</h2>

<p class="lead">
Strategic Product Placement Analysis using Tableau helps
businesses
understand how product positioning, pricing, promotions,
consumer
demographics, and foot traffic influence sales performance.
</p>

<p>
The project utilizes interactive Tableau dashboards to identify
sales trends, compare product categories, evaluate promotional
effectiveness, and support data-driven merchandising decisions.
</p>

</div>

</section>

<!-- Team Members Section -->
<section class="container my-5">
<h2 class="text-center mb-5">👥📋 Our Team</h2>
<div class="row g-4">

<!-- Team Member 1 -->

<div class="col-md-4">
<div class="card team-card text-center">

<div class="card-body">
<h4>NALAKUKKALA SARITHA</h4>

<p class="Team leader">
Team leader
</p>

<p>
Responsible for dashboard development,
```

data analysis and project coordination.
</p>

</div>

</div>

</div>

<!-- Team Member 2 -->

<div class="col-md-4">

<div class="card team-card text-center">

<div class="card-body">

<h4>RAMANAIDU KHAsthURI</h4>

<p class="Team member">

Team member

</p>

<p>

Responsible for data cleaning,
visualization and Tableau reporting.

</p>

</div>

</div>

</div>

<!-- Team Member 3 -->

<div class="col-md-4">

<div class="card team-card text-center">

<div class="card-body">

<h4>GEJJI SUPRIYA</h4>


```
<p class="Team member">
Team member
</p>

<p>
Responsible for project documentation,
testing and presentation preparation.
</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
</body>
```

```
</html>
```

dashboard01.html

```
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootst
trap.min.css" rel="stylesheet">
```

```
<link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;4
00;600;700&display=swap" rel="stylesheet">
```

```
<link rel="stylesheet"
href="{{url_for('static',filename='css/style.css')}}">
```

```
{% include 'navbar.html' %}
```

```
<h1 class="page-title">
```

```
Dashboard 01
```

```
</h1>
```

```
<div class="container">
```

```
<div class="tableau-box">
```

```
<!-- Paste Tableau Dashboard Embed Code Here --><div
class='tableauPlaceholder' id='viz1781497372881' style='position:
relative'><noscript><a href='#'><img alt='Dashboard 1 '
src='https://public.tableau.com/static/images/StrategicProductPlacementAnalysisusingTableau-
```

```
DASHBOARD01&#47;Dashboard1&#47;1_rss.png' style='border: none'
/></a></noscript><object class='tableauViz'
style='display:none;'><param name='host_url'
value='https%3A%2F%2Fpublic.tableau.com%2F' /> <param
name='embed_code_version' value='3' /> <param name='site_root'
value='' /><param name='name'
value='StrategicProductPlacementAnalysisusingTableau-
DASHBOARD01&#47;Dashboard1' /><param name='tabs' value='no'
/><param name='toolbar' value='yes' /><param name='static_image'
value='https:&#47;&#47;public.tableau.com&#47;static&#47;images&#
47;St&#47;StrategicProductPlacementAnalysisusingTableau-
DASHBOARD01&#47;Dashboard1&#47;1.png' /> <param
name='animate_transition' value='yes' /><param
name='display_static_image' value='yes' /><param
name='display_spinner' value='yes' /><param
name='display_overlay' value='yes' /><param name='display_count'
value='yes' /><param name='language' value='en-US' /><param
name='filter' value='publish=yes' /></object></div>
<script type='text/javascript'> var divElement
= document.getElementById('viz1781497372881');
var vizElement = divElement.getElementsByTagName('object')[0];
if ( divElement.offsetWidth > 800 ) {
vizElement.style.width='1700px';vizElement.style.height='927px';}
else if ( divElement.offsetWidth > 500 ) {
vizElement.style.width='1700px';vizElement.style.height='927px';}
else {
vizElement.style.width='100%';vizElement.style.height='1227px';}
var scriptElement = document.createElement('script');
scriptElement.src =
'https://public.tableau.com/javascripts/api/viz_v1.js';
vizElement.parentNode.insertBefore(scriptElement, vizElement);
</script>
</div>

</div>
```

Dashboard02.html

```
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootst
rap.min.css" rel="stylesheet">

<link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;4
00;600;700&display=swap" rel="stylesheet">
```

```
<link rel="stylesheet"
href="{{url_for('static',filename='css/style.css')}}">

{% include 'navbar.html' %}
<h1 class="page-title">
Dashboard 02
</h1>

<div class="container">

<div class="tableau-box">

<!-- Paste Tableau Dashboard Embed Code Here --><div
class="tableau-container">
<div class='tableauPlaceholder' id='viz1781497517424'>
<noscript>
<a href='#'>
<img alt='Dashboard 2'
src='https://public.tableau.com/static/images/St/StrategicProduct
PlacementAnalysisusingTableau-DASHBOARD02/Dashboard2/1_rss.png'
style='border:none' />
</a>
</noscript>

<object class='tableauViz'>
<param name='host_url'
value='https%3A%2F%2Fpublic.tableau.com%2F' />
<param name='embed_code_version' value='3' />
<param name='site_root' value='' />
<param name='name'
value='StrategicProductPlacementAnalysisusingTableau-
DASHBOARD02/Dashboard2' />
<param name='tabs' value='no' />
<param name='toolbar' value='yes' />
<param name='animate_transition' value='yes' />
<param name='display_static_image' value='yes' />
<param name='display_spinner' value='yes' />
<param name='display_overlay' value='yes' />
<param name='display_count' value='yes' />
<param name='language' value='en-GB' />
</object>
</div>
</div>

<script type='text/javascript'>
var divElement = document.getElementById('viz1781497517424');
var vizElement = divElement.getElementsByTagName('object')[0];

vizElement.style.width = '100%';
```

```
vizElement.style.height = '800px';

var scriptElement = document.createElement('script');
scriptElement.src =
'https://public.tableau.com/javascripts/api/viz_v1.js';
vizElement.parentNode.insertBefore(scriptElement, vizElement);
</script>
</div>

</div>
```

Story.html

```
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">

<link
href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;600;700&display=swap" rel="stylesheet">

<link rel="stylesheet"
href="{% url_for('static',filename='css/style.css') %}">

{% include 'navbar.html' %}
<h1 class="page-title">
Tableau Story
</h1>

<div class="container">

<div class="tableau-box">

<!-- Paste Tableau Story Embed Code Here --><div
class='tableauPlaceholder' id='viz1781497673561'
style='position: relative'><noscript><a href='#'><img
alt='Story 1 '
src='https://public.tableau.com/static/images/St/StrategicProductPlacementAnalysisusingTableau-STORY-01/Story1/1_rss.png' style='border: none'
/></a></noscript><object class='tableauViz'
style='display:none;'><param name='host_url'
value='https%3A%2F%2Fpublic.tableau.com%2F' /> <param
name='embed_code_version' value='3' /> <param name='site_root'
value='' /><param name='name'
value='StrategicProductPlacementAnalysisusingTableau-STORY-
```

```
01&#47;Story1' /><param name='tabs' value='no' /><param
name='toolbar' value='yes' /><param name='static_image'
value='https:&#47;&#47;public.tableau.com&#47;static&#47;images
&#47;St&#47;StrategicProductPlacementAnalysisusingTableau-
STORY-01&#47;Story1&#47;1.png' /> <param
name='animate_transition' value='yes' /><param
name='display_static_image' value='yes' /><param
name='display_spinner' value='yes' /><param
name='display_overlay' value='yes' /><param
name='display_count' value='yes' /><param name='language'
value='en-GB' /><param name='filter' value='publish=yes'
/></object></div>
<script
type='text/javascript'>
    var divElement =
document.getElementById('viz1781497673561');
var vizElement = divElement.getElementsByTagName('object')[0];
vizElement.style.width='1016px';vizElement.style.height='991px'
;
    var scriptElement =
document.createElement('script');
scriptElement.src =
'https://public.tableau.com/javascripts/api/viz_v1.js';
vizElement.parentNode.insertBefore(scriptElement, vizElement);
</script>

</div>
</div>
```

Style.html

```
/* Navbar */

.custom-navbar{
background: linear-gradient(
90deg,
#7b2cbf,
#9d4edd
);
padding:15px 0;
position:sticky;
top:0;
z-index:1000;
box-shadow:0 4px 15px rgba(0,0,0,0.15);
}

.navbar-brand{
```

```
color:white !important;
font-size:28px;
font-weight:700;
}
```

```
.logo-icon{
background:#ff69b4;
color:white;
width:45px;
height:45px;
border-radius:50%;
display:flex;
align-items:center;
justify-content:center;
margin-right:10px;
font-size:20px;
}
```

```
.nav-link{
color:white !important;
margin-left:10px;
padding:8px 18px !important;
border-radius:25px;
transition:0.3s;
}
```

```
.nav-link:hover{
background:white;
color:#7b2cbf !important;
}
```

```
.active-link{
background:#ff69b4;
color:white !important;
}body{
font-family:'Poppins',sans-serif;
min-height:100vh;
```

```
background:linear-gradient(
135deg,
#fff0f6,
#f8edff,
#f3e8ff
);
}
```

