

CHAPTER – XII

APPENDIX

12.1 – Source Code

APP.PY

```
from flask import Flask, render_template

app = Flask(__name__)

@app.route('/')
def index():
    return render_template('index.html', active='home')

@app.route('/about')
def about():
    return render_template('about.html', active='about')

@app.route('/dashboard01')
def dashboard01():
    return render_template('dashboard01.html', active='dashboard01')

@app.route('/dashboard02')
def dashboard02():
    return render_template('dashboard02.html', active='dashboard02')

@app.route('/story')
def story():
    return render_template('story.html', active='story')

if __name__ == '__main__':
    app.run(debug=True)
```

Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

INDEX.HTML

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Food Ordering Behaviour and Consumer Trends</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
      rel="stylesheet">
    <link rel="stylesheet" href="{{ url_for('static', filename='css/style.css') }}">
  </head>
  <body>
    {% include 'navbar.html' %}
    <section class="hero-section text-center">
      <div class="container">
        <h1 class="display-4 fw-bold">
          Food Ordering Behaviour and Consumer Trends
        </h1>
        <p class="lead mt-4">
          A Structured Analysis of Choices and Habits
        </p>
```

Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

[>](/dashboard01)

Explore Dashboards

</div>

</section>

<div class="container py-5">

<div class="row g-4">

<div class="col-md-4">

<div class="card p-4 h-100">

<h3>Consumer Preferences</h3>

<p>Analyze favorite cuisines, ordering frequency and spending patterns.</p>

</div>

</div>

<div class="col-md-4">

<div class="card p-4 h-100">

<h3>Ordering Habits</h3>

<p>Understand peak ordering times and platform usage trends.</p>

</div>

</div>

<div class="col-md-4">

<div class="card p-4 h-100">

<h3>Market Insights</h3>

<p>Discover changing consumer expectations and food delivery trends.</p>

Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

</div>

</div>

</div>

</div>

<footer class="footer text-center py-3">

© 2025 Food Ordering Behaviour Analysis

</footer>

<script

src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>

</body>

</html>

NAVBAR.HTML

<nav class="navbar navbar-expand-lg navbar-dark bg-dark shadow">

<div class="container">

Food Trends Analysis

<button class="navbar-toggler" type="button"

data-bs-toggle="collapse"

data-bs-target="#navbarNav"

aria-controls="navbarNav"

Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

aria-expanded="false">

</button>

<div class="collapse navbar-collapse" id="navbarNav">

<ul class="navbar-nav ms-auto">

<li class="nav-item">

Home

<li class="nav-item">

About

<li class="nav-item">

Dashboard 01

<li class="nav-item">

Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

```
<a class="nav-link {% if active=='dashboard02' %}active fw-bold{% endif %}"
href="/dashboard02">
```

Dashboard 02

```
</a>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link {% if active=='story' %}active fw-bold{% endif %}" href="/story">
```

Story

```
</a>
```

```
</li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</nav>
```

ABOUT.HTML

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<title>About</title>
```

Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
      rel="stylesheet">
```

```
</head>
```

```
<body>
```

```
{% include 'navbar.html' %}
```

```
<div class="container py-5">
```

```
'''
```

```
<h1 class="text-center mb-4">About the Project</h1>
```

```
<p class="lead text-center">
```

This project analyzes food ordering behavior and consumer trends using data visualization and business intelligence techniques.

```
</p>
```

```
<hr class="my-5">
```

```
<h2 class="text-center mb-4">Team Members</h2>
```

```
<div class="row g-4">
```

```
<div class="col-md-3">
```

```
<div class="card text-center shadow-sm">
```

```
<div class="card-body">
```

```
<h5 class="card-title">BYRANNAGARI ABHISHEK</h5>
```

```
<p class="card-text">Project Lead</p>
```

```
</div>
```


Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

</div>

</div>

<div class="col-md-3">

<div class="card text-center shadow-sm">

<div class="card-body">

<h5 class="card-title">KOTTURU VASU</h5>

<p class="card-text">Data Analyst</p>

</div>

</div>

</div>

<div class="col-md-3">

<div class="card text-center shadow-sm">

<div class="card-body">

<h5 class="card-title">CHAMANCHI ASHOK</h5>

<p class="card-text">Dashboard Developer</p>

</div>

</div>

</div>

<div class="col-md-3">

<div class="card text-center shadow-sm">

<div class="card-body">

<h5 class="card-title">BOKKISAM SARAVANA</h5>

<p class="card-text">Documentation & Testing</p>

</div>

</div>

</div>

Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

</div>

...

</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>

</body>

</html>

Dashboard 01.HTML

<!DOCTYPE html>

<html>

<head>

<title>Dashboard 01</title>

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">

<style>

html, body {
height: 100%;

margin: 0;

overflow: hidden; /* prevents scroll */

}

#vizDashboard1 {

Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

```
width: 100vw;
```

```
height: 100vh;
```

```
}
```

```
.tableauPlaceholder {
```

```
width: 100vw;
```

```
height: 100vh;
```

```
}
```

```
.tableauViz {
```

```
width: 100% !important;
```

```
height: 100% !important;
```

```
}
```

```
/* If navbar exists, reduce height automatically */
```

```
body {
```

```
padding-top: 60px; /* adjust based on navbar height */
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
{% include 'navbar.html' %}
```

```
<div class="tableauPlaceholder" id="vizDashboard1">
```

```
<object class="tableauViz">
```

```
<param name="host_url" value="https%3A%2F%2Fpublic.tableau.com%2F" />
```

```
<param name="embed_code_version" value="3" />
```

Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

```
<param name="site_root" value="" />
    <param name="name"
value="FoodOrderingBehaviourandConsumerTrendsAStructuredAnalysisofChoicesandHabit
s-Dashboard1/Dashboard1" />
    <param name="tabs" value="no" />
    <param name="toolbar" value="yes" />
    </object>
    </div>
    <script>
        var divElement = document.getElementById('vizDashboard1');
        var vizElement = divElement.getElementsByTagName('object')[0];

        vizElement.style.width = '100%';
        vizElement.style.height = '100%';

        var scriptElement = document.createElement('script');
        scriptElement.src = 'https://public.tableau.com/javascripts/api/viz_v1.js';
        vizElement.parentNode.insertBefore(scriptElement, vizElement);
    </script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>

    </body>
</html>
```

Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

Dashboard 02.HTML

```
<!DOCTYPE html>

<html>

<head>

<title>Dashboard 02</title>

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">

</head>

<body>

{% include 'navbar.html' %}

<div class="container py-5">

<h1>Dashboard 02</h1>

<p><div <div class="container-fluid">

<div class="tableauPlaceholder" id="vizDashboard2" style="width:100%;">

<object class="tableauViz" style="display:none;">

<param name="host_url" value="https%3A%2F%2Fpublic.tableau.com%2F" />

<param name="embed_code_version" value="3" />

<param name="site_root" value="" />

<param name="name"

value="FoodOrderingBehaviourandConsumerTrendsAStructuredAnalysisofChoicesandHabit

s-Dashboard2/Dashboard2" />

<param name="tabs" value="no" />

<param name="toolbar" value="yes" />

</object>

</div>
```

Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

</div>

<script>

```
var divElement = document.getElementById('vizDashboard2');  
var vizElement = divElement.getElementsByTagName('object')[0];
```

```
vizElement.style.width = '100%';  
vizElement.style.height = '900px';
```

```
var scriptElement = document.createElement('script');  
scriptElement.src = 'https://public.tableau.com/javascripts/api/viz_v1.js';  
vizElement.parentNode.insertBefore(scriptElement, vizElement);
```

</script>

</div>

<script

```
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
```

</body>

</html>

STORY.HTML

<!DOCTYPE html>

<html>

<head>

<title>Story</title>

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"  
rel="stylesheet">
```

Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

</head>

<body>

{% include 'navbar.html' %}

<div class="container py-5">

<h1>Story</h1>

<div class="container-fluid">

'''

<!DOCTYPE html>

<html>

<head>

<title>Food Ordering Story</title>

<style>

html, body {

margin: 0;

height: 100%;

overflow: hidden;

}

#viz1781720388744 {

width: 100vw;

height: 100vh;

}

.tableauViz {

width: 100% !important;

Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

```
height: 100% !important;
    }
</style>
</head>

<body>

<div class='tableauPlaceholder' id='viz1781720388744' style='position: relative'>

    <noscript>
        <a href='#'>
            <img alt='Food Ordering Behaviour and Consumer Trends'

src='https://public.tableau.com/static/images/Fo/FoodOrderingBehaviourandConsumerTren
dsAStructuredAnalysisofChoicesandHabits-STORY/Story1/1_rss.png'
            style='border: none' />
        </a>
    </noscript>

<!DOCTYPE html>
<html>
<head>
    <title>Food Ordering Story</title>

    <style>
        html, body {
            margin: 0;
            height: 100%;
            overflow: hidden;
```


Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

```
}

#viz1781720388744 {
  width: 100vw;
  height: 100vh;
}

.tableauViz {
  width: 100% !important;
  height: 100% !important;
}
</style>
</head>

<body>

<div class='tableauPlaceholder' id='viz1781720388744' style='position: relative; width:100vw;
height:100vh;'>

  <noscript>
    <a href='#'>
      <img alt='Food Ordering Behaviour'
src='https://public.tableau.com/static/images/Fo/FoodOrderingBehaviourandConsumerTren
dsAStructuredAnalysisofChoicesandHabits-STORY/Story1/1_rss.png'
style='border:none' />
    </a>
  </noscript>
```

Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

```
<object class='tableauViz' style='display:none;'>
  <param name='host_url' value='https%3A%2F%2Fpublic.tableau.com%2F' />
  <param name='embed_code_version' value='3' />
  <param name='site_root' value='' />
  <param name='name'
value='FoodOrderingBehaviourandConsumerTrendsAStructuredAnalysisofChoicesandHabits
-STORY/Story1' />
  <param name='tabs' value='no' />
  <param name='toolbar' value='yes' />
  <param name='static_image'
value='https://public.tableau.com/static/images/Fo/FoodOrderingBehaviourandConsumerTre
ndsAStructuredAnalysisofChoicesandHabits-STORY/Story1/1.png' />
  <param name='animate_transition' value='yes' />
  <param name='display_static_image' value='yes' />
  <param name='display_spinner' value='yes' />
  <param name='display_overlay' value='yes' />
  <param name='display_count' value='yes' />
  <param name='language' value='en-US' />
</object>

</div>

<script>
var divElement = document.getElementById('viz1781720388744');
var vizElement = divElement.getElementsByTagName('object')[0];

vizElement.style.width = '100%';
vizElement.style.height = '100%';
```

Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

```
var scriptElement = document.createElement('script');
scriptElement.src = 'https://public.tableau.com/javascripts/api/viz_v1.js';
vizElement.parentNode.insertBefore(scriptElement, vizElement);
</script>
```

```
</body>
```

```
</html>
```

```
</script>
```

```
</body>
```

```
</html>
```

STYLE.CSS

```
body {
background-color: #f8f9fa;
}
```

```
.hero-section {
background: linear-gradient(135deg, #ff7b00, #ffb347);
```

```
color: white;
padding: 120px 20px;
}
```

```
.card {
border: none;
border-radius: 15px;
box-shadow: 0 4px 15px rgba(0,0,0,0.1);
}
```

Food Ordering Behaviour and Consumer Trends: A Structured Analysis of Choices and Habits

```
.footer {  
  background: #212529;  
  color: white;  
}
```

```
.navbar-brand {  
  font-size: 1.3rem;  
}
```

```
.nav-link.active {  
  color: #ffc107 !important;  
}
```

