

INFO 90002 Database Systems & Information Modelling


Week 01
Designing and Implementing a Database (example)

Structure of this lecture


- first half: Designing Databases
 - the database life-cycle
 - modelling a database for an example business
 - conceptual model
 - logical model
 - physical model
- second half: Implementing and Using Databases
 - create the database and tables
 - populate tables with data
 - query data
 - change data













- Specifying scope and boundaries
 - Users
 - Major user views
 - Application areas
- How does it interact with other systems
- User views how the system operates from differing perspectives
- Outside scope of the course (slightly)






 Collection and analysis of requirements for the new system






- High-level, first-pass model of entities and their connections
- Typically omits attributes
- Could potentially be implemented in a nonrelational database
- Thus can include manyto-many relationships, repeating groups, composite attributes





- Builds on the conceptual design
- Designing now for a relational database
- Includes columns and keys
- Independent of a specific vendor and other physical considerations






- Implements the logical design for a specific
 - Base tables


 - Integrity constraints
 - File organisation
 - Security measures
- We will cover some aspects of physical






- Done in conjunction with database design
- Design of the interface and application programs that use and process the database
- Mostly outside scope of the course, but discussed in week 7






 Implementation of the design as a working database






- Transfer existing data into the database
- Conversion from old systems
- Non trivial task





- Running the database to find errors in the design / setup
- Other issues also
 - Performance
 - Robustness
 - Recoverability
 - Adaptability
- Mostly outside scope of the course






- The process of monitoring and maintaining the database following its commissioning
- Monitoring and improving performance
- Handling changes to requirements
- We will touch on some of these topics later in the semester, especially



Summary of database lifecycle



Now we'll work through one example ...




Case Study: design the db

Data Modelling



Case for this lecture: Orders system


- Our company sells many products. About each product we record its id, name, and price.
- We have many customers. About each customer we record their customer id, name, and address.
- Customers place orders for products.
 Each order is placed by one customer on a particular date. Over time a customer may place several orders, though some may register but not place any orders.
- Each order must contain at least one order-item, but may contain several.
 Each order-item records a quantity ordered of one product.





Recall: data modelling means asking ...


- 1. What are the entities that need to be tracked?
- 2. What information will be recorded about each entity?
- 3. What are the relationships between entities?
- 4. What are the cardinalities of relationships?





Conceptual Data Model

(we will create this together during the lecture)




Logical Data Model

(we will create this together during the lecture)

New question:


What is the *primary key* of each table?



Physical Model

(we will create this together during the lecture)

New question: What is the *data type* of each column?





Case Study: implement the db

SQL


Can be done in several ways:

- 1. manual DDL commands
- 2. SQL "setup script" (right)
- forward engineer from MySQL Workbench and similar tools

```
CREATE TABLE IF NOT EXISTS `Customer` (
  `id` INT NOT NULL,
   `name` VARCHAR(50) NOT NULL,
   `address` VARCHAR(50) NULL,
  PRIMARY KEY ('id'))
ENGINE = InnoDB;
CREATE TABLE IF NOT EXISTS 'Order' (
  `id` INT NOT NULL,
  `customer` INT NOT NULL,
  `datePlaced` DATE NOT NULL,
  PRIMARY KEY (`id`),
  INDEX `fk_Order_Customer_idx` (`customer` ASC),
  CONSTRAINT `fk_Order_Customer`
   FOREIGN KEY (`customer`)
    REFERENCES `Customer` (`id`)
    ON DELETE NO ACTION
    ON UPDATE NO ACTION)
ENGINE = InnoDB;
CREATE TABLE IF NOT EXISTS `Product` (
   `id` INT NOT NULL,
  `name` VARCHAR(50) NOT NULL,
   `price` DECIMAL(5,2) NOT NULL,
  PRIMARY KEY ('id'))
ENGINE = InnoDB;
CREATE TABLE IF NOT EXISTS `OrderItem` (
  `order` INT NOT NULL,
  `product` INT NOT NULL,
  PRIMARY KEY ('order', 'product'),
  INDEX `fk_OrderItem_Product1_idx` (`product` ASC),
  CONSTRAINT `fk_OrderItem_Order1`
    FOREIGN KEY ('order')
    REFERENCES 'Order' ('id')
    ON DELETE NO ACTION
    ON UPDATE NO ACTION,
  CONSTRAINT `fk_OrderItem_Product1`
    FOREIGN KEY (`product`)
    REFERENCES `Product` (`id`)
    ON DELETE NO ACTION
    ON UPDATE NO ACTION)
ENGINE = InnoDB;
```

Can be done in several ways:

- manual Insert commands
- 2. SQL script file (right)
- 3. Insert in Workbench model
- 4. via application software



```
insert into Customer values (1,'Andy','1 One st');
insert into Customer values (2, 'Beyonce', '2 Two st');
insert into Customer values (3,'Cynthia','3 Three st');
insert into Product values (1, 'apple',1.11);
insert into Product values (2,'bread',2.22);
insert into Product values (3,'cabbage',3.33);
insert into Product values (4,'dates',4.44);
insert into `Order` values (1,1,'2017-6-1');
insert into `Order` values (2,2,'2017-6-2');
insert into `Order` values (3,3,'2017-6-3');
insert into `Order` values (4,1,'2017-6-4');
insert into `Order` values (5,2,'2017-6-5');
insert into OrderItem values (1,1,1);
insert into OrderItem values (1,2,2);
insert into OrderItem values (1,3,3);
insert into OrderItem values (2,2,4);
insert into OrderItem values (2,4,5);
insert into OrderItem values (3,1,6);
insert into OrderItem values (3,2,7);
insert into OrderItem values (3,3,8);
insert into OrderItem values (3,4,9);
insert into OrderItem values (4,4,10);
insert into OrderItem values (5,3,9);
```

```
IntroToMySql* ×
  🔚 | 💅 📝 👰 🕛 | 🔀 | 💿 🔞 🎏 | Don't Limit
                              - | 🛵 | 🥩 🔍 👖 📦
     SELECT name, price FROM product
     WHERE price > 3;
 4 • SELECT * FROM customer
     ORDER BY name DESC;
 6
 7 • SELECT AVG(price) FROM PRODUCT;
 8
     SELECT * FROM orderitem JOIN product
10
     ON orderitem.product = product.id;
11
12 • SELECT product, COUNT(*), SUM(price)
13 FROM orderitem JOIN product
     ON orderitem.product = product.id
14
15 GROUP BY product;
16
```

MELBOURNE Change the data

```
demoQueries* ×
    🔚 | 🗲 🞢 👰 🕛 | 🚱 | 💿 🔞 | Bon't Limit
                                                       - | 🏡 | 🥩 🔍 🗻 📦
         UPDATE product
         SFT Price = 3.50
          WHERE name = 'cabbage'; /* change price of cabbage */
    4
         INSERT INTO `order`
          values (6, 1, '2017-7-13'); /* add a new order */
    6
         INSERT INTO orderitem
          values (6, 2, 20), (6, 3, 30); /* add items to our new order */
   10
         DELETE from product
   11 •
         WHERE name = 'dates'; /* delete one product */
   12
   13
```

- More detailed understanding of database design
- More detailed understanding of SQL