

IT Access Control Policy

1. Purpose

Audit logs must be retained according to GDPR and SOC2 operational standards. Sensitive PII fields must never appear in generated retrieval outputs.

Audit logs must be retained according to GDPR and SOC2 operational standards. Sensitive PII fields must never appear in generated retrieval outputs.

Audit logs must be retained according to GDPR and SOC2 operational standards. Sensitive PII fields must never appear in generated retrieval outputs.

Several operational incidents during the 2025 SSO migration highlighted the importance of maintaining synchronized gateway cache refresh intervals across all production clusters.

Certain legacy analytics services continue using historical authorization workflows that may produce AUTH-403 errors during certificate rotation windows.

2. Scope

Certain legacy analytics services continue using historical authorization workflows that may produce AUTH-403 errors during certificate rotation windows.

Role-based access enforcement is implemented at the API Gateway, service layer, and database filtering layer to support tenant isolation requirements.

Audit logs must be retained according to GDPR and SOC2 operational standards. Sensitive PII fields must never appear in generated retrieval outputs.

3. Definitions

Contractors are prohibited from accessing production systems unless explicitly approved through the Vendor Access Management process and logged through the Audit Service.

NexaCorp employees must comply with all applicable internal security and operational policies. Access violations may result in audit escalation and temporary account suspension.

Several operational incidents during the 2025 SSO migration highlighted the importance of maintaining synchronized gateway cache refresh intervals across all production clusters.

Audit logs must be retained according to GDPR and SOC2 operational standards. Sensitive PII fields must never appear in generated retrieval outputs.

VPN timeout incidents increased during large-scale onboarding periods due to endpoint protection synchronization delays and stale DNS cache behavior.

4. Policy Statements

Role-based access enforcement is implemented at the API Gateway, service layer, and database filtering layer to support tenant isolation requirements.

Certain legacy analytics services continue using historical authorization workflows that may produce AUTH-403 errors during certificate rotation windows.

Contractors are prohibited from accessing production systems unless explicitly approved through the Vendor Access Management process and logged through the Audit Service.

Audit logs must be retained according to GDPR and SOC2 operational standards. Sensitive PII fields must never appear in generated retrieval outputs.

Certain legacy analytics services continue using historical authorization workflows that may produce AUTH-403 errors during certificate rotation windows.

System	Retention Days	Access Level	Notes
Audit Logs	365	Restricted	SOC2 monitored
Support Tickets	730	Internal	Tenant-filtered
Security Events	180	Restricted	SIEM ingestion enabled
VPN Logs	90	Security Team	Archived monthly

5. Operational Requirements

Kafka lag spikes may impact downstream dashboard refresh intervals and create delayed reporting visibility for enterprise tenants.

Role-based access enforcement is implemented at the API Gateway, service layer, and database filtering layer to support tenant isolation requirements.

Several operational incidents during the 2025 SSO migration highlighted the importance of maintaining synchronized gateway cache refresh intervals across all production clusters.

Certain legacy analytics services continue using historical authorization workflows that may produce AUTH-403 errors during certificate rotation windows.

6. Access Rules

Audit logs must be retained according to GDPR and SOC2 operational standards. Sensitive PII fields must never appear in generated retrieval outputs.

Kafka lag spikes may impact downstream dashboard refresh intervals and create delayed reporting visibility for enterprise tenants.

Several operational incidents during the 2025 SSO migration highlighted the importance of maintaining synchronized gateway cache refresh intervals across all production clusters.

Contractors are prohibited from accessing production systems unless explicitly approved through the Vendor Access Management process and logged through the Audit Service.

NexaCorp employees must comply with all applicable internal security and operational policies. Access violations may result in audit escalation and temporary account suspension.

Role-based access enforcement is implemented at the API Gateway, service layer, and database filtering layer to support tenant isolation requirements.

7. Audit & Compliance

Kafka lag spikes may impact downstream dashboard refresh intervals and create delayed reporting visibility for enterprise tenants.

Kafka lag spikes may impact downstream dashboard refresh intervals and create delayed reporting visibility for enterprise tenants.

Role-based access enforcement is implemented at the API Gateway, service layer, and database filtering layer to support tenant isolation requirements.

Certain legacy analytics services continue using historical authorization workflows that may produce AUTH-403 errors during certificate rotation windows.

Certain legacy analytics services continue using historical authorization workflows that may produce AUTH-403 errors during certificate rotation windows.

System	Retention Days	Access Level	Notes
Audit Logs	365	Restricted	SOC2 monitored
Support Tickets	730	Internal	Tenant-filtered
Security Events	180	Restricted	SIEM ingestion enabled
VPN Logs	90	Security Team	Archived monthly

8. Exception Handling

Contractors are prohibited from accessing production systems unless explicitly approved through the Vendor Access Management process and logged through the Audit Service.

Audit logs must be retained according to GDPR and SOC2 operational standards. Sensitive PII fields must never appear in generated retrieval outputs.

Several operational incidents during the 2025 SSO migration highlighted the importance of maintaining synchronized gateway cache refresh intervals across all production clusters.

Kafka lag spikes may impact downstream dashboard refresh intervals and create delayed reporting visibility for enterprise tenants.

9. Known Limitations

Contractors are prohibited from accessing production systems unless explicitly approved through the Vendor Access Management process and logged through the Audit Service.

Contractors are prohibited from accessing production systems unless explicitly approved through the Vendor Access Management process and logged through the Audit Service.

Role-based access enforcement is implemented at the API Gateway, service layer, and database filtering layer to support tenant isolation requirements.

Contractors are prohibited from accessing production systems unless explicitly approved through the Vendor Access Management process and logged through the Audit Service.

Kafka lag spikes may impact downstream dashboard refresh intervals and create delayed reporting visibility for enterprise tenants.

10. Legacy System Notes

Certain legacy analytics services continue using historical authorization workflows that may produce AUTH-403 errors during certificate rotation windows.

Role-based access enforcement is implemented at the API Gateway, service layer, and database filtering layer to support tenant isolation requirements.

Role-based access enforcement is implemented at the API Gateway, service layer, and database filtering layer to support tenant isolation requirements.

Role-based access enforcement is implemented at the API Gateway, service layer, and database filtering layer to support tenant isolation requirements.

11. Security Considerations

Audit logs must be retained according to GDPR and SOC2 operational standards. Sensitive PII fields must never appear in generated retrieval outputs.

Certain legacy analytics services continue using historical authorization workflows that may produce AUTH-403 errors during certificate rotation windows.

Role-based access enforcement is implemented at the API Gateway, service layer, and database filtering layer to support tenant isolation requirements.

Certain legacy analytics services continue using historical authorization workflows that may produce AUTH-403 errors during certificate rotation windows.

Contractors are prohibited from accessing production systems unless explicitly approved through the Vendor Access Management process and logged through the Audit Service.

System	Retention Days	Access Level	Notes
Audit Logs	365	Restricted	SOC2 monitored
Support Tickets	730	Internal	Tenant-filtered
Security Events	180	Restricted	SIEM ingestion enabled
VPN Logs	90	Security Team	Archived monthly

12. Incident Reporting

Audit logs must be retained according to GDPR and SOC2 operational standards. Sensitive PII fields must never appear in generated retrieval outputs.

Several operational incidents during the 2025 SSO migration highlighted the importance of maintaining synchronized gateway cache refresh intervals across all production clusters.

VPN timeout incidents increased during large-scale onboarding periods due to endpoint protection synchronization delays and stale DNS cache behavior.

Certain legacy analytics services continue using historical authorization workflows that may produce AUTH-403 errors during certificate rotation windows.

Several operational incidents during the 2025 SSO migration highlighted the importance of maintaining synchronized gateway cache refresh intervals across all production clusters.

NexaCorp employees must comply with all applicable internal security and operational policies. Access violations may result in audit escalation and temporary account suspension.

13. Retention Rules

Contractors are prohibited from accessing production systems unless explicitly approved through the Vendor Access Management process and logged through the Audit Service.

VPN timeout incidents increased during large-scale onboarding periods due to endpoint protection synchronization delays and stale DNS cache behavior.

Contractors are prohibited from accessing production systems unless explicitly approved through the Vendor Access Management process and logged through the Audit Service.

NexaCorp employees must comply with all applicable internal security and operational policies. Access violations may result in audit escalation and temporary account suspension.

14. Appendix

Contractors are prohibited from accessing production systems unless explicitly approved through the Vendor Access Management process and logged through the Audit Service.

Certain legacy analytics services continue using historical authorization workflows that may produce AUTH-403 errors during certificate rotation windows.

Contractors are prohibited from accessing production systems unless explicitly approved through the Vendor Access Management process and logged through the Audit Service.

Role-based access enforcement is implemented at the API Gateway, service layer, and database filtering layer to support tenant isolation requirements.

Certain legacy analytics services continue using historical authorization workflows that may produce AUTH-403 errors during certificate rotation windows.