9/25/2019 10:03 Page 1

# RM-3A STATUS REPORT PHYSICIAN'S FULL REPORT SUMMARY Referral:

Patient Name: Peter Logue
Weight: 179 Lbs BMI: 25.0
Height: 5' 11"
Date of birth: 06/10/1979

Gender: Male

Clinical Context Comments And Suggestions Of The Risk Analysis ANSD: No autonomic dysfunction detected. SudoD: EndoD: The result is in normal range. IR: Borderline result. Lifestyle change is suggested. CMR: The result is in normal range. **Observations** SFN: The result is in normal range. CAN: Borderline result. Mild failure of parasympathetic response. Moderate sympathetic over response is detected. PTG CVD: The result is in normal range. Lab Tests Symptoms ~ Off label use. Results have been tested in clinical studies. **ANS Assessment / Internal Organs RM Dashboard** Click on arrow to display comments V Abbreviation's Meaning Homeostasis Dysfunction Complications ANSD The correlations between 2h- OGTT Glucose and Cardiometabolic Stands for Autonomic Nervous System Dysfunction Risk Risk score (CMRS) were: r = 0.56 (p = 0.003). SudoD Stands for Sudomotor Dysfunction Risk Small fiber neuropathy risk using the sudomotor response score EndoD had a sensitivity of 91.4 % and specificity of 79.1% to detect Stands for Endothelial Dysfunction Risk diabetic neuropathy symptoms score >=1. Stands for Insulin Resistance PTG CVD is calculated from the PTG Spectral Analysis markers. CMR Comparing group with CAD and control group, spectral Analysis Markers have a sensitivity of 84.6% and specificity of 96.8% to detect CAD. SFN Off label use. Results have been tested in clinical studies. Stands for Small Fiber Neuropathy Risk CAN Stands for Cardiac Autonomic Neuropathy Ris PTG CVD PTG CVD Stands for PTG Cardiovascular Disease Risk Compare Status Report Show Compared Visits Borderline

DISCLAIMERS: This report is only for the referring physician and cannot be promoted. The patient profile risk analysis chart and comments and suggestions cannot be used for diagnostic purposes. It is the referring physician's responsibility to make proper judgments based on these numbers and suggestions. All results should be considered within the clinical context of the patient's case history, symptoms, known diagnosis, findings from other diagnostics studies, current medications, treatment plan and therapies.

Page 2 9/25/2019 10:03

Peter Logue

179 Lbs BMI: 25.0 Weight:


Height: 5' 11"

Patient Name:

Date of birth: 06/10/1979

Gender: Male

### RM-3A STATUS REPORT Referral: PHYSICIAN'S FULL REPORT SUMMARY



DISCLAIMERS: This report is only for the referring physician and cannot be promoted. The patient profile risk analysis chart and comments and suggestions cannot be used for diagnostic purposes. It is the referring physician's responsibility to make proper judgments based on these numbers and suggestions. All results should be considered within the clinical context of the patient's case history, symptoms, known diagnosis, findings from other diagnostics studies, current medications, treatment plan and therapies.

9/25/2019 10:03

Page 3

Patient Name: Peter Logue

179 Lbs BMI: 25.0 Weight:

06/10/1979


Height: 5' 11"

Date of birth:

Male

Gender:

### RM-3A STATUS REPORT Referral: PHYSICIAN'S FULL REPORT SUMMARY



## Risk Factors Chart Meaning:

RI = Marker of medium artery stiffness

T. Power = Marker of ANS overall activity

Baseline = Marker of skin microcirculation

autonomic nervous system and endothelial

9/25/2019 10:03 Page 4


RM-3A STATUS REPORT
PHYSICIAN'S FULL REPORT SUMMARY Referral:

Patient Name: Peter Logue
Weight: 179 Lbs BMI: 25.0
Height: 5' 11"

Height: 5' 11"

Date of birth: 06/10/1979

Gender: Male



DISCLAIMERS: This report is only for the referring physician and cannot be promoted. The patient profile risk analysis chart and comments and suggestions cannot be used for diagnostic purposes. It is the referring physician's responsibility to make proper judgments based on these numbers and suggestions. All results should be considered within the clinical context of the patient's case history, symptoms, known diagnosis, findings from other diagnostics studies, current medications, treatment plan and therapies.


Page 5 9/25/2019 10:03

RM-3A STATUS REPORT Referral: PHYSICIAN'S FULL REPORT SUMMARY

Patient Name: Peter Logue 179 Lbs BMI: 25.0 Weight:

Height: 5' 11" Date of birth: 06/10/1979

Gender: Male



DISCLAIMERS: This report is only for the referring physician and cannot be promoted. The patient profile risk analysis chart and comments and suggestions cannot be used for diagnostic purposes. It is the referring physician's responsibility to make proper judgments based on these numbers and suggestions. All results should be considered within the clinical context of the patient's case history, symptoms, known diagnosis, findings from other diagnostics studies, current medications, treatment plan and therapies.

9/25/2019 10:03

Page 6

Peter Logue

Weight: 179 Lbs BMI: 25.0


Height: 5' 11"

Patient Name:

Date of birth: 06/10/1979

Gender: Male

# RM-3A STATUS REPORT PHYSICIAN'S FULL REPORT SUMMARY Referral:



DISCLAIMERS: This report is only for the referring physician and cannot be promoted. The patient profile risk analysis chart and comments and suggestions cannot be used for diagnostic purposes. It is the referring physician's responsibility to make proper judgments based on these numbers and suggestions. All results should be considered within the clinical context of the patient's case history, symptoms, known diagnosis, findings from other diagnostics studies, current medications, treatment plan and therapies.

Page 7 9/25/2019 10:03

Peter Logue 179 Lbs BMI: 25.0

5' 11" 06/10/1979


Gender: Male

Patient Name:

Date of birth:

Weight: Height:

#### RM-3A STATUS REPORT Referral: PHYSICIAN'S FULL REPORT SUMMARY



DISCLAIMERS: This report is only for the referring physician and cannot be promoted. The patient profile risk analysis chart and comments and suggestions cannot be used for diagnostic purposes. It is the referring physician's responsibility to make proper judgments based on these numbers and suggestions. All results should be considered within the clinical context of the patient's case history, symptoms, known diagnosis, findings from other diagnostics studies, current medications, treatment plan and therapies.