



IC Doc Specimen

Istvan Farkas istvan.farkas@infocentric.ch

Baden, 14.12.2018

Table of content

Table of content

Heading 2

Heading 3

Heading 4

Heading 5

Heading 6

Paragraph

Emoticons

Table

Code fences

Math block

Quote

Unordered list

Ordered list

Task List

Link reference

Footnotes

Horizontal line

Heading 2

Heading 3

Heading 4

Heading 5

Heading 6

Paragraph

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

`Ut enim ad minim` veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

Emoticons

- `:smile:` => 😊
- `:coffee:` => ☕
- `:-1:` => 👎

Table

Header 1

Header 2

Header 3

Content 1.1

Content 1.2

Content 1.3

Code fences

```
1  #a {  
2    color: blue;  
3    border: 1px solid rgba(0,0,0, .5); /* This is a very long comment on 1 line */  
4  }
```

Math block

$$\sqrt{a^2 + b^2}.$$

Quote

My interest is in the future because I am going to spend the rest of my life there.

— *Charles Kettering*

Unordered list

- Unordered list item 1
- Unordered list item 2
 - Unordered list sub-item 1
 - Unordered list sub-item 2
 - Unordered list sub-sub-item 1
 - Unordered list sub-sub-item 2

Ordered list

1. Ordered list item
2. Ordered list item
 1. Ordered list sub-item

2. Ordered list sub-item
 1. Ordered list sub-sub-item
 2. Ordered list sub-sub-item

Task List

- ☒ Plan holidays for next years
- ☒ Make customer happy
- ☐ Log work in Proles

Link reference

If you use the [same link](#) many times, you can define a reference id and then simply use it like this on [any word](#) in your document:

```
1 | some text with a [link][my-link].
```

You then must define this link reference somewhere in your document via the **Link Reference** item from the Paragraph menu.

Footnotes

We believe ¹ in what we do !

Horizontal line

1. really ? [↩](#)