

PRODUCT TEST DETAILS		
Test Code : AMOXYCILLIN-CAPSULE-BP-17	Product Name : AMOXYCILLIN CAPSULE	Test Standard Name : BP
Wef : N/A	Upto : N/A	Created At: 2017-06-15 14:28:33

PRODUCT TEST PARAMETERS						
S.No.	Test Parameter	Equipment	Method	Std Value From	Std Value To	Time Taken
1.	Test Master					
a.	REFERENCE TO PROTOCOL	REFERENCE TO PROTOCOL 2-SUM OF IMPURITIES ELUTING BEFORE TAMSULOSIN IN TEST-A AND AFTER TAMSULONSIN IN TEST-B				
b.	DESCRIPTION	2-SUM OF IMPURITIES ELUTING BEFORE TAMSULOSIN IN TEST-A AND AFTER TAMSULONSIN IN TEST-B				
c.	2-SUM OF IMPURITIES ELUTING BEFORE TAMSU...	Cmbinstrument	A-05	7	8	45 Days
d.	LIMIT OF PROTEIN	Cmbinstrument	A-05	6	8	67 Days
e.	-INDIVIDUAL IMPURITY (2)	Cmbinstrument	A-05	77	8	7 Days
f.	-AFTER 1 HOUR	Cmbinstrument	A-19	N/A	N/A	6 Days
g.	-AFTER 10 HOUR	Cmbinstrument	A-07	N/A	N/A	5 Days